


THE COMPUTER MUSEUM REPORT

VOLUME 17 FALL 1986



any design or technical information shown therein, nor to reproduce this drawing or any part thereof, nor to make use of any information herein contained, is granted, except by written agreement with, or license by, the Apple Computer Company. The right to

SYN	DESCRIPTION	REV	DATE
A	RELEASED FOR PRODUCTION	H	10/14

- The Catalog of Personal Computers
- NOTES: (continued from sheet 1/3)
7. UNIT, AS SUPPLIED, INCLUDES A 6502 MICROPROCESSOR, AND SOLDER JUMPERS AT BOTH POINTS MARKED "6502", AND HAS OMITTED ALL COMPONENTS SHOWN WITHIN THE DOTTED BOX. IF A 6800 IS SUBSTITUTED FOR THE 6502 IT IS NECESSARY TO INSTALL ALL COMPONENTS SHOWN, AND TO BREAK BOTH SOLDER BRIDGES NOTED "6502".
 8. UNIT IS SUPPLIED WITH:
Y Jumpered to CSF
Z Jumpered to CSD
W Jumpered to CS1 and X Jumpered to CS2.
R, S, and T, ARE USER SELECTABLE CHIP SELECTS. (4K BLOCKS)
 9. KYBD & DSP ARE INTERRUPT OUTPUTS FROM PIA. POINTS LABELED "IRQ1", "NMI" ARE INTERRUPT INPUTS FROM MICROPROCESSOR. FOR NORMAL OPERATION NO JUMPERS ARE REQUIRED.
 10. KEYBOARD SOCKET, (B4), PIN 15, (BIT 8), SHOULD BE JUMPERED TO Vcc (+5V), FOR NORMAL OPERATION WITH SUPPLIED SOFTWARE.
 11. PROMS ARE 256 x 4, AND MAY BE ONE OF THE FOLLOWING TYPES:
SIGNETICS 825129,
HARRIS H1024,
INTEL/MMI 3601.
 12. VOLTAGES (+12, -12) ON EDGE CONNECTOR ARE UNREGULATED, FILTERED D.C., AND SHOULD NOT BE USED WITHOUT ADDED REGULATION.
 13. IF DMA REQUIRED, BREAK JUMPER SHOWN. USE 74527 AT POSITIONS B5, B6, B7, AND B8. (AS SUPPLIED)

INTERPRET THIS DRAWING PER USASI Y14.5		DRAWN BY R. WAYNE	DATE 4-2-76
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON:		CHECKED	
FRACTIONS = $\pm 1/16$ $\pm 1/4$ ANGLES = $\pm 1^\circ$ $\pm 10^\circ$ SURFACE FINISH \checkmark $\pm .010$		DESIGN ENGINEER S. WOZNIAK	3-10-76
MATERIAL:		PROJECT ENGINEER S. JOBS	3-10-76
- REF - NEXT ASSY USED ON APPLICATION		DOCUMENT CONTROL	
APPROVED		SIZE D	DRAWING NO. 00101
		SCALE	REV A
			SHLF 2 3

APPLE COMPUTER COMPANY

SCHEMATIC DIAGRAM
APPLE ~1
PROCESSOR SECTION

Board of Directors

Dr. John William Poduska, Sr.
Chairman
Stellar Computer, Inc.

Dr. Gwen Bell,
Founding President
The Computer Museum

Erich Bloch
National Science Foundation

David Donaldson
Ropes and Gray

John J. Evans
Manufacturers Hanover Trust

Dr. Sydney Fernbach
Computer Consultant

Gardner Hendrie

Arthur Humphreys
ICL

Mitchell Kapor
Lotus Development Corporation

August Klein
MASSCOMP

Dr. Koji Kobayashi
NEC Corporation

Dr. Robert Lucky
AT&T Bell Laboratories

James L. McKenney
Harvard Business School

Dr. Carver Mead
California Institute of Technology

Dr. Robert M. Metcalfe
3Com Corporation

Dr. Arthur P. Moella
The National Museum of American History, Smithsonian Institution

Russell Nofsker
Symbolics

Nicholas Pettinella
Intermetrics, Inc.

Jonathan Rotenberg
The Boston Computer Society

Jean E. Sammet
International Business Machines

Edward A. Schwartz
Digital Equipment Corporation

Irwin J. Sitkin
Aetna

Dr. W.J. Spencer
Xerox Corporation

Dr. An Wang
Wang Laboratories, Inc.

Trustees

Charles Bachman, C. Gordon Bell, Harvey D. Cragon, Robert Everett, C. Lester Hogan, Theodore G. Johnson, Andrew Knowles III, John lacey, Patrick McGovern, George Michael, William Millard, Robert Noyce, Kenneth Olsen, Brian Randall, Kitty Selfridge, Michael Spock, Erwin Tomash, Paul Tsongas, Maurice Wilkes

Executive Committee

David Donaldson, Chairman, Dr. Gwen Bell, Theodore Johnson, August Klein, Ralph Linsalata, Prof. James McKenney, Nicholas Pettinella, John William Poduska, Sr. Jonathan Rotenberg, Paul Severino, Hal Shear, Ronald Smart, Oliver Strimpel

Corporate Donors

Sustainer
American Telephone & Telegraph
Bank of America
The Boston Globe
ComputerLand
Control Data Corporation
Data General Corporation
Digital Equipment Corporation
Hewlett-Packard
International Business Machines, Inc.
NEC Corporation
Wang Laboratories, Inc.

Benefactor—\$10,000

AFIPS, Inc.
American Express Foundation
Apollo Computer, Inc.
International Data Group
The MITRE Corporation
Raytheon Company
Sanders Associates
The Travelers Companies
Xerox Corporation

Patron—\$3,000

Addison-Wesley
Bitstream
Boris Color Labs, Inc.
Burroughs Corporation
Computer Society of the IEEE
Coopers & Lybrand
Data Translation
DECUS
Dentsu (New York), Inc.
Draper Laboratories
Gaston Snow & Ely Bartlett
General Computer Company
Gourmet Caterers, Inc.
Honeywell Information Systems
Liberty Mutual Insurance Company
Lotus Development Corporation
Major Computer, Inc.
MASSCOMP
McGraw-Hill, Inc.
The MITRE Corporation
NEC Systems Laboratory, Inc.
Nolan, Norton & Company, Inc.
Phoenix Software Associates Ltd.
Prime Computer Corporation
The Prudential Insurance Company
Regis McKenna, Inc.
Ropes & Gray
Software Results Corporation
Stratus Computer, Inc.
Sun Microsystems
Symbolics, Inc.
3Com Corporation
/u/s/t group

Contributor—\$1,000

Access Technology
Adage, Inc.
Analog Devices, Inc.
American Management Systems
Arthur Andersen, Inc.
Arthur D. Little, Inc.
Autographix
Automatix
Bank of Boston
Bank of New England
Baybanks
Bolt Beranek & Newman
Boston Safe Deposit & Trust Company
BusinessLand
Citicorp (USA), Inc.
Cullinane Foundation
Dane, Falb, Stone & Co.
Deloitte Haskins & Sells
Foley Hoag & Eliot
Ford Motor Company
General Systems Group, Inc.
GenRad
Goldman, Sachs Co.
Gould, Inc.
Greylock
GTE Data Services, Inc.
GTE Laboratories, Inc.
Houghton Mifflin Company
Hyams Trust
Index Technology Corporation
INNOVA
Intel Corporation
International Computer Ltd.
Investment Orange Nassau, Inc.
LTX Corporation
Manufacturers Hanover Trust
Meditech
Mentor Graphics
MICOM-Interlan, Inc.
Micro Control Systems
Microsoft
New York Air
Pathway Design, Inc.

PC Magazine
Peat, Marwick, Mitchell & Co.
Pell, Rudman, Inc.
Pencept, Inc.
Polose-Clancy, Inc.
Price Waterhouse
Project Software & Development, Inc.
Shawmut Corporation
Standard Oil Corporation
SYMEDCO
Teradyne
Warner & Stackpole
XRE Corporation

* Contributed to the Capital Campaign

Core Members

Harlan E. and Lois Anderson
Charles and Constance Bachman
C. Gordon Bell
Erich and Renee Bloch
Howard E. and Jody Brewer
Henry Burkhardt III
Roger and Mary Cadby
Howard Cannon
R. Steve Chehelyl
Robert C. and Eleanor W. Chinn
Pat Clark
Robert G. Claussen
William Congleton
Alex d'Arbeloff
Arnaud de Vitry
David Donaldson
Douglas Drane
Robert Everett
Kenneth G. Fisher
Jay W. Forrester
William Foster
Gardner Hendrie
Winston R. Hindle, Jr.
Peter Hirshberg
Theodore G. and Ruth T. Johnson
John Allen Jones
Mitchell Kapor
Allan Kent
Jack S. Kilby
August Klein
Andrew C. Knowles III
David J. A. Koogler
Edward and Debbie Kramer
John W. and Edna W. Lacey
Ralph and Linda Linsalata
John Norris Maguire
Richard D. Mallery
Thomas and Marian Marill
Daniel D. McCracken
James L. McKenney
Thomas and Elizabeth McWilliams
Carver Mead
Robert M. Metcalfe
Allen Michels
Robert M. Morrill
David and Pat Nelson
Russell Nofsker
Robert Noyce
Kenneth Olsen
John L. Payne
Edward G. Perkins
Russell Planitzer
John William Poduska
Robert M. Price
Fontaine K. Richardson
Benjamin Robelen
Douglas Ross
Jean E. Sammet
Paul and Katherine Severino
Hal Shear
Alan F. Shugart
Richard L. Sites
Ronald G. Smart
Charles E. Sporck
Ivan and Maria Sutherland
Del Thorndike and Steve Teicher
Erwin Tomash
Jean De Valpine
Charles P. Waite
Stephen I. Watson
Harvey W. Wiggins, Jr.
William Wolfson

Contributing Members

Patron—\$500 or more

Anonymous, Roy Duncan, Tom Eggers, Alan E. Frisbie, Tom and Rosemarie Hall, Robert Kahn, Martin Kirkpatrick, Andrew Lavien, Nicholas and Nancy Pettinella, Paul R. Pierce, Ann Roe-Hater, Jonathan Rotenberg, Oliver and Kitty Selfridge, Bob Whelan, Leo R. Yochim

Sponsor—\$250

Isaac Auerbach, G. C. Beldon, Jr., Philip D. Brooke, Richard J. Clayton, Richard Corben, Howard E. Cox, James B. Deaderick, Delta Management, Philip H. Dorn, Dan L. Eisner, Bob O. Evans, Branko Gerovac, John and Arlene Gilmore, Dr. Roberto Guatelli, Robert Hoffman, M. Ernest Huber, Lawrence J. Kilgallen, Marian Kowalski, Raymond Kurzweil, Michael Levitt, Carl Machover, Julius Marcus, Joe W. Matthews, Tron McConnell, R. W. Meister, Richard G. Mills, Joseph Nestor, Joseph M. Newcomer, James N. O'Boyle, Jr., Anthony Oettinger, James V. Patton, James A. Pitts, Linda J. Phillips, J. Eric Pollack, Linda & David Rodgers, Thomas S. Roy II, William M. Steul, Charles A. Stott, John V. Terrey, Michael and Beverly Tomasic, G. Michael Uhler, Allan L. Wallack, Andrew Wilson.

Donor—\$100

Kenneth R. Adcock, Lawrence Adrian, Timothy Anderson, Rolland Arndt, Richard G. Bahr, Mario Barbacci, Ph.D., Steve F. Barneby, John C. Bartsow, James Bell, Alfred M. Bertocchi, Lois J. Bizak, Dr. John R. Blankenship, Richard C. Bloom, Bontronics, Daniel S. Bricklin, Fred and Nancy Brooks, D. F. Brown, Gordon S. Brown, John and Ann Brown, Roger M. Buoy, James Burnett, W. Carlson, Maria L. Carr, Charles and Virginia Casale, George Chamberlain, George Champine, James F. Cody, Michael Cronin, Daniel Crowley, Curriculum Associates, David N. Cutler, Nick De Wolf, Peter De Wolf, Harvey Deitel, Lucien and Catherine Dimino, Ditarigiani Family, Theodora Drapos, Joseph J. Eachtus, Fred Ebeling, Dr. Richard J. Eckhouse and Dr. Ruth Maulucci, William Elliott, Lucian Endicott, Geoffrey Feldman and Sharon Lipp, Larry Forte, Clark Frazier, Edward A. Feustal, J. Thomas Franklin, Kevin and Judith Galvin, David Goodman, William Graustein, Stephen Gross, Jerrier A. Haddad, Michael P. Halter, J. Scott Hamilton, Frank E. Heart, Daniel and Nancy Heff, Margaret Herrick, Thomas L. Hohmann, Nancy S. Horie, Charles A. Jortberg, Richard M. Karoff, Bryan S. Kocher, Josh and Mabel Kopp, Neal Koss, Alan and Judith Kotok, Stanley Kugell, Robert Laman, Curt Larock, Tsui Lavi, Grace Leahy, Craig Lee, John R. Levine, John V. Levy, Reed Little, George Logemann, Carl D. Lowenstein, John Lowry, Lube, Inc., Arthur Luehrmann, Andrew H. Mason, Robert O. Mason, Robert Mayer, Jr., Richard McCluskey, F. Warren McFarlan, Jim McIntosh, William and Vesta McLean, Todd Medlock, Charles Minter, Allen Moulton, Dr. J. Craig Mudge, Carol E. Muratore, Dr. and Mrs. Isaac R. Nassi, Lee Neal, Cynthia and Richard Nelson, Tim K. Nguyen, Bernard J. Nordmann, H. Edward Nyce, Lawrence and Pauline Oliva, Dr. Robert K. Otnes, John E. Parker, Kenneth D. Patterson, James and Beverly Philip, Juan Pineda, Andrew Plescia, James N. Porter, David Potter, Robert C. Probasco, Audrey Reith, C. Mike Riggle, David C. Roh, Michael Rooney, Daniel Rose, David Rose, Eugene Rudolph, Howard Salwen, Michael J. Samek, F. Grant Saviers, Andrew Scott, Sebell Software Systems, Aaron and Ruth Seidman, W. Lee Shevel, John J. Shields III, Diane J. Skiba, Ph.D., Allen G. Sneider, Robert and Diane Stewart, J. Michael Storie, David Tarabar, William R. Thompson, Warren G. Tisdale, Noah E. VanDenburgh, Thomas Vaughn, Christian Walker, Joseph B. Walters, Jr., Thomas E. Welmers, John D. Wick, Hugh Wilkinson III, Kevin Willoughby, Richard Witke, Paul Wittman, T. Wojcik, Jr., D. L. Wyse, Jeffrey N. Zack.

The Early Model Personal Computer Contest

Oliver Strimpel

Contents

- 1 The Early Model Personal Computer Contest
Oliver Strimpel
- 3 The Making of an Engineer and a Computer
Steven Wozniak
- 9 The Personal Computer Collection

Cover

Schematic of the processor section of the Apple 1 computer. See article on page 3 and photograph of the Apple 1 board on page 6.

Reproduced from Apple 1 Operation Manual, Courtesy of Apple Computer.

Gift of Dysan Corporation

The Computer Museum

The Computer Museum is a non-profit 501(c)3 foundation that chronicles the evolution of information processing through exhibitions, archives, publications, research, and programs.

Museum Hours: The Museum hours are 10 AM-5PM, Tuesday-Thursday, Saturday, and Sunday, and 10 AM-9 PM Friday. It is Closed Mondays, Christmas, New Years, and Thanksgiving.

Membership: All members receive a membership card, free subscription to The Computer Museum Report, a 10% discount on merchandise from The Computer Museum Store, free admission and invitations to Museum previews. For more information, contact Membership Coordinator at The Computer Museum, 300 Congress Street, Boston, MA 02210. (617) 426-2800.

Staff

Dr. Gwen Bell, Founding President

Dr. Oliver Strimpel, Associate Director and Curator

Lynn Hall, Registrar

Gregory Welch, Research Assistant

Bonnie Turrentine, Education Director

Kurt Levitan, Exhibit Specialist

Gregory Schmeder, Reservations

Mark Hunt, Marketing Director

Laura Goodman, Store Manager

Pat Fiorelli, Public Relations Manager

Linda Holekamp, Communications Assistant

Kathleen Keough, Functions Coordinator

Michael N. Oleksiw II, Development Director

Anne Jenckes, Development Coordinator

Susan Versailles, Membership Coordinator

Ray Niro, Interim Business Manager

Pat Pearson, Accountant

German DRK

Public Relations Advisors

Jackson-Blum-Shapiro

Advertising Consultants

Benson Clemons/BCOM Design

Every year the Fall issue of The Computer Museum Report features the Museum's collections. This issue constitutes a complete catalog of the Museum's collection of personal computer hardware as of July 1986. Collected artifacts not relating to personal computers will be listed next year. It follows a somewhat unusual collecting event—the Early Model Personal Computer Contest.

In the Spring of 1985, William Millard, then chairman of ComputerLand, toured the Museum with Pat McGovern, chairman of CW Communications, the world's largest publisher of computer trade magazines, and Gwen Bell, Museum President. Millard noticed gaps in our collection of personal computers and asked how the Museum could remedy the situation before the early machines disappeared. Bell, half in jest, suggested a contest to find the earliest personal computers. Millard took up the idea enthusiastically and offered ComputerLand's support for the collection. McGovern offered to publicize the event and the contest was born.

From October 1985 to March 1986 advertisements appeared in CW Communications' magazines all over the

world. The heading ran—"Wanted: Old Thinker-toys". Phil Lemmons, editor-in-chief of Byte magazine also put out the call in Byte's tenth anniversary issue.

Offers flooded in—320 in all from 13 countries. The early US commercial machines, topped by the Altair 8800's (13 offers) were well represented. There were also many offers of one-of-a-kind homebrew machines and single-board computers, mostly still in full working order. Perhaps the most bizarre offer came from Argentina—a manuscript dating from around 1800 containing a card punched with holes. Said to be from Marie Antoinette imprisoned in the Bastille, it contained a coded message to her supporters outside the prison. Overall the response from abroad was disappointing; the collection still needs foreign enrichment.

A total of 137 items were accepted. The remainder were declined to avoid excessive duplication, or because they did not really fall into the categories collected by the Museum. The donors shipped their items to us for the final judging by Stephen Wozniak, designer of the Apple II and co-founder of Apple Computer, David Bunnell, an early MITS employee and current publisher

Stephen Wozniak inspecting the Micral. Owing to a hitch at US Customs, this prize-winner arrived just in the nick of time for the judging.



of *PC World*, and myself. It was on this occasion that Wozniak announced his intention to donate his personal collection of hardware and notebooks to the Museum. He also gave a public lecture to a packed house after the judging. We include his talk in this issue as the story behind the machine that epitomized the spectacular growth of personal computing—the Apple II.

In defining the personal computer, we excluded plastic or cardboard educational and toy kit 'computers' (such as CARDIAC, BRAINIAC and GENIAC), as well as programmable calculators. We were impressed by machines in several categories. First, there were the highly original designs that had significant impact on the development of the technology. Don Lancaster's TV Typewriter and Lee Felsenstein's Visual Display Module paved the way to the keyboard and screen interface now universal on personal computers. They were each awarded a prize.

Next there were the early commercial products, bold design and packaging efforts. We awarded the first prize to the 1971 Kenbak-1, submitted by its creator John Blankenbaker. This small machine contained an eight-bit processor built up from medium-scale and small-scale integrated circuits, and qualified as the earliest personal computer known to the judges. Thi Truong's 1973 Micral was awarded a prize as the first commercially available microprocessor-based computer. The Scelbi-8B, the EPA Micro 68 and Cromemco Dazzler were given honorable mention in this category.

Some of these machines bore testimony to the extraordinary zeal of the early hobbyists. We gave a prize to Robert Pond's Altair 8800 and honorable mentions to a Southwest Technical Products 6800 and a TRS-80 Model 1 which came complete with every conceivable add-on board or peripheral and with extensive, well documented software collections. One Altair had even been time-shared!

Lastly there were the homebrew machines, some indicating that builders had gone to enormous lengths to make useful machines at low cost. The computer based on an RGS-008 kit



gained honorable mention for completeness. There were machines that must have taken solid weeks of wire-wrapping and soldering to assemble.

We received many offers of magazines, personal computer club newsletters and advertising literature. David Ahl, founder of *Creative Computing* magazine, sent us his large collection of personal computer periodicals. Volunteers from the Boston Computer Society are piecing together the offers to create complete periodical runs. The collections of literature and software will be listed in a later issue.

The contest was a success—the Museum now has a very fine collection of personal computers, including some little known, but significant machines. This provides a unique historical record and a valuable resource for future exhibits.

The winners were flown to the Museum for "Personal Computer Pioneers Day" and presented with engraved silicon wafer medals. From left to right: John V. Blankenbaker (Kenbak-1), Robert Pond (Altair 8800 hobbyist), Lee Felsenstein (prototype VDM-1) and Thi T. Truong (Micral). Don Lancaster (prototype TTV-1) was unable to attend the prize-giving.

Stephen Wozniak

The Making of an Engineer and a Computer

I was lucky as a kid because my Mom and Dad got me to do science fair projects, tell jokes, and have fun. I

knew I'd get an electronics project for Christmas. I'd sneak down the night before and open up the packages (then close them up again). It was sort of like exploring a computer system without getting caught. In sixth grade my hero was Tom Swift who used his resourcefulness with technology to do good. The kids on my block wired house-to-house intercoms, helped by the local electronics store where we hung out. We got someone to give us a ton of telephone wire and we just walked down the block hammering it to the fences and jumping into people's yards and burying it in the ground. When you're kids you don't understand that things are owned by others.

Mom gave me 35 cents a day for lunch. I didn't eat; I saved the money for a walky-talky. But I got nailed. The school had a lottery and I spent all the money on tickets. And I lost.

My father, an engineer, taught me how transistors work and got me interested in computers by giving me IEEE reports to read. This way I learned the basics of Boolean logic and built some adders/subtracters for science fair projects. By eighth grade I talked a company into giving me a few hundred transistors and diodes. I built some gates and figured out why they weren't working. It was a good head start.

By the time I got to high school, I was real fast on the slide rule and that helped me become the top math student. But when you're in math you don't take electronics, because you're in the college curriculum. Electronics was a shop course. Somehow a few people covered both. Neither the students nor the teachers in high school knew what a computer was and vacuum tube technology was still being taught. When I was a junior, a

teacher said "we now have a computer and you can use it." I said, "Great... what an opportunity." It was a little board that could be wired to create a relay. The teachers thought this was a computer!

Then, I had a teacher who recognized that I needed something beyond what the school could provide. He had a couple of friends at Sylvania and arranged for me to go down once a week to program computers. They gave me a FORTRAN manual and I thought it was the neatest thing in the world. Then one day, I saw *The Small Computer Handbook* on someone's desk. It described DEC's PDP-8. I read it from

NOVA. I started to design my own versions of it. Sometimes it would take 20 pages to design a floating point add. Then I tried to make the design smaller and smaller. Every time a company, like Fairchild, would come out with a new chip, I'd go back and re-design the NOVA using that chip. I'd make the design better and better using fewer chips. If I could have afforded building any of these machines, I would have stopped designing and learning. The reward was in improving a design.

In 1968, I headed off to the University of Colorado where I signed up for a computer class. This gave me the opportunity to sign up for computer time by using my student number. I didn't understand that computer time was charged for. As a kid I really didn't know about accounting principles—and I was still a kid. I was put on probation for computer abuse. I ran some programs that just printed scrap paper as fast as they could; others that ran every mathematical table that I could find—powers of two, inverse powers of two, and so on. Eventually my factorials would take more than a page and it would run 60 pages worth; that was what the CDC machine could do in under the minute that I was allowed as a student. It would punch out cards which I could submit again to make it start up exactly where it had stopped. I used 60 pages for each of six sets of tabulations three times a day for about a month. There were reams and reams stacked up in my dorm. I never thought that my professor would think that I was trying to get him because I was spending money that was un-budgeted.

That year I built my first video project, a device out of one transistor and some old radio parts that jammed TVs. I didn't try it out in my dorm because they knew me. I went to another dorm, sat in the TV room and started to jam the picture. A friend, in on the gag, went up to the TV, hit it, and I un-jammed the picture. Each time I'd jam it, my friend would have to hit it harder and harder. Everyone understands that when an inanimate object doesn't work you just hit it. I discovered in that age of peace-loving anti-war college students that you could turn any group



cover to cover learning about binary arithmetic, how ands and ors work, about registers, instruction sets, sequencing, and everything you needed to know to build a minicomputer. Later, when the growth of mini-computers started exploding, my favorite machine was Data General's

into animals just by jamming the TV set. One time I jammed it and someone said the TV repairman had been in and had said it was the antenna. So he held the antenna up in the air, and the set was perfect, but only for a couple of minutes, then it went bad again. The guy held it up higher. Same scenario. When it went bad, he stood up on a chair, and it worked, for a while. Up on his tiptoes it worked; down on his heels it didn't work. On another occasion they discovered if you touched the set in a weird position — hand on set and leg on the chair — it worked. He said, "It's a grounding effect." And they watched the last half hour of Mission Impossible with a hand on the middle of the TV.

The computer class was very large. The professor would lecture to a quarter of the students and the rest would watch on TV monitors in another room. I built the TV jammer into a magic marker pen and took it to class. The class started and I jammed the TV. Three teaching assistants stood up, looked us over and I was scared. Then, before I panicked, someone picked up his books and started to leave early. He was near the worst jammed TV. As he got up the TV started to go in and out, until as he walked out the door it was perfect. I learned that whatever prank you do, make someone else get the credit.

My second year of college was in Cupertino. They had an IBM 360. I took some computer courses that gave me no credit at all, but they were what I wanted to take. I met a computer operator and I found that as an insider he had keys and passwords. We would go in late at night and run programs. By sliding a piece of paper over the official record on the console printer, we prevented our jobs from being recorded. One night the manager of the center came in at about 2 AM and found me alone in the computer room. I was scared because he didn't even know me. I said, "Larry went out for the pizza."

To pay for my third year of college, I went to work for a mini-computer company. It had a great machine with 64 terminals that could run FORTRAN and other programs. But the company was hit by the recession and went under. It was surprising for me to learn that people could invest two million dollars in a company and it couldn't make it.

In my spare time a friend and I built "The Cream Soda Computer", because we drank cream soda while we put it together from spare parts given

Blue Box, 1972

Inspired by the "phone phreak" hero Captain Crunch, Steve Jobs and Stephen Wozniak built their own tone generators to make free calls. Known as blue boxes, they were sold in the dormitories of the University of California at Berkeley where Wozniak was an undergraduate. The particular box shown here was demonstrated to a packed roomful of students performing the legendary experiment of calling around the world to a phone in the next room. The signals had to travel over such a great distance that there was sufficient delay for a person to walk over to the receiving phone to hear his own voice. Following this demonstration, Richard Prelinger bought the box for \$120.

The box used a crystal oscillator and was switched on or off simply by inserting or removing the plug leading to the earpiece. The early boxes were equipped with a safety feature — a reed switch inside the housing operated by a magnet taped onto the outside of the box. Should the phone phreak be apprehended, the magnet could be removed quickly, whereupon the blue box would generate distorted off-frequency tones rendering it inoperable. "You tell them it's just a music box", said Wozniak. The taped-on magnet is visible on the bottom right side of the box.

Gift of Richard Prelinger

to us by another company. The friend that helped me build it, introduced me to another friend, Steve Jobs. We were introduced because we both liked pranks and electronics.

In 1971, after a little stint on unemployment insurance, I went to Berkeley, one of a handful of colleges offering computer science, for my third year of college. I took a course on writing assemblers and wanted to learn computing, read every manual, try every code, and learn every language. Getting grades or going to classes was of secondary importance. One time I signed up for ten courses and only went to five. Steve Jobs, a freer spirit, went off to Reed College in Oregon, where he only attended the courses that he wanted to, not the ones that he was registered for. Reed was also free and let him hang around for two years.

One day at my parents house, I read an article characterized as "fic-

tion" about these weird phone phreaks who drove around the country in vans with racks of equipment in their buses, plugging into communications networks. The author, Captain Crunch, philosophized that exploring the phone system would improve it for Ma Bell. I fell in love with this philosophy. I wanted to explore a system and a computer and I didn't care about free calls. Half way through the article, I called Steve Jobs up and started to read it to him. Suddenly I realized there were too many details in the article — frequencies of 700 hertz and 900 hertz. They gave too much information. It's too real. These are not things that a fiction writer can make up. My source for material at the time was the Stanford Linear Accelerator; I knew I could always get in there on the weekend. With those high end research types, the door was never locked. Steve and I went to the library and





started to research the phone system. We discovered that the frequencies mentioned in the article were correct. Now we knew that we could build a box and make free phone calls all over the world. We even managed to meet the author of the article, Captain Crunch. I was so pure about the philosophy of the phone company as a system, that I paid for my phone calls home. Then, late at night, I'd call every country in the world. I showed it off. I told phone jokes. I sold blue boxes on the campus. I just wondered how far I could get. But I was still pure, I paid for everything I should pay for—I was just using unused wires. It was disappointing when I found out that the phone phreaks were not pure.

After that year at Berkeley I had to take another year off to work and earn enough money to go back to college. I got a job as an engineer at Hewlett Packard designing scientific calcula-

tors, an incredibly good product that bypassed slide rules. My career kept going up. While it's widely reported that I'm a college dropout, that's not true. It just took ten years until I had enough money to finish.

I started to get away from computers. The blue boxes had been fun. Then I heard about "Dial-a-Joke" and I started the first one in the San Francisco area. In those days you could not own your own answering machine, you had to rent it from the phone company. Two thousand calls a day came into my machine to hear a Polish joke. Then the Polish/American Congress Incorporated in Chicago twice threatened me with law suits. I said, "How about Italian jokes?" They said, "Fine with us." Twelve years later the organization gave me their national heritage award.

One night after work, I walked into a bowling alley and I saw the first Pong game. It blew me away. I wanted one and since I knew TV sets and digital logic, I designed my own. Around that time, Steve Jobs got a temporary job at Atari. He introduced me to some of those people, but I wouldn't leave such a good company as HP for Atari. HP really cared about its employees and I just didn't feel like leaving, for any reason. On the side, Steve and I got a job to design the game Breakout for Nolan Bushnell at Atari.

Then, one day, I went to see my old friend Captain Crunch who was in his basement on a teletype. He said, "I'm playing chess with someone at MIT." Then said, "Look I can log into all these computers." He was on the ARPANET. I said, "Wow, I've got to do this." The only way that I could afford it was to build a terminal. I designed a video terminal because the cheapest input output device was your own tv set. Later Captain Crunch was to go to prison for phone phreaking. The second time he got caught the judge said that if he ever did this again he would go to prison. He got the same judge the third time.

I had been out of the computer area for a while and I wasn't aware that the microprocessor had been introduced. A friend of mine, who had gone to MIT, called me up and said there was club starting up for people who had built terminals and things. Since I had just built a terminal and since I like to show off, I said, "Great, I've got to go to this meeting and show off my terminal." He didn't tell me it was a microcomputer club because if he had, I would have said, "I don't know anything." And I wouldn't have

gone. I met a lot of interesting people there who were all talking about the new Altair Computer. Somehow everybody knew that some day they were going to own their own computer. I had decided back in high school in the sixties that I was going to own a personal computer—a 4K NOVA was what I really wanted. At the time, it was the cost of two Pintos and almost the cost of a home. This was a big thing to think: to have a computer instead of a home or a car. Now I discovered that there were people around who knew how to build affordable computers. And, I got back into the field by studying a microprocessor instruction set, the inner workings of the chip. I discovered a microprocessor was just like a minicomputer.

Over the next year, the club grew to five hundred members who met twice a week. We all worked for companies with mainframes—and submitted our decks of cards through the window and the computer priests would run the program. We'd try to crash the system because it wasn't ours. We were a group that had a purpose: the revolution of home computers. Byte Magazine started. In the beginning most home computers were sold as kits and you had to be a hobbyist who knew how to use a soldering iron and not be afraid to put one together. The members of our club were not high level managers; we ran around with holes in our jeans, and were a technical community who wanted their own computers. The club was based on sharing. Lee Felsenstein conducted our meetings. The first segment was called the mapping period. People offered information, material or discussed problems. For example, one of the members would ask, "Is there anyone here from AMI?" If no hands went up, he'd say, "I've got some chips to raffle off for the club." He gave the first Pong chip for your home Pong game to members of the club before Atari got it. Then, in the random access groups, people matched offers and problems.


I still could not afford a computer so I started to think about building one for myself. A new company called MOS Technology introduced a new microprocessor, the 8-bit 6502 costing \$400. It was the finest microprocessor yet and they sold it over-the-counter at a show in San Francisco for \$20—a very unique marketing step. A lot of folks from the club bought one and that night at the Homebrew Computer Club meeting it was a big topic.


A company called Sphere stopped

Apple 1, 1975

In designing the Apple 1, Wozniak squeezed as many functions as he could onto a single PC board. The upper two rows of integrated circuits constitute the video terminal he designed in 1974 to access mainframes remotely; it contains its own memory consisting of 7 1K dynamic shift registers and displays characters in a 5 by 7 matrix, with 40 characters per line, 24 lines per page and automatic scrolling. It interfaces to an ASCII encoded keyboard which is plugged into the empty socket at location B4. The video output and low voltage AC power sockets are at the top left corner. The lower two rows are the computer, shown in schematic form on the cover. The 6502 microprocessor is in the white package on the bottom row towards the left; the 16 chips on the right (A,B11-18) are 4K dynamic RAM's; 2 PROM's, containing the 256 byte resident system monitor program, are at the bottom left corner. The memory could be expanded to 65K via the edge connector on the right.

Gift of Dysan Corporation





got an order for \$50,000." That was the biggest shock of the Apple experience. Steve had gone down to the Byte Shop where they bought Altairs as kits, wired them in the backroom, and sold them as personal computers. Steve discovered that it would only cost \$13 to insert all the chips on our board. The Byte Shop placed an order for 100 computers at \$500 each and we had to purchase the parts. To come up with the money, I sold my HP-65 calculator for \$500. However I knew we were coming out with the HP-67 the next month and my employee price would be \$37, so I didn't take much risk. I still had my HP job as well. Steve went to the component suppliers and by showing the order asked for 30 days net credit. The chips were stocked in a closet at the company making the board. When the chips came out of the closet the 30 days started. When the pc boards came off the line, they would be stuffed with the

chips and then put on the wave soldering machine. In two days 25 boards were complete and we drove over and took them to Steve's garage. We'd plug in the keyboard and the TV and some transformers and test the boards with the oscilloscopes to see if they would work. On the weekends we would sit down with the ones that didn't work, and usually found the problem in bent pins. Then we would deliver them to the local store and get paid. It was a ten day cycle. It's amazing what you can do when you have one level of management.

The Apple I design had few chips and was optimized for one board. The biggest decision was memory; the first 4K dynamic RAMS were about to come out. One principle that I had was "the fewer chips the better". After a discussion about chip size and number of pins, I decided that I would go for optimizing board size. When the 4K

dynamic RAMS came out I could do in 4 chips what I used to do in 32. In 1975 several styles of 4K dynamic RAMS came out; the first set were from AMI and the second from Intel. The Apple I had the right RAM, a 16 pin Intel chip that led to a 16K RAM.

After I had my legal release for the machine and was selling Apple I's, HP had a project called Capricorn—doing everything that I had just done. I went to the new lab manager and I said I'd do anything to work on the personal computer and he turned me down.

Steve and I went to Atari and asked if they would like it. They said, "No, the home video market is going to be very large." They were so friendly to us, that they let us buy chips for the Apple I right out of their warehouse. We went down to Commodore and talked to Chuck Peddle who was about to do the Pet Computer. Steve thought we might get a few hundred thousand dollars but they only offered us employment. All in all about 200 Apple I's were sold out of the garage.

A few months later, I started to think about color. I made sure that the Apple I worked at the right speed so that color could be added. Things began to coalesce. I realized that I could combine video screen memory and processor memory and save chips. The Apple II design started to emerge. It would be twice as fast, do twice as many things, and have tons of memory. In the first days, I designed the Apple II to work with both 4 and 16K RAMS (because the 16K chips were still very expensive). There was an issue of slots for extra cards. How much do they matter? The only argument over the Apple II design was that Steve Jobs wanted two slots and I wanted eight because I was a little leery about locking into too little. So I sat down with Steve and said, "OK, I don't want the company." And we had eight slots. That was the end of it.

I decided to write the Atari game Breakout on a microprocessor, in BASIC not in hardware. So I wrote some commands in BASIC to put color dots on the screen and to make sounds come over a little speaker. It was shocking to me how much you could do in software and still run so much faster than hardware.

Originally Apple had three partners: Steve and I each had 45% and Ron Wayne, who helped with the manual, had 10%. Ron sold his 10% to us for \$800. The Apple II looked like an outstanding product that could sell 1,000 a month. We thought we had hit the big one. The problem was that we didn't

know how to build a thousand of something that cost \$250 each. Where would we get \$250,000 worth of credit? We had to look for money. People would come by the garage and ask, "What's the market?" I'd say, "A million." They'd say, "What makes you say that?" And I'd have too rational an answer: "There's a million ham radio operators and more people are getting into computers." There's no way that answer could be wrong but they weren't the right words. We got directed to Mike Markkula, who had wanted to build computers in the home for quite a while. He had left Intel with a lot of stock options and he was still young. He started developing a business plan and joined us as a third and equal partner. For a while I didn't want to leave Hewlett Packard. Then a friend said to me, "Steve, you can start this company, manage it and get rich. Or, Steve, you can start this company, stay an engineer all your life and get rich." I realized that I could still sit down and write code and build things, and that the company was just a way to make money. We hired a President who could get things done. Steve had a friend at Atari who could design switching power supplies which required less cooling than the regular type. Our phony reason for needing this was our belief that no computer should have a fan.

We started producing Apple II's. This was the first computer that you could take out of the box, plug in, read only a little bit and start typing, "playing" BASIC. It was the first computer to be in a plastic case; it was the first computer to come with video as standard; it was the first to build BASIC in ROM; it was the first low cost computer to come fully assembled; it was the first to have paddles and sound. Fortunately it had a lot of memory slots. While the world only wanted 4K bytes that year for anything, they thought maybe 8 sometime, but 48K bytes would never be needed. In the beginning, The Commodore, Radio Shack and Apple machines all sold in about equal numbers. Then, 8K programs started to come out and, in 1978, the first spreadsheet and floppy discs came out. Both needed more than 8K of RAM. The Apple was the one of the three that had expandable memory and could support spreadsheet or floppy control software. With Visicalc

computers had a different flavor: now you could walk into a store and buy a computer with a solution. Our dreams of people controlling garage doors and keeping recipes were of much less importance.

A lot of things happened at Apple because one of the top managers had a pet project. One of Mike Markkula's pet ideas was that recipes and keeping track of the check-book were going to be principle uses. So he had Randy Wigginton (who was to write MacWrite in the future) write a check-book program in BASIC. Two things came out of that: a floating point BASIC to make it easier to write money handling programs, and the addition of a floppy disc to make the machine fast. The current practice had been to use cassette tapes that took three minutes to load a program after which you could add the data for two checks, and then download, which took another several minutes. We started to work on both projects. The floppy disc controllers at the time used about 50 chips. I had figured out a design with five chips and thought that I must be leaving important things out. But after a lot of analysis of other designs, I found that mine did even more. So I knew that I was onto a good winner: real fast, real small (based on the new 5 and a half inch disc from Shugart), and real cheap. From that time, Apple took off. We were backlogged for four months of orders and the path had been set.

We premiered the floppy disc at the first National Computer Conference in Dallas that allowed microcomputers to be shown. This completed the initial development of the Apple II. I don't remember much about the show, but the hotel was the first one that I stayed in that had movies you could dial in your room. I had designed one of these systems while I was at Hewlett Packard and I knew that it has to send your room number down to a computer. Travelling with our tools, we opened up the box and saw a bunch of switches. I just toggled in a different code on the switches and didn't get billed for the movies. Randy Wigginton and I looked at the touch-tone phone with different numbers for room service and so on. We took it apart and rewired the keypad to go vertically instead of horizontally.

QUESTIONS

There are some things that are inevitable in history and other things that depend on a unique individual.

How do you feel about your role?

Almost everything would have happened about the same time. It turns out that my whole life was directed to one kind of computer design and when the window occurred, I was there. It was great luck for me.

What is it like to have to use an assumed name to go to college and to be a hero?

I used an assumed name and went back to Berkeley in 1981-2 for a full year. And I got away with it, because I wasn't known quite that well then. It was strange to read about myself. I couldn't understand why people would want to come up and shake my hand. Then I met Ted Turner who was my hero for challenging the networks and I asked him for his autograph. I now understand that we all want to have heroes.

How do you feel about the Macintosh?

I love my Macintosh. I brought it on the trip. I dropped it in the San Francisco airport but it lived.

What's your relationship with Apple?

Since the computer keeps track of the employee benefits, I make sure that I get the minimal salary. I travel on their behalf, consult with them, and think its a great company.

What is your new company doing?

CL 9 is working on remote control devices for the home. It's not going to be a huge company but it's fun. Right now two engineers are working together in an environment where we can do great things.

The Personal Computer Collection

Complete Hardware Listing as of July 1986.

x-numbered artifacts constitute the permanent collection.

s-numbered artifacts are duplicates, retained for exhibits and loans.

Acorn Computers, Ltd.,
Acorn Atom,
Gift of Acorn Computers, Ltd.
(X667.86)

Gift of Nigel H. Searle (S26)

Acorn Computers, Ltd.,
Acorn Electron, (X666.86)
Gift of Acorn Computers, Ltd.

Acorn Computers, Ltd.,
BBC Model B Microcomputer, with
6502 Second Processor, Z80
Second Processor, Acorn Data
Recorder, Music 500 Synthesiser
and Teletext Adapter, (X665.86)
Gift of Acorn Computers, Ltd.

APF Electronics, Inc.,
PeCos I, (X710.86)
Gift of Carl D. Hess

Apple Computer Company,
Apple I, (X210.83)
Gift of Dysan Corporation

Apple Computer, Inc.,
Apple II Plus, (X539.84)
Gift of Katherine Schwartz


Apple Computer, Inc.,
Apple II, (X683.86)
*Gift of Dr. and Mrs. Fred O. Smith
and family*

Apple Computer, Inc.,
Apple III, (X684.86)
Gift of Kenneth Dockser

Apple Computer, Inc.,
Apple Lisa, (X496.84, S48,
S49)
Gift of Apple Computer, Inc.

Apple Computer, Inc.,
Apple Macintosh,
(X499.84, S50, S51)
Gift of Apple Computer, Inc.

AT&T Information Systems,
AT&T Personal Computer 6300,
(X639.85, S52, S53, S54)
Gift of AT&T



Bull Micral of America
(formerly R2E of America), Micral,
model XP/2, (X747.86)
Gift of Bull Corporation of America
Commodore Business Machines,
Inc.,
Amiga, (X675.86)
*Gift of Commodore Business
Machines, Inc.*
Commodore Business Machines,
Inc.,
Commodore 64, (X366.84 A-E)
*Gift of Commodore Business
Machines, Inc.*

Commodore Business Machines,
Inc.,
Commodore PET 2001,
*Gift of Commodore Business
Machines, Inc. (X364.84)*
Gift of Microsoft Corporation (S55)
Commodore Business Machines,
Inc.,
VIC 1001 with Japanese keyboard,
(X723.86)
Gift of Kenneth C. Barroll
Commodore Business Machines,
Inc.,
Commodore VIC-20,
*Gift of Commodore Business
Machines, Inc. (X367.84)*
Gift of Kenneth C. Barroll (S44)
Compaq Computer Corporation,
Compaq DeskPro, (X481.84, S56,
S57)
*Gift of Compaq Computer
Corporation*

Compaq Computer Corporation,
Compaq Portable, (X484.84, S58,
S59)
*Gift of Compaq Computer
Corporation*
Cromemco, Inc.,
Cromemco Dazzler boards (2),
(X687.86)
Gift of Michael K. Lomax
Data General Corporation,
Data General Desktop Model 10,
(X479.84, S60)
Gift of Data General Corporation

Digital Equipment Corporation,
Digital Professional 350,
(X435.84)
*Gift of Digital Equipment
Corporation*
Digital Equipment Corporation,
Rainbow, (X476.84, S61, S62)
*Gift of Digital Equipment
Corporation*
*Digital Group, The Digital Group
System 2, (X555.85)*
*Gift of St. George's School,
Newport, RI*

Micral, by R2E, 1973

The Micral is the earliest commercial non-kit computer based on a microprocessor. The founder and president of R2E (Realisations Etudes Electroniques), Thi T. Truong, created the Micral as a replacement for minicomputers in applications where high performance was not required. He perceived a big gap between minicomputers, such as the DEC PDP-8, on the one hand, and a wired logic system on the other. As soon as the Intel 8008 microprocessor was introduced, he decided to build a computer to fill this gap.

By May 1973, barely six months after the Intel 8008 became available, Truong together with engineers Francois Gernelle and Ben Chetrite, had the Micral designed and built. It had some remarkable similarities to later personal computers such as a bus system and slots for expansion. The basic original model had 256 bytes of RAM, and could be expanded to 2K with ROMS and PROMS. It was capable of directly addressing 16K, and boards to expand the memory beyond 2K soon became available. The Micral had a real-time clock, eight levels of interrupt priority and automatic enabling and disabling. The CPU, memory, input/output interfaces and fast peripheral controllers all plugged into the Pluribus - a 60-bit single data bus. There were 52 instructions, oriented towards process-control and data transmission applications. Instruction times ranged from 7.5 to



Thi T. Truong, speaking at the
Museum after receiving his prize.

27.5 microseconds. The Micral had an assembler and an operating system which supported a teletype and cassette recorder connected to the Pluribus. The machine evolved rapidly, with later models offering more RAM, floppy discs, hard discs and a range of standard software.

The Micral's low cost of \$1950 and bus architecture attracted great interest. By 1974, only six months after the Micral's debut, 500 had been sold; 2000 were sold over the next two years. However, following an unsuccessful attempt to penetrate the US market, Truong could no longer finance the growth of his business. In 1979 he sold Micral to the major French computer maker Bull who currently produce IBM PC-compatible Bull-Micrals.

*Micral advertising for the National
Computer Conference Exhibition,
Chicago May 1974.*

**you don't need
a hammer**

A FLY IS TINY, A HAMMER IS HEAVY.
For everything there is a way to do what you have to do. You wouldn't take a hammer to crush a fly, just as you wouldn't take a computer to crush a fly. That's why we made MICRAL™. It's a microcomputer which is as complete as a minicomputer. Judge by yourself: Semiconductor RAM, ROM, PROM, or REPROGRAMMABLE ROM, a central processor unit to which the processor (52 instructions), the memories, slow speed peripherals, buffered channels (up to 7), are connected. 8 wired interrupt lines, up to 16 high speed peripheral lines for each buffered channel.

TO CRUSH A FLY, A FLY-SWATTER IS THE RIGHT TOOL.
To crush a fly, a fly-swatter is surely more efficient than a hammer. As complete but not as fast as many cases you don't need such a super-computer. MICRAL™ is the right tool for a microcomputer in a lot of real time applications: process control, teletransmission, scientific computation, teaching, etc. MICRAL™ is the link between wired circuitry and minicomputers.



The first Micrals were sold to industry for process control and to the French government to help collect demographic information in France's African colonies. It was therefore supplied with a strong protective metal cabinet.

Gift of Thi T. Truong

The Micral's CPU board. The use of a microprocessor earned the Micral the name 'microcomputer', used for the first time in print in the June 21 1973 issue of Electronics magazine.


YOU WOULDN'T PAY FOR A HAMMER WHEN A FLY-SWATTER CAN DO THE JOB

MICRAL™ IS FRENCH

At R2E our customers are R2E. Our activities are first to manufacture MICRAL™, second to conceive and realize whole real time systems, on request. To get more information about MICRAL™, and why not about us, just contact R2E, Zone d'Activités de COURTABEUF, Av. de Scandinavie - 91400 ORSAY - FRANCE.

R2E


© R2E 1986



Homebrew 16-bit computer, by Loren Jacobson, 1974-5

This one-of-a-kind machine contains a 16-bit processor based on small-scale and medium-scale TTL integrated circuits. All input and output was via the front panel switches and lights. Jacobson had more time than money, so he used every possible means to keep costs down. For example, very few connectors or sockets were used; all wiring was point-to-point, even between boards.

Gift of Loren Jacobson



Micro-68, by Electronic Product Associates Inc., 1975

The Micro-68 was a microcomputer trainer based on the Motorola 6800 microprocessor. Priced at \$430, it came with integral numeric keypad input and LED output in a slim hardwood cabinet that could fit inside a briefcase. It had an on-board maximum of 1K words of ROM and 768 words of RAM and could be expanded to 64K via edge connectors. The system was controlled by the John Bug monitor program, contained in a 512-word PROM. This allowed users to load, inspect and edit programs, insert break points for debugging purposes, and execute.

Victor Wintress, president of EPA Associates, developed the Micro-68 as a low-cost tool for training engineers in the use of microprocessors. It could also be used to prototype applications for the Motorola 6800. 1500 Micro-68's were sold between 1975 and 1978 when EPA went out of business, due, in part, to competition from the identical Heath ET3400, introduced in 1976.

Gift of G. Victor Wintress

Eckert, Scott B.,
Homebrew system based on the
MOS Technology 6502 CPU,
(X699.86)

Gift of Scott B. Eckert

Electronic Product Associates, Inc.,
Micro-68,
Gift of G. Victor Wintress (X694.86)
Gift of Sanford Shapiro, MD (S31)

Felsenstein, Lee,
VDM-1 Video Display Module
prototype, (X711.86)
Gift of Lee Felsenstein

Franklin Computer Corporation,
Franklin Ace 100, (X340.84)
*Gift of Franklin Computer
Corporation*

Godbout, Thinkertoys, SD Sales,
et. al.,
Various boards for personal
computer kits, (S36)
Gift of Robert Pond

Heath Company,
Heathkit H-8, (X696.86)
Gift of Terry Brandon

Heath Company,
Heathkit H-11, (X695.86)
Gift of Errol Brick

Hewlett-Packard Company,
HP 150 Personal Computer,
(X432.84, S63, S64)
Gift of Hewlett-Packard Company

Home assembled as per Aug. and
Sept. 1976 Popular Electronics
magazine design,
Cosmac ELF, (X692.86)
Gift of Klaus Ernst

Home assembled as per
July 1974 Radio Electronics
magazine design,
Mark-8, (X704.86)
Gift of Myron A. Cahoun

IBM,
IBM 5100,
Gift of Silenus Wines, Inc.
(X629.85)
Gift of United Fruit Company (S17)
Gift of Neil Karl (S18)
Gift of Arthur D. Little, Inc. (S22)

IBM,
IBM PC XT, (X430.84, S65)
Loan from IBM


IMSAI Manufacturing Corporation,
IMSAI 8080 Microcomputer System,
Loan from Mike Miller (X589.85)
Gift of Robert W. Beatrice (S32)
Gift of R. Donald Carter (S33)

Intersil, Inc.,
Intercept Jr., (X700.86)
Gift of Stephen S. Mangione

Jacobson, Loren,
Homebrew 16-bit Computer,
(X698.86)
Gift of Loren Jacobson

Jade Computer Products,
Z80 based S-100 Computer System,
(X616.85)
Gift of Joel Goldstick

Kaypro Corporation,
Kaypro 10, (X487.84)
Gift of Kaypro Corporation



Visual Display Module Prototype, by Lee Felsenstein, 1975

Gift of Lee Felsenstein

This unit is the first implementation of a memory-mapped alphanumeric video display for personal computers. The key design innovation was making the RAM directly accessible from the computer's data and address busses, rather than in a character sequential fashion through an I/O port. As Lee Felsenstein put it, he made it possible to view the video display as a "window on memory rather than a glass teletype [such as in the TV Typewriter]". This made it possible for the first time to use personal computers for highly interactive uses such as real-time games.



Lee Felsenstein and the VDM-1.

The unit in the collection is adapted for stand-alone operation. The chassis was salvaged from a Singer-Friden 4321 key-to-tape converter bought at a junkyard. The keyboard was bought at a hobby shop. The unit was used for several months as a terminal in the development of software for The Community Memory Project.

The VDM-1 prototype was demonstrated at the World Altair Convention in Albuquerque in March 1976. Variants of the VDM board were immediately incorporated into many personal computers; the design had a great influence on the development of personal computer video displays. Felsenstein himself used the design in the Sol terminal computer and the Osborne-1.

DIGITAL COMPUTER



KENBAK-1

FUN EDUCATIONAL

Modern electronic technology created the Kenbak-1 with a price that even private individuals and small schools can afford. The easy-to-understand manuals assume the reader is approaching a computer for the first time. Step-by-step, you can learn to use the computer with its three programming registers, five addressing modes, and 256 bytes of memory. Very quickly you, or your family or students, can write programs of fun and interest.

PRICE \$750.00
KENBAK CORP.
P.O. Box 49324
Los Angeles, CA 90049

Kenbak's most successful advertisement, Scientific American, September 1971

loading would take too long with any more memory than that. Two 1K-bit MOS shift registers were used.

Since microprocessors had not been introduced yet, Blankenbaker built his processor from standard medium-scale and small-scale integrated circuits. It operated on 8-bit words, one bit at a time. The 1 MHz clock coupled with a serial memory organization gave the Kenbak an effective speed of 1000 instructions per second. Altogether the machine used 130 integrated circuits, all mounted on a single board.

In Spring 1971, a working prototype was shown to a convention of mathematics teachers. Blankenbaker even managed to demonstrate a three-dimensional tic-tac-toe program that just squeezed into the 256 bytes. Complete documentation, programming manual and exercises suitable for school laboratories were published.

The Kenbak Corporation was formed, and the computer was

marketed through advertisements and direct mail. From the start, the machine was billed more as an educational tool rather than as a full-blown machine for executing applications programs. The marketing was accordingly focused on schools as a low cost way of introducing hands-on computing to students.

Although small computers eventually found their way into the classroom in large numbers, the Kenbak never caught on. The alternatives at the time, timeshared minicomputers and programmable calculators, were beyond the reach of school budgets. Teachers were not yet attuned to the idea that an electronic computer might be affordable, and those that wanted one often took a long time to secure the funds. Only 40 machines were sold to schools and a dozen to individuals over two years. In 1973, the Kenbak Corporation closed its doors. Blankenbaker moved on to use his creative engineering talents to build the first production LISP workstation for the newly formed Symbolics Inc.



John V. Blankenbaker

Kenbak-1, by Kenbak Corp., 1971

The Kenbak-1 was awarded first prize in the Museum's Early Model Personal Computer Contest as the earliest personal computer. It was presented to the Museum by its designer and builder, John V. Blankenbaker.

Blankenbaker became interested in computing while at college. In 1951, during his junior year, he got a job at the National Bureau of Standards where he came into contact with the SEAC (Standards Eastern Automatic Computer) project. The following year Hughes Aircraft charged him with the considerable task of building, from scratch, an arithmetic unit based on binary-coded decimal numbers. At that time, flip-flops cost \$500 each. He struggled to design the machine with the absolute minimum number of flip-flops and even came up with a design that would use only one. Though such a machine would take a long time to get through even one clock cycle, it could emulate any other computer. Blankenbaker was so taken by this single flip-flop design that in 1955 he tried to patent it. Though he was unsuccessful, the idea of a \$500 computer had been firmly planted in his mind.

In 1970 Blankenbaker actually set out to build a small computer. His fixation upon a selling price of \$500 meant that he had to keep the cost of parts down to about \$150. He decided that speed was not important and that the only input/output within the price constraint were lights and switches. However he did cut a slot in the front panel in the hope that one day punched card input could be added.

He could only afford the tooling costs for the printed circuit board. Everything else, including the cabinet, lights, switches and logic circuits had to be made from standard parts. He decided that the machine would be byte-oriented, and that 256 bytes would be a good choice of memory size. This allowed a single byte to store a complete address. In any case, manual

Kenbak Corporation,
Kenbak-1, (X703.86)
Gift of John V. Blankenbaker

Lancaster, Donald,
ASCII Keyboard and Encoder
prototype, (X691.86)
Gift of Don Lancaster

Lancaster, Donald,
Cheap Video prototype board,
(X688.86)
Gift of Don Lancaster

Lancaster, Donald,
TVT-1 TV Typewriter prototype,
(X689.86)

Gift of Don Lancaster


Lancaster, Donald,
TVT-3 TV Typewriter prototype,
(X690.86)

Gift of Don Lancaster

Martin Research,
Mike 2, (X706.86)
Gift of Robert F. Casey

Microcomputer Associates, Inc.,
JOLT microcomputer, (X701.86)
Gift of Brian Yee

MITs, Inc.,
Altair 680b, (X679.86)
Gift of James Post



Gift of John V. Blankenbaker

*Programming sheet, showing the
Kenbak's instruction set.*

		LOC	DATA	SYMBOLIC ADDRESS	CONTENTS	COMMENTS
A . 0 --		0 0 0		A	PROGRAM _____	
A . 1 --		0 0 1			VERSION _____ REV _____ DATE _____	
X . 2 --		0 0 2			PROGRAMMER _____	
ADD . 0 --		0 0 3		X	NOTES _____	
SUB . -1 --		2 0 0		P		
LOAD . -2 --		3 7 7		OUTPUT		
STORE . -3 --				INPUT		
OR A . 3 0 --						
INC A . 3 1 --						
AND A . 3 2 --						
LWIG A . 3 3 --						
IMMED . -- 3 --						
MEMORY . -- 4 --						
INDIRECT . -- 5 --						
INDEXED . -- 6 --						
IND/XED . -- 7 --						
A . 0 --						
A . 1 --						
X . 2 --						
INC . 3 --						
JPD . -4 --						
JPI . -5 --						
JMO . -6 --						
JMI . -7 --						
-- . -- 9 --						
>0 . -- 5 --						
>0 . -- 6 --						
>0 . -- 7 --						
SET 0 0 8 2						
SET 1 1 8 2						
SKP 0 2 8 2						
SKP 3 3 8 2						
SET POSITION						
R1 SET 0 --						
R2 ROT 1 --						
LFT SET 2 --						
LFT ROT 3 --						
I PLC 1 --						
Z PLC -3 --						
Z PLC -3 --						
Z PLC -3 --						
S REG -4 --						
NOOP 0 0 0						
HALT 0 0 0						
OF 80						
CA 81						
A . 2 0 1						
A . 2 0 2						
X . 2 0 3						

MITS, Inc.,
Altair 8800,
Anonymous Gift (X58.82)
Gift of
Robert L. Froemke
(X680.86)
Gift of Robert L. Leffert (S28)
Gift of Robert Pond (S29)
Gift of Wallace B. Riley (S30)

MITS, Inc.,
Altair 8800A with two disk
drives, adapted for time-sharing
(X681.86)
Loan from The State of Colorado

MITS, Inc.,
Altair 8800b, (X682.86)
Gift of Jerry Soden

MOS Technology, Inc.,
KIM-1 Microcomputer,
*Gift of Commodore Business
Machines, Inc. (X365.84)*
Gift of Robert F. Casey (S34)

Motorola, Inc.,
Micro Chroma 68, (X707.86)
Gift of Robert Pond

NEC Corporation,
NEC APC III, (X494.84, S19, S20)
Gift of NEC Systems Laboratory

NEC Corporation,
NEC PC-8000, (X446.84)
Gift of Microsoft Corporation

NEC Corporation,
NEC TK-80 (X447.84)
Gift of Microsoft Corporation

Netronics, R&D Ltd.,
Cosmac ELF II, (X693.86)
Gift of S. Scott Kostka

North Star Computers, Inc., Nort
Star Horizon, *Gift of James B.*
Straus
(X708.86)
Gift of William Romaine (S35)

Ohio Scientific, Inc.,
Ohio Scientific, model 600,
(X709.86)
Gift of Bill Leehan
Osborne Computer Corporation,
Osborne 1,
*Gift of Osborne Computer
Corporation (X362.84, S66)*
Gift of Ben Rosen (S3)
Anonymous Gift (S9)

Osborne Computer Corporation,
Osborne Executive, (X615.85)
Gift of Joel Goldstick
Polymorphic Systems,
Polymorphic System 8813,
(X614.85)Gift of Robert and
Margaret Wesley

Powertran Computers,
Psi 80, (X724.86)
Gift of Livnat Yehiel

Processor Technology, Inc.,
Sol Terminal Computer,
Gift of Richard S. Russell
(X715.86)*Gift of Ray Duncan (S39)*
Gift of Michael Cuchna (S40)



TV Typewriter Prototype, by Don Lancaster, 1973

The TV Typewriter made it possible for the first time to display personally generated alphanumeric information on an ordinary unmodified television set. The design was published in the September 1973 issue of *Radio Electronics* magazine as a home assembly project using only \$120 worth of components. Don Lancaster's design attracted considerable attention as its

extremely low cost proved that home video terminals and video displays for personal computers were practical. High resolution bit mapped displays followed within a few years, enormously enhancing the utility of personal computers. Lee Felsenstein (featured on page 13) called the TV Typewriter "the opening shot of the computer revolution".

It consisted of a keyboard together with circuit boards to provide the memory, cursor, timing and television transmission signals. The

on-board memory consisted of 512-bit serial registers. The memory boards had character generators which displayed each character as an array of 5 by 7 dots. The original design had two memory boards and could generate and store 512 characters arranged as 16 lines of 32 characters. The device could also use a cassette recorder to provide additional storage; a 90 minute cassette could hold about 100 pages.

Gift of Don Lancaster

Altair 8800 by MITS 1975

The Altair is widely thought of as the first personal computer. Indeed, the Altair's creator, Ed Roberts, founder and president of MITS (Micro Instrumentation and Telemetry Systems), coined the term. Distinguishing PC's from hobby machines, demonstration machines, industrial machines and development systems, his view was that PC's had to be used for applications typically run on a minicomputer or larger computer. The PC also had to be affordable, easily interfaced with other devices and feature a conventional console with a keyboard, CRT or something similar. It should have an operating system and mass storage; paper tape was acceptable. A PC should have a reasonably large memory. MITS used 64K because that was what the 8080 could directly address. Lastly, he stipulated that a good number of people had actually used the machine as a computer that was personal!

In thinking about what sort of device to build, Roberts considered the DEC PDP-8 as a prototype. However, the

machine that had the greatest impact on him was the Hewlett Packard 9100, introduced in 1968. It had a CRT, keyboard, magnetic storage for programs and data, and a printer. It could even drive a plotter. But it was not a personal computer by Roberts' definition—it was expensive (\$6000), did not have a real programming language and only had a small memory.

In 1971, MITS introduced the 816, a kind of programmable calculator. Several thousand were sold, mainly for accounting applications and as controllers. In the same period, a company called Prolog built industrial processors based on the Intel 4004, 4040 and 8008. Intel built the Intellect series of machines between 1971 and 1973. The TV Typewriter was also noticed by MITS, as were several logic demonstration devices and an 8008-based machine, the Mark-8, introduced in Radio Electronics in 1974.

In 1972 MITS made a terminal system that could be interfaced to time-shared computers. "In 1973 and 1974 we started design work at MITS with 4004, 4040 and 8008 processors and didn't feel that they were



Ed Roberts.

powerful enough to do the sort of things you normally expect a minicomputer to do", Roberts said. "When we found out about the Intel 8080 in late 1973, we started design on the Altair, which was finished in the summer of 1974."

Ed Roberts and Bill Yates designed the Altair with an open 100-line bus structure. Though originally known as the Altair bus, it was adopted for so many other machines that it later came to be called the S-100 bus (S for Standard). The first machines were shipped with only two of the 18

Gift of Robert Pond



available slots filled with the CPU board and the 256 byte memory board. Programs had to be entered in machine code via the switches on the front panel. During the next few months, MITS as well as many third parties, came out with expansion boards to provide more memory (up to a maximum of 64K) and interfaces for input-output devices and storage media. One of the first boards was a 4K memory board, big enough to hold a 4K BASIC interpreter specially written for the Altair by Bill Gates and Paul Allen.

The original Altair sold without the case for \$297, \$395 with the case—an order of magnitude less than the cost of the PDP-8. Though initially offered as a kit, the first units were sold as assembly units since the kit manuals were not completed.

The demand for the machine exceeded even MITS's wildest expectations. More machines were sold in the first day than the company expected to sell during the entire lifetime of the product.

Roberts likes to point out how MITS increased the installed base of general computers by 1% each month for a period between 1975 and 1976. There was a huge pent-up demand for a computer with the kind of power offered by the Altair. Most of the machines were purchased by electronics hobbyists who simply wanted to have a machine of their own. They tinkered with and modified their computers. However the machine was not really powerful enough or equipped with enough software to enable it do useful work conveniently. It was used to control various processes—some industrial, some recreational. One of the first customers used his Altair to control his model railway.

The company was sold to Pertec in 1977 for 6 million dollars. Faced with stiff emerging competition from companies such as Processor Technology, IMSAI, Commodore and Apple, Pertec was unable to retain market share, and the Altair went out of production in 1978.

MITS and the Altair played a central role in the development of the US personal computer market. They pioneered a whole marketing style—computer shows, computer retailing, computer company magazines, user groups and numerous add-on hardware and software options.

Quest, Inc.,
Super ELF, (X717.86)
Gift of Willits High School/ROP

RCA,
Cosmac VIP, (X686.86)
Gift of Robert F. Casey

R2E,
Micral, (X705.86)
Gift of Thi T. Truong

RGS Electronics,
RGS-008, Intel 8008 based
microcomputer built from kit,
(X712.86)
Gift of Brian Yee

Rockwell International,
AIM 65,
Gift of David Martz (X678.86)
Gift of Neil Doughty (S27)

Saga Systems,
Saga, model PPS-800S, (X713.86)
*Gift of Computer Maintenance
Corporation*

Scelbi Computer Consulting, Inc.,
SCELBI-8B, (X714.86)
Gift of Michael Rossman

Scelbi Computer Consulting, Inc.,
SCELBI-8H, (X574.85)
Gift of Carlton B. Hensley

Sinclair Research Ltd.,
Sinclair ZX80,
Gift of Sinclair Research Ltd.
(X513.84)
Gift of Lea Vanderboom (S37)

Sinclair Research Ltd.,
Sinclair ZX81,
Gift of Sinclair Research Ltd.
(X514.84)
Gift of Arnold J. Savitt (S38)

Solid State Music, California
Computer Systems, Heathkit, et.
al., Various boards for personal
computer kits, (X658.86)
Gift of Alan Frisbie

Southwest Technical Products
Company, SwTPC 6800,
Gift of Steven B. Leeland
(X718.86)
Gift of Fred Laskowski
(S41)
Gift of Dr. Gordon Wolte
(S42)

Southwest Technical Products
Company, TVT-2 TV Typewriter,
(X719.86)

Gift of Robert Pond

Sphere Corporation,
Sphere System 330,
Gift of Dr. Roger J. Spott
(X295.83)

Gift of John Rible (S14)

Sphere Corporation,
Sphere System 320, (X297.83)
Gift of Dr. Roger J. Spott
SSM Microcomputer Products
(formerly: Solid State Music),
SSM CBI 8080 CPU Board,
(X716.86)
Gift of Dana Smith

HOW TO "READ" FM TUNER SPECIFICATIONS

Popular Electronics

WORLD'S LARGEST-SELLING ELECTRONICS MAGAZINE JANUARY 1975/754

PROJECT BREAKTHROUGH!

World's First Minicomputer Kit to Rival Commercial Models...

"ALTAIR 8800" SAVE OVER \$1000

ALSO IN THIS ISSUE:

- An Under-\$90 Scientific Calculator Project
- CCD's-TV Camera Tube Successor?
- Thyristor-Controlled Photoflashers

TEST REPORTS:

- Technics 200 Speaker System
- Pioneer RT-101 Open-Reel Recorder
- Tram Diamond-40C
- Edmund Scientific
- Hewlett-Packard

The January 1975 issue of Popular Electronics ran a cover story on the Altair which propelled the machine to instant success.




6800 Computer System, by Southwest Technical Products Corp., 1975

The SWTPC 6800 was one of the first computers to be based on the Motorola 6800 microprocessor. The 6800 was thought by some engineers to be more powerful and versatile

than its competitor, the Intel 8080. The computer was sold as a kit, costing \$395 for the basic system which included 2K bytes of RAM and a serial teletype interface. It could be expanded to 16K. It had a mini-operating system in ROM enabling it to boot up automatically without throwing switches on a front panel.

Southwest also offered a video terminal, the \$275 CT-1024, based on Don Lancaster's TV Typewriter, shown on the left in the picture. Above the computer on the right, are the \$79.50 AC-30 cassette interface and the \$250 PR-40 matrix printer kit. In front of the keyboard is a home-made switch box, a useful input device, especially for games. With its complete set of peripherals, the SWTPC 6800 was one of the first low-cost systems on which software could be developed and run in a reasonably convenient fashion.

Gift of Steven B. Leeland



008A Microcomputer Kit, by RGS Electronics, 1974

The 008A was sold for \$375 as a kit based on the Intel 8008. The system had 1K of static RAM, expandable to 16K, and an RC (not crystal) clock. It featured an input/output bus which could handle up to 256 peripheral devices instead of the arrangement of input/output ports more usual with the 8008. The programs were entered into memory using toggle switches. The version received was built on a 60-socket wire-wrap board. The printed circuit board version of the RGS-008 was described in September 1975 in the first issue of *Byte* magazine.

Gift of Brian Yee

Sutherland, James,
ECHO IV Home Computer,
(X509.84)
Gift of James Sutherland

Tandy Corporation,
TRS-80, Model I,
Gift of Melvin O. Duke (X722.86)
Gift of Nigel H. Searle (S43)
Gift of Samuel M. Gerber (S67)

Terak Corporation,
Terak Model 8510, (X351.84, S68,
S69)
Gift of Douglas Ross

Terak Corporation,
Terak Model 8512, (X354.84)
Gift of Douglas Ross

Texas Instruments, Inc.,
TI-99/4 prototype (Dimension 4),
(X720.86)
Gift of Robert Childress

Timex-Sinclair, Inc.,
Timex-Sinclair TS-1000,
Gift of Dennis Knollenberg
(X721.86)
Gift of Ruth Leyden (S47)

Van Cleve, Robert,
Homebrew system based on the
Motorola 6808 TV Bug CPU,
(X697.86)

Gift of Robert Van Cleve

Wang Laboratories,
Wang PIC (Professional Image
Computer), (X566.85)
Gift of Wang Laboratories

Wave Mate, Inc.,
Jupiter Computer system,
(X702.86)
Gift of Dennis Painter

Xerox Corporation,
Notetaker I, (X748.86)
Gift of Xerox Corporation



TRS-80, Model 1 by Radio Shack, 1977

The TRS-80 was Radio Shack's first entry into the computer market. Their wide network of retail outlets greatly increased the accessibility of microcomputers. The TRS-80 was based on a Z80 microprocessor and came with a video display, 4K of memory, BASIC and cassette storage, at a price of \$599.95. It was aimed at the novice—the manuals assumed no prior computer knowledge. The original machine was slow as Radio Shack had kept the price down to an absolute minimum. New software and extended memory were released to improve performance, and in 1979 the more powerful Model II was introduced.

The TRS-80 was extremely successful; the company had projected annual sales of 3000 units,

but over 10,000 were sold within a month of the TRS-80's introduction.

To the left of the TRS-80 is an Exatron Stringy Floppy, a miniature tape-drive which holds a small, continuous, removable tape. Called a wafer, the tapes could be up to 75 feet long and stored 4K bytes on five feet of tape in 6 seconds. It was significantly faster and more reliable than the standard cassette tape drive originally supplied with the TRS-80.

To the right of the TRS-80 is the Comprint Model 912 thermal printer. This could print 225 12 by 9 dot matrix characters per second. It used special silvery-looking aluminum-coated paper. Characters were printed by styli which vaporized the metal surface at the points of contact to expose a black under-layer. The Comprint operated more quietly than impact printers. It was one of the first matrix printers to print letters with true descenders.

Illustrations from the friendly manual "Getting Started with TRS-80 BASIC". Courtesy of Radio Shack



Available From The Computer Museum.

New Color Slide Series!

The Personal Computer Slide Set includes the classic machines from this catalog. The 20 slides, arranged in groups of four, may be purchased as a unit for \$20.00 (\$18 for members). Each group of four slides is \$4.50 (members \$4.05).

Volume II.

The Personal Computer Slide Set

Set 13: The First Personal Computers

- 13.1 Kenbak-1 (1971)
- 13.2 Micral (1973)
- 13.3 Scelbi (1974)
- 13.4 Altair (1975)

Set 14: The Hobbyist Milestones

- 14.1 Apple 1 Board
- 14.2 Visual Display Module, Lee Felsenstein's VDM-1
- 14.3 Don Lancaster's TV Typewriter
- 14.4 Cromemco Dazzler boards

Set 15: Homebrew and Single Board Computers

- 15.1 Homebrew 16-bit computer by Loren Jacobson
- 15.2 RGS Electronics 008A Microcomputer Kit
- 15.3 Kim 1
- 15.4 Super Elf

Set 16: Early Commercial Machines

- 16.1 EPA Micro 68
- 16.2 IMSAI 8080
- 16.3 SWTPC 6800 (Southwest Technical Products)
- 16.4 Sol Terminal Computer

Set 17: Classic Commercial Machines

- 17.1 Apple II
- 17.2 TRS 80 Model I
- 17.3 Commodore Pet
- 17.4 Sinclair ZX80

Volume 1, 48 slides in 12 sets of four, covers early calculating devices, early computers, super computers, logic and memory technologies, and classic integrated circuits. This set of 48 is available for \$45.00 (members \$40.50).

New Computer Museum T-Shirts!

These four-color quality shirts communicate the spirit of The Computer Museum—antique computers fancifully displayed alongside modern, hands-on computers. These make great Stocking Stuffers.

50% Cotton-50% Polyester. Adult (small, medium, large, x-large) or Children (small, medium, large) sizes; Be sure to specify adult or child, and size.

Children sizes, \$6.50 each (5.85 members); Adult sizes, \$8.00 each (7.20 members). Postage Separate.



The Computer Museum Boston

NAME	DAY PHONE
ADDRESS	
CITY	STATE ZIP

Mail your order to: The Computer Museum Store 300 Congress Street Boston, MA 02210

Method of Payment	Card Number
Minimum charge order: \$15.00	
<input type="checkbox"/> Check or money order enclosed (no COD's)	
<input type="checkbox"/> Visa <input type="checkbox"/> Am Ex <input type="checkbox"/> Mastercard	
Interbank No. <input type="text"/> (Mastercard only)	
Signature	Exp. date:

QUAN.	DESCRIPTION	UNIT COST	TOTAL
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Please add \$2.50 to cover postage & handling charges for the first item ordered; add 50¢ for each additional item.

Please check here if Museum member.

Thank you. Your purchases help to support the Museum.

SUBTOTAL
MASS. 5% TAX
SHIPPING
TOTAL ENCLOSED


ORDER FORM

1

6

B

A



The Computer Museum 300 Congress Street, Boston, Massachusetts 02210

NOTICE TO ALL PERSONS RECEIVING THIS DRAWING:
This drawing is only conditionally issued, and neither receipt nor possession thereof confers or transfers any right in, or license to use, the subject matter of the drawing information. Any rights arising or arising from this drawing are reserved by Apple Computer, Inc.