

Super Soap

Donald Knuth

0001	1	S U P E R S O A P		
0002	1	AUGUST 15, 1959		
0003	1	CASE INSTITUTE OF TECHNOLOGY		
0004	1	DONALD E KNUTH		
0005	1			
0006	1	LOCAFIER 3800-33 MAIN PROGRAM		
0007		DON		
0008		HMO		
0009		BLR	0	5
0010		SYN	21	
0011		BLR	32	39
0012		BLR	44	45
0013		SYN	60	
0014		SYN	79	
0015		SYN	88	
0016		SYN	92	
0017		BLR	98	99
0018		SYN	111	
0019		BLR	198	199
0020		SYN	200	
0021		BLR	217	220
0022		SYN	222	
0023		SYN	234	
0024		SYN	240	
0025		SYN	300	
0026		SYN	302	
0027		SYN	444	
0028		BLR	455	472
0029		SYN	476	
0030		SYN	488	
0031		SYN	498	
0032		SYN	500	
0033		SYN	588	
0034		SYN	598	
0035		BLR	609	610
0036		SYN	666	
0037		BLR	668	670
0038		BLR	678	681
0039		BLR	688	689
0040		BLR	698	699
0041		BLR	711	719
0042		BLR	721	729
0043		BLR	732	749
0044		SYN	777	
0045		SYN	800	
0046		SYN	829	
0047		BLR	888	889
0048		BLR	896	900
0049		SYN	900	
0050		BLR	950	1011
0051		BLR	1550	1999
0052	A0001	EQU	1750	
0053	B0000	BLR	445	454
0054	C0001	BLR	623	C0006
0055	E0001	BLR	1050	E0147
0056	F0000	BLR	513	522
0057	N0001	BLR	342	441
0058	O0001	EQU	1550	
0059	Q0001	BLR	117	149
0060	R0001	EQU	651	
0061	S0001	BLR	1200	S0294

0062	T0001	BLR	844	849
0063	U0001	BLR	944	945
0064	V0001	BLR	1505	V0025
0065	W0001	BLR	852	887
0066	Z0000	BLR	555	582
0067	00001	BLR	303	334
0068	10001	BLR	150	195
0069	20001	BLR	917	926
0070	30000	BLR	250	299
0071	40001	BLR	780	797
0072	50001	BLR	477	50010
0073	60000	BLR	800	60021
0074	70001	BLR	1020	70008
0075	90000	BLR	25	28
0076	533TL	BLR	46	49
0077		BLA	998	998
0078		BLA	1049	1049
0079		BLA	1074	1074
0080		BLA	1124	1124
0081		BLA	1149	1149
0082		BLA	1174	1174
0083	MASTR	SYN	69	
0084	PUNCH	EQU	219	
0085	DDIFF	SYN	798	
0086	HLT11	SYN	827	
0087	1IXXX	EQU	897	
0088	PSUDO	EQU	976	
0089	READA	EQU	999	
0090	DUMP8	SYN	1544	
0091	DUMP9	SYN	1547	
0092	LOCAT	EQU	1961	
0093	PROGP	EQU	1962	
0094	HLT44	EQU	1994	
0095	HLT55	EQU	1995	
0096	HLT88	EQU	1997	
0097	START	EQU	1998	
0098	CARRY	EQU	F9947	
0099	DISKC	EQU	00049	
0100	FIVON	EQU	00063	
0101	OTEND	EQU	00162	
0102	DISKR	EQU	S0049	
0103	6BM41	EQU	S0099	
0104	ONESW	EQU	S0250	
0105	PRTSW	EQU	S0249	
0106	BLRTG	SYN	V0026	
0107	ADEND	EQU	00001	
0108	DTAGG	EQU	00005	
0109	INSTR	EQU	00012	
0110	EXIT0	EQU	00021	
0111	OPTIM	EQU	10039	
0112	MODET	EQU	10007	
0113	BASEX	EQU	10041	
0114	LEVEL	EQU	30006	
0115	LOCUS	EQU	40001	
0116	FWAXX	EQU	40001	
0117	FIVTG	EQU	50001	
0118	HLT33	EQU	OTEND	9300
0119		SYN	C0201	
0120		SYN	60039	
0121		BLA	Q0005	Q0005
0122		BLA	00018	00018

0123		BLA	60002	60002
0124	1			
0125	1	I	BEGINNING OF ASSEMBLY	
0126	1			
0127		START	RAU	1960
0128			SLT	9 1F
0129	1		STL	533TL
0130			SRT	9
0131			RAA	8003
0132			SXA	5
0133			BMA	5 A 0
0134	0		RAU	1954 1F
0135	1		RAC	READA PSUDO
0136	2		RAL	8F 1B
0137	3		LOD	ATON PUTAG
0138		ATON	RAU	1954 1F
0139	4		RAL	8F 1B
0140		PUTAG	STD	0 1
0141	1		RAA	0
0142			RAB	1 0F
0143	0		SRT	2
0144			SUP	8003
0145			NZE	9F
0146			STD	9000
0147			SLT	1
0148			NZU	7F
0149			SUP	8003
0150			SLO	400P
0151			BMI	2F
0152			ALO	8001
0153			AXA	1
0154			ALO	8002 7F
0155	7		SRT	6 1F
0156	9		AUP	8001 4F
0157	1		AUP	9000 4F
0158	4		LOD	LDI41 3F
0159	2		NZE	7B
0160			AUP	9000
0161			LOD	00091 3F
0162	3		SIA	DTAGGB
0163			NZB	1F
0164			SXB	1 0B
0165	1		NZU	1
0166			SRT	4
0167			NZU	2F
0168			SRT	2
0169			SLO	8002
0170			STD	OTEND
0171			TLE	00001
0172			SLO	OBASE
0173			BMI	3F
0174			SRT	4 8F
0175	8		ALO	SUDOM 8002
0176		SUDOM	RAC	200 950
0177	2		SLO	N0058
0178			SLT	2
0179			SLO	8002
0180			SRT	1
0181			ALO	8001 MACHN
0182	3		ALO	N0052
0183			SLT	4 MACHN

1998	+60	1960	0015
0015	+35	0009	0085
0085	+20	0046	0249
0249	+30	0009	0055
0055	+80	8003	0077
0077	+51	0005	0084
0084	+41	2005	0000
0000	+60	1954	0009
0001	+88	0999	0976
0002	+65	0031	0085
0003	+69	0087	0097
0087	+60	1954	0009
0004	+65	0031	0085
0097	+24	0000	0001
0009	+80	0000	0014
0014	+82	0001	0019
0019	+30	0002	0075
0075	+11	8003	0083
0083	+45	0086	0237
0086	+24	9000	0042
0042	+35	0001	0050
0050	+44	0053	0054
0053	+11	8003	0011
0011	+16	0064	0619
0619	+46	0024	0023
0024	+15	8001	0082
0082	+50	0001	0242
0242	+15	8002	0054
0054	+30	0006	0029
0237	+10	8001	0095
0029	+10	9000	0095
0095	+69	0248	0051
0023	+45	0054	0078
0078	+10	9000	0337
0337	+69	1640	0051
0051	+23	4307	0061
0061	+42	0114	0065
0114	+53	0001	0019
0065	+44	0229	0001
0229	+30	0004	0238
0238	+44	0043	0094
0043	+30	0002	0499
0499	+16	8002	0007
0007	+24	1711	0197
0197	+63	1550	0214
0214	+16	0017	0071
0071	+46	0227	0225
0225	+30	0004	0031
0031	+15	0235	8002
0235	+88	0200	0950
0094	+16	0399	0006
0006	+35	0002	0016
0016	+16	8002	0228
0228	+30	0001	0089
0089	+15	8001	0059
0227	+15	0393	0548
0548	+35	0004	0059

0184		MACHN	STL	INSTR		0059	+20	0314	0074
0185			AUP	OPTIM		0074	+10	0188	0245
0186			NZU	3F		0245	+44	0100	0549
0187			SLT	2		0549	+35	0002	0105
0188			RAC	8003		0105	+88	8003	0013
0189			RAU	N0001C		0013	+60	6342	0012
0190			LOD	8005		0012	+69	8005	0020
0191			STD	LINCR	PROCL	0020	+24	0073	0076
0192		3	RAU	8001		0100	+60	8001	0057
0193			STL	LINCR	PROCL	0057	+20	0073	0076
0194		400P	40	0	0	0064	+40	0000	0000
0195		OBASE	00	00101	0	0017	+00	1650	0000
0196	1								
0197		950	RAL	N0013	MACHN	0950	+65	0354	0059
0198		951	RAL	N0027	MACHN	0951	+65	0368	0059
0199		952	RAL	N0028	MACHN	0952	+65	0369	0059
0200		962	RAL	N0090	MACHN	0962	+65	0431	0059
0201	1								
0202		955	RAM	00072	1F	0955	+67	1621	0040
0203		986	RAM	00071	1F	0986	+67	1620	0040
0204		956	RAM	00056	1F	0956	+67	1605	0040
0205		957	RAM	00091	1F	0957	+67	1640	0040
0206		958	RAM	00070	1F	0958	+67	1619	0040
0207	1		STL	9000		0040	+20	9000	0599
0208			RAL	1954		0599	+65	1954	0066
0209			LOD	9000		0066	+69	9000	0648
0210			SIA	1954	0	0648	+23	1954	0000
0211	1								
0212			COR	1550					
0213		0	ALF	NOP	THINK	1550	+75	7677	0000
0214		0	ALF	HLT	THINK	1551	+68	7383	0000
0215		0	ALF	UFA	THINK	1552	+84	6661	0000
0216		0	ALF	RTC	THINK	1553	+79	8363	0000
0217		0	ALF	RTN	THINK	1554	+79	8375	0000
0218		0	ALF	RTA	THINK	1555	+79	8361	0000
0219		0	ALF	WTN	THINK	1556	+86	8375	0000
0220		0	ALF	WTA	THINK	1557	+86	8361	0000
0221		0	ALF	LIB	THINK	1558	+73	6962	0000
0222		0	ALF	LDI	THINK	1559	+73	6469	0000
0223		0	ALF	AUP	THINK	1560	+61	8477	0000
0224		0	ALF	SUP	THINK	1561	+82	8477	0000
0225	7	0	60	0	0	1562	+60	0000	0000
0226	7	0	60	0	501	1563	+60	0000	0501
0227		0	ALF	DIV	THINK	1564	+64	6985	0000
0228		0	ALF	ALO	THINK	1565	+61	7376	0000
0229		0	ALF	SLO	THINK	1566	+82	7376	0000
0230		0	ALF	AML	THINK	1567	+61	7473	0000
0231		0	ALF	SML	THINK	1568	+82	7473	0000
0232		0	ALF	MPY	THINK	1569	+74	7788	0000
0233		0	ALF	STL	THINK	1570	+82	8373	0000
0234		0	ALF	STU	THINK	1571	+82	8384	0000
0235		0	ALF	SDA	THINK	1572	+82	6461	0000
0236		0	ALF	SIA	THINK	1573	+82	6961	0000
0237		0	ALF	STD	THINK	1574	+82	8364	0000
0238		0	ALF	NTS	THINK	1575	+75	8382	0000
0239		0	ALF	BIN	THINK	1576	+62	6975	0000
0240		0	ALF	SET	THINK	1577	+82	6583	0000
0241		0	ALF	SIB	THINK	1578	+82	6962	0000
0242		0	ALF	STI	THINK	1579	+82	8369	0000
0243		0	ALF	SRT	THINK	1580	+82	7983	0000
0244		0	ALF	SRD	THINK	1581	+82	7964	0000

SYMBOLIC
OPERATIONS
TABLE

FOR DISKR
FOR DISKR1

0245	0	ALF	FAD	THINK	1582	+66	6164	0000
0246	0	ALF	FSB	THINK	1583	+66	8262	0000
0247	0	ALF	FDV	THINK	1584	+66	6485	0000
0248	0	ALF	SLT	THINK	1585	+82	7383	0000
0249	0	ALF	SCT	THINK	1586	+82	6383	0000
0250	0	ALF	FAM	THINK	1587	+66	6174	0000
0251	0	ALF	FSM	THINK	1588	+66	8274	0000
0252	0	ALF	FMP	THINK	1589	+66	7477	0000
0253	0	ALF	NZA	THINK	1590	+75	8961	0000
0254	0	ALF	BMA	THINK	1591	+62	7461	0000
0255	0	ALF	NZB	THINK	1592	+75	8962	0000
0256	0	ALF	BMB	THINK	1593	+62	7462	0000
0257	0	ALF	NZU	THINK	1594	+75	8984	0000
0258	0	ALF	NZE	THINK	1595	+75	8965	0000
0259	0	ALF	BMI	THINK	1596	+62	7469	0000
0260	0	ALF	BOV	THINK	1597	+62	7685	0000
0261		COR	1600					
0262	0	ALF	AXA	THINK	1600	+61	8761	0000
0263	0	ALF	SXA	THINK	1601	+82	8761	0000
0264	0	ALF	AXB	THINK	1602	+61	8762	0000
0265	0	ALF	SXB	THINK	1603	+82	8762	0000
0266	0	ALF	NEF	THINK	1604	+75	6566	0000
0267	0	ALF	RWT	THINK	1605	+79	8683	0000
0268	0	ALF	WTM	THINK	1606	+86	8374	0000
0269	0	ALF	BST	THINK	1607	+62	8283	0000
0270	0	ALF	AXC	THINK	1608	+61	8763	0000
0271	0	ALF	SXC	THINK	1609	+82	8763	0000
0272	0	ALF	RAU	THINK	1610	+79	6184	0000
0273	0	ALF	RSU	THINK	1611	+79	8284	0000
0274	0	88	8888	5 FIVON	1612	+88	8888	0005
0275	0	ALF	TLE	THINK	1613	+83	7365	0000
0276	0	ALF	DVR	THINK	1614	+64	8579	0000
0277	0	ALF	RAL	THINK	1615	+79	6173	0000
0278	0	ALF	RSL	THINK	1616	+79	8273	0000
0279	0	ALF	RAM	THINK	1617	+79	6174	0000
0280	0	ALF	RSM	THINK	1618	+79	8274	0000
0281	0	ALF	LOD	THINK	1619	+73	7664	0000
0282	0	ALF	RD1	THINK	1620	+79	6491	0000
0283	0	ALF	WR1	THINK	1621	+86	7991	0000
0284	0	ALF	RC1	THINK	1622	+79	6391	0000
0285	0	ALF	RD2	THINK	1623	+79	6492	0000
0286	0	ALF	WR2	THINK	1624	+86	7992	0000
0287	0	ALF	RC2	THINK	1625	+79	6392	0000
0288	0	ALF	RD3	THINK	1626	+79	6493	0000
0289	0	ALF	WR3	THINK	1627	+86	7993	0000
0290	0	ALF	RC3	THINK	1628	+79	6393	0000
0291	0	ALF	RPY	THINK	1629	+79	7788	0000
0292	0	ALF	RAA	THINK	1630	+79	6161	0000
0293	0	ALF	RSA	THINK	1631	+79	8261	0000
0294	0	ALF	RAB	THINK	1632	+79	6162	0000
0295	0	ALF	RSB	THINK	1633	+79	8262	0000
0296	0	ALF	TLU	THINK	1634	+83	7384	0000
0297	0	ALF	SDS	THINK	1635	+82	6482	0000
0298	0	ALF	RDS	THINK	1636	+79	6482	0000
0299	0	ALF	WDS	THINK	1637	+86	6482	0000
0300	0	ALF	RAC	THINK	1638	+79	6163	0000
0301	0	ALF	RSC	THINK	1639	+79	8263	0000
0302	0	ALF	BD0	THINK	1640	+62	6490	0000
0303	0	ALF	BD1	THINK	1641	+62	6491	0000
0304	0	ALF	BD2	THINK	1642	+62	6492	0000
0305	0	ALF	BD3	THINK	1643	+62	6493	0000

0306	0	ALF	BD4	THINK	1644	+62	6494	0000
0307	0	ALF	BD5	THINK	1645	+62	6495	0000
0308	0	ALF	BD6	THINK	1646	+62	6496	0000
0309	0	ALF	BD7	THINK	1647	+62	6497	0000
0310		COR	1650					
0311	0	ALF	NZC	THINK	1650	+75	8963	0000
0312	0	ALF	BMC	THINK	1651	+62	7463	0000
0313	0	ALF	BD8	THINK	1652	+62	6498	0000
0314	0	ALF	EQU	THINK	1653	+65	7884	0000
0315	0	ALF	PST	THINK	1654	+77	8283	0000
0316	0	ALF	PCH	THINK	1655	+77	6368	0000
0317	0	ALF	RWD	THINK	1656	+79	8664	0000
0318	0	ALF	BDO	THINK	1657	+62	6476	0000
0319	0	ALF	LDD	THINK	1658	+73	6464	0000
0320	0	ALF	ALF	THINK	1659	+61	7366	0000
0321	0	ALF	SYN	THINK	1660	+82	8875	0000
0322	0	ALF	BLR	THINK	1661	+62	7379	0000
0323	0	ALF	BD9	THINK	1662	+62	6499	0000
0324	0	ALF	BLA	THINK	1663	+62	7361	0000
0325	0	ALF	UND	THINK	1664	+84	7564	0000
0326	0	ALF	COR	THINK	1665	+63	7679	0000
0327	0	ALF	DRC	THINK	1666	+64	7963	0000
0328	0	ALF	COD	THINK	1667	+63	7664	0000
0329	0	ALF	SKP	THINK	1668	+82	7277	0000
0330	0	ALF	CC5	THINK	1669	+63	6395	0000
0331	0	ALF	SER	THINK	1670	+82	6579	0000
0332	0	ALF	DUP	THINK	1671	+64	8477	0000
0333	0	ALF	PUD	THINK	1672	+77	8464	0000
0334	0	ALF	OPT	THINK	1673	+76	7783	0000
0335	0	ALF	HED	THINK	1674	+68	6564	0000
0336	0	ALF	SCR	THINK	1675	+82	6379	0000
0337	0	ALF	END	THINK	1676	+65	7564	0000
0338	0	ALF	ONE	THINK	1677	+76	7565	0000
0339	0	ALF	PRT	THINK	1678	+77	7983	0000
0340	0	ALF	TAP	THINK	1679	+83	6177	0000
0341	0	ALF	DSK	THINK	1680	+64	8272	0000
0342	0	ALF	CDD	THINK	1681	+63	6464	0000
0343	0	ALF	DEK	THINK	1682	+64	6572	0000
0344	0	ALF	PLR	THINK	1683	+77	7379	0000
0345	0	ALF	PAT	THINK	1684	+77	6183	0000
0346	0	ALF	NMO	THINK	1685	+75	7476	0000
0347	0	ALF	RCD	THINK	1686	+79	6364	0000
0348	0	ALF	MRK	THINK	1687	+74	7972	0000
0349	0	ALF	CC1	THINK	1688	+63	6391	0000
0350	0	ALF	PAL	THINK	1689	+77	6173	0000
0351	0	ALF	HMO	THINK	1690	+68	7476	0000
0352	0	ALF	MMO	THINK	1691	+74	7476	0000
0353	0	ALF	NXT	THINK	1692	+75	8783	0000
0354	0	ALF	ADN	THINK	1693	+61	6475	0000
0355	0	ALF	DON	THINK	1694	+64	7675	0000
0356	0	ALF	CON	THINK	1695	+63	7675	0000
0357	0	ALF	FIL	THINK	1696	+66	6973	0000
0358	0	ALF	FIV	THINK	1697	+66	6985	0000
0359		COR	1700					
0360	0	ALF	BOP	THINK	1700	+62	7677	0000
0361	0	ALF	COF	THINK	1701	+63	7666	0000
0362	0	ALF	DOF	THINK	1702	+64	7666	0000
0363	0	ALF	DMO	THINK	1703	+64	7476	0000
0364	0	ALF	OOA	THINK	1704	+90	9061	0000
0365	0	ALF	PDL	THINK	1705	+77	6473	0000
0366	0	ALF	SAT	THINK	1706	+82	6183	0000

0367	0	ALF	LAT	THINK	1707	+73	6183	0000
0368	0	ALF	SST	THINK	1708	+82	8283	0000
0369	0	ALF	LST	THINK	1709	+73	8283	0000
0370	0	ALF	RPQ	SMILE	1710	+79	7778	0000
0371		COR						
0372	1							
0373	1							
0374	1							
0375		PROCL	RSB	1	0076	+83	0001	0232
0376			STU	OPTIM	0232	+21	0188	0041
0377			RSC	275	0041	+89	0275	0247
0378			RAL	1951	0247	+65	1951	0056
0379			LOD	CARRY	0056	+69	0460	0063
0380			NZE	1F	0063	+45	0116	0070
0381			BD6	MASTR	0116	+96	0069	0224
0382	1		BD6	HLT66	0070	+96	0474	0777
0383	777		RAL	8001	0777	+65	8001	0495
0384			LOD	00002	0495	+69	1551	0104
0385			STD	CARRY	0104	+24	0460	0524
0386			SET	9000	0524	+27	9000	0093
0387			LDI	00001	0093	+09	0303	9018
0388	25		STL	LOCUS	0025	+20	0780	2038
0389	36		ALO	CDIFF	0036	+15	0090	0205
0390			AUP	COREQ	0205	+10	0115	0320
0391	37		AUP	8001	0037	+10	8001	0545
0392			ALO	DDIFF	0545	+15	0798	0320
0393	38		HLT	Q0007	0038	+01	0123	0123
0394	Q0007		RAL	8003	0123	+65	8003	0320
0395	39		STL	533TL	0039	+20	0046	0107
0396			AUP	80XEQ	0107	+10	0113	0320
0397	1		AUP	LINCR	0320	+10	0073	0030
0398			STU	BASEX	0030	+21	0190	0243
0399			SLT	6	0243	+35	0006	0505
0400			STL	LOCAT	0505	+20	1961	0018
0401			RAL	9011	0018	+65	9011	0226
0402			SLO	SUDOM	0226	+16	0235	0239
0403			NZE	PROCD	0239	+45	0443	0948
0404		LMAST	RSB	1	0442	+83	0001	0998
0405		LMST2	RAL	1951	0998	+65	1951	0069
0406		CARRY	ALF	YYYYY	0460	+88	8888	8888
0407		COREQ	ALF		0115	+00	0000	0000
0408		80XEQ	ALF		0113	+00	0000	0000
0409		79	LOD	00002	0079	+69	1551	0340
0410			STD	CARRY	0340	+24	0460	0069
0411	1							
0412		PROCD	RSC	255	0443	+89	0255	0649
0413		DMAST	RAL	1952	0649	+65	1952	0614
0414		DMST1	RAB	0	0614	+82	0000	0069
0415		45	LOD	9011	0045	+69	9011	0101
0416			SLT	4	0101	+35	0004	0109
0417			SDA	INSTR	0109	+22	0314	0022
0418			SRT	4	0022	+30	0004	2034
0419		35	RAA	8002	0035	+80	8002	0236
0420		C8XEQ	LOD		0236	+69	0339	0492
0421			RAC	8002	0339	+88	8002	0072
0422			DIV	9008	0072	+14	9008	0211
0423			NZU	1F	0211	+44	0487	0537
0424			SXA	9011	0537	+51	9011	0493
0425	1		SXA	9009	0487	+51	9009	0493
0426	2		NZA	1F	0493	+40	0052	0497
0427			AXC	1	0497	+58	0001	0052

II PROCESSING OF INSTRUCTIONS

0428	1	RAL	8007	609 B	0052	+65	8007	4609
0429	609	STD	80XEQ	34	0609	+24	0113	0034
0430	610	STD	80XEQ	219	0610	+24	0113	0219
0431	32	LOD		CODDL	0032	+69	0338	0492
0432		STL	COREQ	34	0338	+20	0115	0034
0433	33	LOD	OPTIM	3F	0033	+69	0188	0091
0434	34	LOD	OPTIM	3F	0034	+69	0188	0091
0435	3	BD1	PROCI		0091	+91	0244	0062
0436		STL	BASEX	PROCI	0062	+20	0190	0244
0437	1							
0438		PROCI	RSC	256	0244	+89	0256	0550
0439		IMAST	RAL	1953	0550	+65	1953	0664
0440		IMST1	RAB	1	0664	+82	0001	0069
0441	44	LOD	9011	ALFIN	0044	+69	9011	0600
0442		ALFIN	SIA	9011	0600	+23	9011	0207
0443			LOD	1960	0207	+69	1960	0764
0444			BD6	1F	0764	+96	0622	0527
0445			RAL	9011	0527	+65	9011	0241
0446	1		RSL	9011	0622	+66	9011	0080
0447			NZE	2F	0080	+45	0241	0587
0448			ALO	9000	0587	+15	9000	0595
0449			NZE	3F	0595	+45	0008	0799
0450			RSU	9001	0799	+61	9001	0008
0451	2		ALO	9000	0241	+15	9000	0008
0452	3		STL	INSTR	0008	+20	0314	2219
0453	218		RAL	FIVTG	0218	+65	0477	0081
0454	217		LOD		0217	+69	0231	0492
0455			STL	COREQ	0231	+20	0115	0219
0456	220		RAA	8002	0220	+80	8002	0236
0457	1							
0458		FINIS	RAL	PROGP	0209	+65	1962	0067
0459			NZE		0067	+45	0121	0949
0460			RAA	8001	0121	+80	8001	0677
0461			RAL	LOCUS	0677	+65	0780	0335
0462			LOD	00139	0335	+69	1688	0341
0463			SIA	80000A	0341	+23	2445	0058
0464			STU	PROGP	0058	+21	1962	0949
0465	1		RAU	LEVEL	0949	+60	0256	0511
0466			STD	KEE	0511	+24	0215	0674
0467			RAU	COREC	0674	+60	0927	0532
0468			STL	OPTIM	0532	+20	0188	0542
0469			STU	KEEPP	0542	+21	0096	1049
0470			STL	ADEND	1049	+20	0303	0507
0471			LOD	CARRY	0507	+69	0460	0615
0472			STD	KEEP	0615	+24	0223	0526
0473		READA	RD1	1999	0999	+70	1999	1998
0474		SSOUT	RD1	1999	0526	+70	1999	1998
0475		PROGP	ALF		1962	+00	0000	0000
0476	1							
0477	1							
0478	1							
0479			HED	.				
0480		MASTR	STL	TEMP	0069	+20	0473	0676
0481			LOD	8007	0676	+69	8007	0632
0482			STD	00032	0632	+24	0334	0490
0483			SLT	2	0490	+35	0002	1149
0484			SET	9000	1149	+27	9000	0106
0485			LDI	Q0001	0106	+09	0117	0103
0486			LDI	Z0001	0103	+09	0556	0535
0487			NZE	9002	0535	+45	9002	0489
0488			BMC		0489	+49	1048	9005

III MASTER ADDRESS CALCULATOR

9005

0489		RAL	CARRY		1048	+65	0460	0665
0490		BD6		9000	0665	+96	0068	9000
0491		RSA	53	9040	0068	+81	0053	9040
0492	Q0008	DRC	9007					
0493	9002	NZU		1F	9002	0119	+44	9007 9008
0494		ALO	901	1F	9007	0124	+15	9009 9008
0495	1	SUP	8003		9008	0125	+11	8003 9010
0496		RAA	8001	1F	9010	0127	+80	8001 9011
0497	1	SUP	8003		9011	0128	+11	8003 9012
0498		NZE		1F	9012	0129	+45	9013 9014
0499		STD	9006		9013	0130	+24	9006 9015
0500		ALO	100P		9015	0132	+15	9016 9017
0501		NZU		2F	9017	0134	+44	9018 9019
0502		SUP	8003		9018	0135	+11	8003 9020
0503		SLT	1		9020	0137	+35	0001 9021
0504		AUP	9006		9021	0138	+10	9006 9022
0505		SLT	1	1B	9022	0139	+35	0001 9011
0506	1	RAL	8001		9014	0131	+65	8001 9023
0507		NZA		9005	9023	0140	+40	9024 9005
0508		SRT	1		9024	0141	+30	0001 9025
0509		BOV	KKKK4D		9025	0142	+47	0102 9026
0510		ALO	R0000A		9026	0143	+15	2650 9027
0511		BD6	HLT44D	9000	9027	0144	+96	1994 9000
0512	9005	BOV	HLT88D	9000	9005	0122	+47	1997 9000
0513	2	SXA	90		9019	0136	+51	0090 9028
0514		BMA	SYMBLD		9028	0145	+41	0620 9029
0515		SLO	1B39		9029	0146	+16	9030 9031
0516		NZE		9033	9031	0148	+45	9032 9033
0517		SLO	9035	9034	9032	0149	+16	9035 9034
0518	9000	LDI	00001	9029	9000	0117	+09	0303 9029
0519	9001	LDI	10001	D	9001	0118	+09	0150 0202
0520		LOD	DTAGGB	FARBLD		0202	+69	4307 0112
0521	901	00	0	90	9009	0126	+00	0000 0090
0522	100P	10	0	0	9016	0133	+10	0000 0000
0523	1B39	10	0	90	9030	0147	+10	0000 0090
0524	1							
0525	Z0009	DRC	9041					
0526	9035	ALF	B	THINK	9035	0558	+62	0000 0000
0527	9034	NZE		4F	9034	0557	+45	9041 9042
0528		SLO	40P		9041	0564	+16	9043 9044
0529		NZE	SYMBL		9044	0567	+45	0620 9045
0530		BOV	KKKK2D		9045	0568	+47	0650 9046
0531		RAL	F0000A	9059	9046	0569	+65	2513 9059
0532	9059	BD6		9000	9059	0582	+96	9047 9000
0533		BMC		HLT55D	9047	0570	+49	9048 1995
0534		BMB	HLT88	9040	9048	0571	+43	1997 9040
0535	9040	SCT	1	9001	9040	0563	+36	0001 9001
0536	9033	BOV	KKKK3D		9033	0556	+47	0201 9049
0537		BMC	9037B	HLT55	9049	0572	+49	9437 1995
0538	9038	RAL	LOCUS	9000	9038	0561	+65	0780 9000
0539	9037	RAL	LOCUS	9000	9037	0560	+65	0780 9000
0540	9036	RAL	F0000A	2F	9036	0559	+65	2513 9050
0541	4	BOV	KKKK3		9042	0565	+47	0201 9051
0542		RAL	B0000A		9051	0574	+65	2445 9052
0543		BD6	HLT88	9000	9052	0575	+96	1997 9000
0544	9039	NZU	3F	9000	9039	0562	+44	9053 9000
0545	3	SRT	4	9000	9053	0576	+30	0004 9000
0546	2	SLT	4		9050	0573	+35	0004 9054
0547		ALO	8005		9054	0577	+15	8005 9055
0548		LOD	00002		9055	0578	+69	1551 9056
0549		STD	F0000A	D	9056	0579	+24	2513 0605

0550		STL	PROGP	D	0605	+20	1962	0765
0551		BDO	9040	3B	0765	+90	9040	9053
0552	40P	04	0	0	9043	0566	+04	0000 0000
0553	9058	RAC	9007		9058	0581	+88	9007 9057
0554		NZC	FARIND	829	9057	0580	+48	0607 0829
0555		COR						
0556	300	RAM	8000		0300	+67	8000	1198
0557		SET	9000	Q0001	1198	+27	9000	0117
0558	1							
0559		SYMBL	RAU	TEMP	0620	+60	0473	0230
0560		SYMB1	SLT	8	0230	+35	0008	0547
0561			NZU	1F	0547	+44	0203	0204
0562			RAU	8001	0204	+60	8001	0611
0563			AUP	0000H	0611	+10	0914	0769
0564			SUP	8003	0769	+11	8003	0540
0565	1		SLT	2	0203	+35	0002	0540
0566	2		STD	S0294	0540	+24	1493	0196
0567			TLE	S0001	0196	+63	1200	0617
0568			SLO	Q0004	0617	+16	0120	0475
0569			BOV	EQUZY	0475	+47	0590	0530
0570			BMI	3F	0530	+46	0233	0534
0571			BMC	9001	0534	+49	9001	0538
0572			NZC	HLT55	0538	+48	1995	4896
0573	3		NZC	DIVID	0233	+48	0336	4897
0574	DIVID		DIV	2D	0336	+14	0539	1199
0575			RAA	8002	1199	+80	8002	0774
0576			RSU	8003	0774	+61	8003	0531
0577			ALO	E0147A	0531	+15	3196	9039
0578	2D		00	2	0539	+00	0002	0000
0579	Q0004		00	S0294	0120	+00	1493	0000
0580	1							
0581		00022	DRC	9021				
0582		9029	RAC	9031	9029	0332	+88	9031 9018
0583	-	9002	19	9900	9002	0305	-19	9900 0001
0584		9003	79	9980	9003	0306	+79	9980 0000
0585		9006	80	0700	9006	0309	+80	0700 0001
0586		9007	89	9900	9007	0310	+89	9900 0000
0587	-	9008	90	5900	9008	0311	-90	5900 0002
0588	-	9009	90	9900	9009	0312	-90	9900 0003
0589		9010	99	9900	9010	0313	+99	9900 0000
0590		9018	STL	9050	9018	0321	+20	9050 9021
0591			SLT	6	9021	0324	+35	0006 9022
0592			SLO	8002	9022	0325	+16	8002 9023
0593			TLU	9002	9023	0326	+84	9002 9024
0594			ALO		9024	0327	+15	9025 8002
0595			RAA	0	9025	0328	+80	0000 9026
0596			BMA	9016	9026	0329	+41	9016 9012
0597	9016		RAM	9004B	9016	0319	+67	9404 9216
0598	9013		RAA	0	9013	0316	+80	0000 9014
0599	9014		SRT	1	9014	0317	+30	0001 9015
0600	9015		AML	9050	9015	0318	+17	9050 9027
0601	9012		RAM	9050	9012	0315	+67	9050 9027
0602	1		LOD	8003	9027	0330	+69	8003 9028
0603			SIA	9050	9028	0331	+23	9050 9001
0604	9001		RAL	8001	9001	0304	+65	8001 6300
0605			COR					
0606	1							
0607		F0000	ALF	YYYYY	0513	+88	8888	8888
0608			FIL	F0000				
0609			00	0080	8004	+00	0080	0000
0610				0000				

0611		FIL	B0000	B0009				
0612		00	0080	0000		8004	+00 0080 0000	
+6919541953	+0000000613		+8000091957	+0000800000	+6919558001	+5100011957	+2424451958	+4019568000
0614	R0018	00	0080	0000	0668	+00 0080 0000		
0615	R0019	00	0080	0000	0669	+00 0080 0000		
0616	R0020	00	0080	0000	0670	+00 0080 0000		
0617	R0028	00	0080	0000	0678	+00 0080 0000		
0618	R0029	00	0080	0000	0679	+00 0080 0000		
0619	R0030	00	0080	0000	0680	+00 0080 0000		
0620	R0031	00	0080	0000	0681	+00 0080 0000		
0621	R0038	00	0080	0000	0688	+00 0080 0000		
0622	R0039	00	0080	0000	0689	+00 0080 0000		
0623	R0048	00	0080	0000	0698	+00 0080 0000		
0624	R0049	00	0080	0000	0699	+00 0080 0000		
0625		FIL	R0061	R0069				
0626		00	0080	0000		8004	+00 0080 0000	
+6919541953	+0000000627		+8000081957	+0000800000	+6919558001	+5100011957	+2427111958	+4019568000
0628		FIL	R0071	R0079				
0629		00	0080	0000		8004	+00 0080 0000	
+6919541953	+0000000630		+8000081957	+0000800000	+6919558001	+5100011957	+2427211958	+4019568000
0631		FIL	R0082	R0099				
0632		00	0080	0000		8004	+00 0080 0000	
+6919541953	+0000000633		+8000171957	+0000800000	+6919558001	+5100011957	+2427321958	+4019568000

IV OPTIMIZING ROUTINES

0634	1							
0635	1							
0636	1							
0637		HED	,					
0638		FARCE	BD6	7F	9058	1499	+96 0221 9058	
0639		FARON	BD6	9058	7F	0543	+96 9058 0221	
0640		FARBL	BD6	9058	7F	0112	+96 9058 0221	
0641		7	RAL	COREC		0221	+65 0927 0494	
0642			ALO	11XXX		0494	+15 0897 0301	
0643			RAC	8002		0301	+88 8002 0010	
0644			SXC	9059		0010	+59 9059 0618	
0645			STL	COREC		0618	+20 0927 0630	
0646			BMC	9003		0630	+49 9003 0584	
0647			SXC	60		0584	+59 0060 0640	
0648			BMC		9003	0640	+49 0593 9003	
0649			AUP	00061C	9010	0593	+10 7610 9010	
0650		FARIN	RAL	1960	FARSW	0607	+65 1960 0824	
0651		FARSW	SLT	1 B		0824	+35 4001 0536	
0652			LOD	8002		0536	+69 8002 0643	
0653			BD4		828 C	0643	+94 0246 6828	
0654			RSC	1		0246	+89 0001 0503	
0655			RAM	1958B	9004	0503	+67 5958 9004	
0656		829	BMB		9005	0829	+43 0682 9005	
0657			RAM	CCNT1	9004	0682	+67 0585 9004	
0658	1							
0659		CODDL	SET	9001		0492	+27 9001 0597	
0660			LDI	10001		0597	+09 0150 0502	
0661			STD	9049		0502	+24 9049 0108	
0662			RAC	9007		0108	+88 9007 0216	
0663			BMC	9049	9005	0216	+49 9049 9005	
0664		10015	DRC	9015				
0665			SYN	9039				
0666			SYN	9041				
0667		9010	BMI	7B	9003	9010	0159 +46 0221 9003	
0668		9005	RAL	9039		9005	0154 +65 9039 9015	
0669			NZB		2F	9015	0164 +42 9016 9017	
0670			BMI	1F		9016	0165 +46 9018 9019	
0671			BD2		D 7F	9019	0168 +92 0212 9020	

0672		RAM	INSTR	D	0212	+67	0314	0621
0673		SLT	2	D	0621	+35	0002	0529
0674		SLO	8002	D	0529	+16	8002	0592
0675		TLU	N0059	9009	0592	+84	0400	9009
0676	9009	ALO		8002	9009	0158	+15	9021 8002
0677		RAL	0		9021	0170	+65	0000 9022
0678		ALO	N0074	7F	9022	0171	+15	0415 9020
0679	1	RAU	INSTR	D	9018	0167	+60	0314 0528
0680		SLT	5	D		0528	+35	0005 0638
0681		SRT	9	D		0638	+30	0009 0700
0682		RAU	8003	D		0700	+60	8003 0523
0683		SLT	4	9011		0523	+35	0004 9011
0684	9011	AUP		D 8003	9011	0160	+10	0544 8003
0685		RAL	N0071			0544	+65	0412 9023
0686		LOD	9039		9023	0172	+69	9039 9024
0687		BD2	7F	2F	9024	0173	+92	9020 9017
0688	7	SLT	4	2F	9020	0169	+35	0004 9017
0689	2	STL	9058		9017	0166	+20	9058 9025
0690		RAL	9041		9025	0174	+65	9041 9026
0691		DIV	9008	D	9026	0175	+14	9008 0832
0692		NZU		4F		0832	+44	9027 9028
0693		RAM	9058		9027	0176	+67	9058 9029
0694		SLT	2		9029	0178	+35	0002 9030
0695		SUP	8003	5F	9030	0179	+11	8003 9031
0696	4	RAM	9058	5F	9028	0177	+67	9058 9031
0697	5	SRT	8		9031	0180	+30	0008 9032
0698		ALO	9041	9004	9032	0181	+15	9041 9004
0699	9004	DIV	50I	FAROFD	9004	0153	+14	9033 0491
0700	FAROF	RAL	8003	9049		0491	+65	8003 9049
0701	9008	00	0	2	9008	0157	+00	0000 0002
0702	50I	00	0	50	9033	0182	+00	0000 0050
0703	1							
0704		9049	ALO	8002	9049	0198	+15	8002 9034
0705			ALO	8002	9034	0183	+15	8002 9035
0706			LOD	8006	9035	0184	+69	8006 9036
0707			STD	30007	9036	0185	+24	0257 0661
0708			RAB	4		0661	+82	0004 9613
0709	9013	RAC	0	1F	9013	0162	+88	0000 9037
0710	9014	RAC	0	1F	9014	0163	+88	0000 9037
0711	1	SLO	50I		9037	0186	+16	9033 9038
0712		BMI	9050		9038	0187	+46	9050 9040
0713		AXC	50	1B	9040	0189	+58	0050 9037
0714	9050	LDI	20001	9051	9050	0199	+09	0917 9051
0715	9012	RAC	8002	1F	9012	0161	+88	8002 9042
0716	1	RAU	A0001C		9042	0191	+60	7750 9043
0717		NZU	9002		9043	0192	+44	9002 9044
0718		SXB	1		9044	0193	+53	0001 9045
0719		NZB		HLT22D	9045	0194	+42	9046 0504
0720		AXC	1	1B	9046	0195	+58	0001 9042
0721	234	RAM	8000	D		0234	+67	8000 1498
0722		RAC	9007	9004		1498	+88	9007 9004
0723	9001	LDI	30000	9001	9001	0150	+09	0250 9001
0724	9002	LDI	30001	9002	9002	0151	+09	0251 9002
0725	9003	LDI	30002	9005	9003	0152	+09	0252 9005
0726		COR						
0727	1							
0728		HED	+					
0729	20004	DRC	9053					
0730	9051	SLT	4	9050	9051	0918	+35	0004 9050
0731	9050	ALO	1F	2F	9050	0917	+15	9053 9054
0732	2	STL	HLD		9054	0921	+20	9055 9056

0733		LOD	9052			9056	0923	+69	9052	9057
0734		SET	9002		D	9057	0924	+27	9002	0496
0735		LDI	A0001C	HLD				0496	+09	7750 9055
0736	1	TLU	9052	3F		9053	0920	+84	9052	9058
0737	9052	00	0	1		9052	0919	+00	0000	0001
0738	3	SLO	18			9058	0925	+16	9053	9059
0739		BMI	9001		D	9059	0926	+46	9001	0525
0740		COR								
0741		NZB		HLT22			0525	+42	0778	0504
0742		SXB	1				0778	+53	0001	0634
0743		SXC	150				0634	+59	0150	0541
0744		NZC		1F			0541	+48	0645	0110
0745		AXC	200	1F			0645	+58	0200	0110
0746	1	RAL		2B			0110	+65	0213	9054
0747		TLU	9002	3B			0213	+84	9002	9058
0748	1									
0749		HED	1							
0750	30015	DRC	9016							
0751	2I	SYN	9041							
0752	9001	SRT	4			9001	0250	+30	0004	9016
0753		AXC	8002			9016	0265	+58	8002	9017
0754		AXC	50	9002		9017	0266	+58	0050	9002
0755	9002	RAU	A0001C			9002	0251	+60	7750	9018
0756		SCT	0			9018	0267	+36	0000	9019
0757		RAB	8002			9019	0268	+82	8002	9020
0758		SLT	1			9020	0269	+35	0001	9021
0759		SRD	1 B			9021	0270	+31	4001	9022
0760		STU	A0001C			9022	0271	+21	7750	9023
0761		RAU	8006			9023	0272	+60	8006	9024
0762		MPY	50I			9024	0273	+19	9025	9026
0763		RAB	8002			9026	0275	+82	8002	9027
0764		RAL	8007		D	9027	0276	+65	8007	0647
0765		DIV	4I D		D		0647	+14	0750	0553
0766		MPY	500I		D		0553	+19	9028	0546
0767		ALO	8003				0546	+15	8003	9029
0768		ALO	8006	9003		9029	0278	+15	8006	9003
0769	9003	RAB	9008	9005		9003	0252	+82	9008	9005
0770	9005	BOV	1F	9004		9005	0254	+47	9030	9004
0771	9004	STL	9006	FINDX		9004	0253	+20	9006	9031
0772	FINDX	RAU	9007			9031	0280	+60	9007	9032
0773		RAC	8001			9032	0281	+88	8001	9033
0774		SRT	0002			9033	0282	+30	0002	9034
0775		SLO	8002			9034	0283	+16	8002	9035
0776		TLU	9011			9035	0284	+84	9011	9036
0777		ALO		8002		9036	0285	+15	9037	8002
0778		64	9999		D	9037	0286	+64	9999	0594
0779		ALO	9007		D		0594	+15	9007	0501
0780		STL	LEVEL		D		0501	+20	0256	0509
0781		SXC	293		D		0509	+59	0293	0915
0782		BMC	STORE	HLT11			0915	+49	9038	0827
0783	STORE	LOD	S0294		D	9038	0287	+69	1493	0596
0784		STD	S0294C				0596	+24	7493	9039
0785		RSL	8007			9039	0288	+66	8007	9040
0786		DIV	2I		D	9040	0289	+14	9041	0206
0787		RSC	8002				0206	+89	8002	9042
0788		SLO	8001			9042	0291	+16	8001	9043
0789		ALO	9006			9043	0292	+15	9006	9044
0790		LOD	E0147C			9044	0293	+69	7196	9045
0791		NZU		2F		9045	0294	+44	9046	9047
0792		SLT	4	9009		9046	0295	+35	0004	9009
0793	9009	SDA	E0147C			9009	0258	+22	7196	9048

0794		SRT	4	3F		9048	0297	+30	0004	9049
0795	2	SIA	E0147C	3F		9047	0296	+23	7196	9049
0796	1	BMB	9000			9030	0279	+43	9000	9050
0797		LOD	00103		D	9050	0299	+69	1652	0655
0798		SIA	F0000A	9000			0655	+23	2513	9000
0799	3	BOV	2 B	9000		9049	0298	+47	4002	9000
0800	50I	00	0	50		9025	0274	+00	0000	0050
0801	4I	00	0	4			0750	+00	0000	0004
0802	500I	00	0	500		9028	0277	+00	0000	0500
0803	2I	00	0	2		9041	0290	+00	0000	0002
0804	LEVEL	ALF		THINK			0256	+00	0000	0000
0805	2	9010	24 8888 1			9010	0259	+24	8888	0001
0806	2	9011	46 0998	3		9011	0260	+46	0998	0003
0807	2	9012	47 8888	1		9012	0261	+47	8888	0001
0808	2	9013	96 8888	8		9013	0262	+96	8888	0008
0809	2	9014	56 8888	3		9014	0263	+56	8888	0003
0810	2	9015	97 8888	8		9015	0264	+97	8888	0008
0811		COR								
0812	1									
0813		N0001	24 1954	0498	NOP	0342	+24	1954	0498	
0814		N0002	69 1654	5498	HLT	0343	+69	1654	5498	
0815		N0003	03 0323	2299	UFA	0344	+03	0323	2299	
0816		N0004	44 0105	0598	RTC	0345	+44	0105	0598	
0817		N0005	80 0005	0598	RTN	0346	+80	0005	0598	
0818		N0006	21 0305	0598	RTA	0347	+21	0305	0598	
0819		N0007	40 0005	5598	WTN	0348	+40	0005	5598	
0820		N0008	15 0505	0598	WTA	0349	+15	0505	0598	
0821		N0009	03 0312	1299	LIB	0350	+03	0312	1299	
0822		N0010	03 0302	0299	LDI	0351	+03	0302	0299	
0823		N0011	03 0305	0499	AUP	0352	+03	0305	0499	
0824		N0012	03 0305	0499	SUP	0353	+03	0305	0499	
0825		N0013	48 0098	0099		0354	+48	0098	0099	
0826		N0014	09 0800	4099		0355	+09	0800	4099	
0827		N0015	03 0311	1099	DIV	0356	+03	0311	1099	
0828		N0016	03 0305	0499	ALO	0357	+03	0305	0499	
0829		N0017	03 0305	0499	SLO	0358	+03	0305	0499	
0830		N0018	03 0305	0499	AML	0359	+03	0305	0499	
0831		N0019	03 0305	0499	SML	0360	+03	0305	0499	
0832		N0020	03 0321	2099	MPY	0361	+03	0321	2099	
0833		N0021	05 0403	0399	STL	0362	+05	0403	0399	
0834		N0022	04 0503	0399	STU	0363	+04	0503	0399	
0835		N0023	03 0403	0399	SDA	0364	+03	0403	0399	
0836		N0024	03 0403	0399	SIA	0365	+03	0403	0399	
0837		N0025	03 0303	0399	STD	0366	+03	0303	0399	
0838		N0026	04 0405	0598	NTS	0367	+04	0405	0598	
0839		N0027	49 0505	0598	BIN	0368	+49	0505	0598	
0840		N0028	98 0005	0598	SET	0369	+98	0005	0598	
0841		N0029	03 0312	1299	SIB	0370	+03	0312	1299	
0842		N0030	03 0302	0299	STI	0371	+03	0302	0299	
0843	-	N0031	00 9090	9098	SRT	0372	-00	9090	9098	
0844	-	N0032	65 1200	0088	SRD	0373	-65	1200	0088	
0845		N0033	03 0327	2699	FAD	0374	+03	0327	2699	
0846		N0034	03 0327	2699	FSB	0375	+03	0327	2699	
0847		N0035	03 0341	4099	FDV	0376	+03	0341	4099	
0848	-	N0036	00 0000	0098	SLT	0377	-00	0000	0098	
0849	-	N0037	00 0400	9898	SCT	0378	-00	0400	9898	
0850		N0038	03 0327	2699	FAM	0379	+03	0327	2699	
0851		N0039	03 0327	2699	FSM	0380	+03	0327	2699	
0852		N0040	03 0347	4699	FMP	0381	+03	0347	4699	
0853		N0041	03 0304	0498	NZA	0382	+03	0304	0498	
0854		N0042	03 0304	0498	BMA	0383	+03	0304	0498	

0855	N0043	03	0304	0498	NZB	0384	+03	0304	0498
0856	N0044	03	0304	0498	BMB	0385	+03	0304	0498
0857	N0045	03	0404	0598	NZU	0386	+03	0404	0598
0858	N0046	04	0305	0498	NZE	0387	+04	0305	0498
0859	N0047	03	0304	0498	BMI	0388	+03	0304	0498
0860	N0048	03	0305	0598	BOV	0389	+03	0305	0598
0861	N0049	03	0304	0498	NZC	0390	+03	0304	0498
0862	N0050	03	0304	0498	BMC	0391	+03	0304	0498
0863	N0051	79	9999	9988	AXA	0392	+79	9999	9988
0864	N0052	00	0100	0588	SXA	0393	+00	0100	0588
0865	N0053	65	1493	0088	AXB	0394	+65	1493	0088
0866	N0054	19	9005	0588	AXB	0395	+19	9005	0588
0867	N0055	04	0405	0598	NEF	0396	+04	0405	0598
0868	N0056	40	4005	0598	RWD	0397	+40	4005	0598
0869	N0057	00	0005	0598	WTM	0398	+00	0005	0598
0870	N0058	90	8955	5598	BST	0399	+90	8955	5598
0871	N0059	79	9994	9588	AXC	0400	+79	9994	9588
0872	N0060	24	7750	0488	SXC	0401	+24	7750	0488
0873	N0061	03	0305	0499	RAU	0402	+03	0305	0499
0874	N0062	03	0305	0499	RSU	0403	+03	0305	0499
0875	N0063	00	1499	1499		0404	+00	1499	1499
0876	N0064	03	0315	1699	TLE	0405	+03	0315	1699
0877	N0065	03	0311	1099	DVR	0406	+03	0311	1099
0878	N0066	03	0305	0499	RAL	0407	+03	0305	0499
0879	N0067	03	0305	0499	RSL	0408	+03	0305	0499
0880	N0068	03	0305	0499	RAM	0409	+03	0305	0499
0881	N0069	03	0305	0499	RSM	0410	+03	0305	0499
0882	N0070	03	0303	0399	LOD	0411	+03	0303	0399
0883	N0071	23	2225	2498	RD1	0412	+23	2225	2498
0884	N0072	07	0607	0698	WR1	0413	+07	0607	0698
0885	N0073	07	0609	0898	RC1	0414	+07	0609	0898
0886	N0074	09	0811	1098	RD2	0415	+09	0811	1098
0887	N0075	11	1013	1298	WR2	0416	+11	1013	1298
0888	N0076	13	1215	1498	RC2	0417	+13	1215	1498
0889	N0077	15	1417	1698	RD3	0418	+15	1417	1698
0890	N0078	17	1619	1898	WR3	0419	+17	1619	1898
0891	N0079	19	1821	2098	RC3	0420	+19	1821	2098
0892	N0080	21	2023	2298	RPY	0421	+21	2023	2298
0893	N0081	80	0096	9788	RAA	0422	+80	0096	9788
0894	N0082	80	0194	9588	RSA	0423	+80	0194	9588
0895	N0083	80	0297	9788	RAB	0424	+80	0297	9788
0896	N0084	80	0396	9888	RSB	0425	+80	0396	9888
0897	N0085	03	0315	1699	TLU	0426	+03	0315	1699
0898	N0086	24	4905	0598	SDS	0427	+24	4905	0598
0899	N0087	60	8005	0598	RDS	0428	+60	8005	0598
0900	N0088	39	0505	0598	WDS	0429	+39	0505	0598
0901	N0089	90	5996	9788	RAC	0430	+90	5996	9788
0902	N0090	99	9999	9988	RSC	0431	+99	9999	9988
0903	N0091	04	0405	0598	BD0	0432	+04	0405	0598
0904	N0092	03	0305	0598	BD1	0433	+03	0305	0598
0905	N0093	03	0305	0598	BD2	0434	+03	0305	0598
0906	N0094	03	0305	0598	BD3	0435	+03	0305	0598
0907	N0095	03	0305	0598	BD4	0436	+03	0305	0598
0908	N0096	03	0305	0598	BD5	0437	+03	0305	0598
0909	N0097	03	0305	0598	BD6	0438	+03	0305	0598
0910	N0098	03	0305	0598	BD7	0439	+03	0305	0598
0911	N0099	03	0305	0598	BD8	0440	+03	0305	0598
0912	N0100	04	0405	0598	BD9	0441	+04	0405	0598
0913		FIL	A0001	A0200					
0914		ALF	YYYYY	THINK					
+6919541953	+0000000915	+8001991957	+8888888888	+6919558001	+5100011957	+2437501958	+4019568000		

0916	1								
0917	1	V	OUTPUT CONTROL						
0918	1								
0919			HED	-					
0920		PUNCH	RAL	FIVTG	PNCH1				
0921		PNCH1	BMI	9F	2F				
0922		2	RAA	8001					
0923			AUP	533TL					
0924			NZU	COROF					
0925			NZA	2F					
0926			RAL	50009					
0927			ALO	11XXX					
0928			STL	50009					
0929			WR1	50001					
0930			BOV	EXITO					
0931			RAL	FIVON	2B				
0932		2	SLO	20003					
0933			STL	FIVTG					
0934			LOD	INSTR					
0935			STD	50001A					
0936			RAL	50008					
0937			AUP	50007					
0938			SRT	4					
0939			AUP	LOCAT					
0940			STL	50008					
0941			STU	50007					
0942			BOV	8F	9F				
0943		9	RAL	533TL					
0944			NZE	COROF					
0945			RAL	LOCAT					
0946			SLO	N0027	RAMSW				
0947	1								
0948		FILL	STL	EXITO					
0949			RAL	FIVTG					
0950			BMI	EXITO					
0951			RAA	8001					
0952			STU	533TL					
0953			SXA	5					
0954			BMA		EXITO				
0955			LOD	50007A					
0956			STD	INSTR	8F				
0957		8	RAL	50007					
0958			SRT	6					
0959			SCT	6					
0960			SLO	8002					
0961			SIA	LOCAT	PUNCH				
0962	1								
0963		RAMON	BMI		CORSW				
0964			ALO	N0088					
0965			BMI	RAMNO	RAMN1				
0966		RAMN1	RAB	1	2F				
0967		RAMNO	RAB	0	2F				
0968		2	RAL	DISKRB					
0969			RDS	9000					
0970			SLT	2					
0971			AUP	10008					
0972			RSA	8003					
0973			SRT	2					
0974			LOD	LOCAT					
0975			STD	9001A					
0976			LOD	INSTR					

0977		STD	9000A		0720	+24	9200	0583
0978		STL	DISKRB		0583	+20	5248	0602
0979		WDS	9000		0602	+87	9000	0510
0980		NZA	COROF		0510	+40	0684	0946
0981		ALO	6BM41		0946	+15	1298	0613
0982		STL	DISKRB		0613	+20	5248	0911
0983		SDS	9000	COROF	0911	+85	9000	0684
0984	RAMOF	BMI	COROF	CORSW	0905	+46	0684	0685
0985	RAMSW	BMI	COROF	CORSW	0773	+46	0684	0685
0986	1							
0987	CORON	LOD	DISKC		0606	+69	1598	0651
0988		SDS	9000		0651	+85	9000	1015
0989		RDS	9000		1015	+86	9000	0508
0990		LOD	90002		0508	+69	0027	0840
0991		RAC	8001		0840	+88	8001	1046
0992		SRT	2		1046	+30	0002	0932
0993		ALO	N0086		0932	+15	0427	0701
0994		LOD	INSTR	8002	0701	+69	0314	8002
0995	8002	STD	9000	92	8002	+24	9000	0092
0996	92	LOD	DISKC		0092	+69	1598	0751
0997		WDS	9000	COROF	0751	+87	9000	0684
0998	1							
0999	PSUDO	SCT	1	PRONE	0976	+36	0001	0890
1000	COROF	RAC	FINIS	PRONE	0684	+88	0209	0890
1001	CORSW	RAC	FINIS	PRONE	0685	+88	0209	0890
1002	PRONE	RSA	1		0890	+81	0001	1496
1003		LOD	ONESW		1496	+69	1449	0757
1004		BD2	9F		0757	+92	0830	1017
1005		AXA	1	90001	1017	+50	0001	0026
1006	90003	WR1	9040	9F	0028	+71	9040	0830
1007	9	LOD	PRTSW		0830	+69	1448	0851
1008		BD2	9F	90002A	0851	+92	0554	2027
1009	90002	WR2	9040	0 C	0027	+74	9040	6000
1010	90001	RAM	LOCUS		0026	+67	0780	0893
1011		SLT	5		0893	+35	0005	0656
1012		SET	9057		0656	+27	9057	0930
1013		ALO	CCNT1		0930	+15	0585	0694
1014		ALO	1IXXX		0694	+15	0897	0604
1015		STI	1957		0604	+29	1957	0770
1016		SIA	CCNT1		0770	+23	0585	0940
1017		SET	9040		0940	+27	9040	1045
1018		LDI	1951		1045	+09	1951	0672
1019		STL	9048		0672	+20	9048	1030
1020		RAL	9050		1030	+65	9050	0687
1021		AUP	9049		0687	+10	9049	1495
1022		SLT	3		1495	+35	0003	0703
1023		SRT	3		0703	+30	0003	0762
1024		BOV	1F		0762	+47	0916	0633
1025		SRT	2		0633	+30	0002	0639
1026		SDA	9047		0639	+22	9047	0706
1027		LOD	INSTR		0706	+69	0314	1018
1028		STD	9046		1018	+24	9046	0683
1029		SLT	2		0683	+35	0002	0939
1030		AML	533TL	2F	0939	+17	0046	0901
1031	1	STD	9047		0916	+24	9047	0935
1032		AUP	N0051	2F	0935	+10	0392	0901
1033	2	SLO	9050		0901	+16	9050	0709
1034		LOD	8003		0709	+69	8003	0671
1035		SIA	9049	90003A	0671	+23	9049	2028
1036	9	BOV	0 C	0 C	0554	+47	6000	6000
1037	7	DISKC	00 0008	8382	1598	+00	0008	8382

1038	-	6BM41	60	0	10	1298	-60	0000	0010
1039		CCNT1	ALF		THINK	0585	+00	0000	0000
1040		50009	ALF		THINK	0485	+00	0000	0000
1041		50010	00	8800	0	0486	+00	8800	0000
1042	-	FIVTG	ALF	YYYYY	THINK	0477	-88	8888	8888
1043	-	ONESW	ALF	99999	THINK	1449	-99	9999	9999
1044	-	PRTSW	ALF	YYYYY	THINK	1448	-88	8888	8888
1045		DUMP8	SDS	9000	DUMP9	1544	+85	9000	1547
1046		DUMP9	RDS	9000	9000	1547	+86	9000	9000
1047			HED						
1048	1								
1049	1	VI	PSEUDO	OPERATIONS					
1050	1								
1051			NMO						
1052			BLA	00099	00100				
1053			BLA	00149	00150				
1054			BLA	1712	1749				
1055			BLA	1963	1993				
1056		959	STD	INSTR	PROCL	0959	+24	0314	0076
1057		ALFOT	RAL	1953		0948	+65	1953	0907
1058			NZE	1F		0907	+45	0660	0912
1059			LOD	2F		0912	+69	1715	1718
1060			STD	1953	1F	1718	+24	1953	0660
1061	1		RAL	1952		0660	+65	1952	0608
1062			RAA	0	ALFIN	0608	+80	0000	0600
1063	2		ALF	THINK	THIMK	1715	+83	6869	7572
1064	1								
1065		963	STU	1951	BLA	0963	+21	1951	0654
1066			LOD	SUB1U	BLR1	0654	+69	0658	1012
1067	1								
1068		961	LOD	SUB1R	BLR1	0961	+69	1014	1012
1069		BLR1	STD	EXIT0	DMAST	1012	+24	0323	0649
1070		500	LOD	8005	7F	0500	+69	8005	0756
1071	7		STD	LOCAT		0756	+24	1961	1714
1072			SIA	FWAXX		1714	+23	0780	0833
1073			AUP	1951		0833	+10	1951	0906
1074			NZU		261 C	0906	+44	1712	6261
1075			RAB	259 C	EQU8B	1712	+82	6259	1019
1076	461		RAL	1953		0461	+65	1953	0708
1077			RAC	163	IMST1	0708	+88	0163	0664
1078	463		BMA		HLT99	0463	+41	1016	1717
1079			RAC	9005		1016	+88	9005	1074
1080			NZC	HLT99		1074	+48	1717	0828
1081			LOD	LOCAT		0828	+69	1961	1964
1082			SXA	8001	459 A	1964	+51	8001	2459
1083	458		NZA	HLT99	EXIT0	0458	+40	1717	0323
1084	457		NZA	HLT99	00020	0457	+40	1717	0322
1085	00020		RAA	8002	LDI41	0322	+80	8002	0248
1086	LDI41		LDI	40001	9006	0248	+09	0780	9006
1087	40005		DRC	9009					
1088	9006		AXA	9005		9006	0781	+50	9005
1089			BMA	HLT99		9009	0784	+41	1717
1090			RAB	1000		9010	0785	+82	1000
1091			SXB	8001		9011	0786	+53	8001
1092			RSL	9006		9012	0787	+66	9006
1093			STL	BLRTGD	D	9013	0788	+20	1530
1094			LOD	EXIT0	30014		0933	+69	0323
1095	30014		BD7	9008			0264	+97	9008
1096			LOD	2F	4F	9014	0789	+69	9015
1097	9008		LOD	3F	4F	9008	0783	+69	9017
1098	4		STD	9059	8001	9016	0791	+24	9059

1099	2	RSM	00001B	1F		9015	0790	+68	5550	9018
1100	3	RAM	00001B	1F		9017	0792	+67	5550	9018
1101	1	STL	00001B			9018	0793	+20	5550	9019
1102		NZA		1		9019	0794	+40	9020	0001
1103		SXA	1			9020	0795	+51	0001	9021
1104		AXB	1	9059		9021	0796	+52	0001	9059
1105	9007	RAA	59			9007	0782	+80	0059	9022
1106		RAB	0	9008		9022	0797	+82	0000	9008
1107		COR								
1108	1									
1109	960	RAL	SUB1R	EQU1	SYN	0960		+65	1014	1719
1110	60	BMA	500	HLT99		0060		+41	0500	1717
1111	21	RAL	LOCAT			0021		+65	1961	1965
1112		SET	9005			1965		+27	9005	1720
1113		ALO		8002		1720		+15	1723	8002
1114		RAM	FWAXX	00022		1723		+67	0780	0324
1115	1									
1116		HED	\$							
1117	SUB1U	RAA	T0001	240		0658		+80	0844	0240
1118	SUB1R	RAA	U0001	240		1014		+80	0944	0240
1119	240	LDI	0 A			0240		+09	2000	0652
1120		LDI	V0001	9025		0652		+09	1505	9025
1121	T0003	DRC	9007							
1122	9005	AUP	ATES			9005	0844	+10	9007	9008
1123		SRT	0 B			9008	0847	+30	4000	9009
1124		SUP	8003	9011		9009	0848	+11	8003	9011
1125	9006	AXB	10			9006	0845	+52	0010	9010
1126		RAL	ATES	9028		9010	0849	+65	9007	9028
1127	ATES	ALF	YYYYY	THINK		9007	0846	+88	8888	8888
1128	U0003	DRC	9007							
1129	9005	SRT	0 B	9011		9005	0944	+30	4000	9011
1130	9006	AXB	10	9028		9006	0945	+52	0010	9028
1132	V0008	DRC	9018							
1133	50I	EQU	9017							
1134	500I	EQU	9016							
1135		BLR	9024	9028						
1136	9012	RAM	8001			9012	1506	+67	8001	9018
1137		DIV	500I	D		9018	1512	+14	9016	0663
1138		RAC	8002	9026			0663	+88	8002	9026
1139	9013	DIV	50I	9014		9013	1507	+14	9017	9014
1140	9014	RAA	8002	9027		9014	1508	+80	8002	9027
1141	9015	RAL	A0201C			9015	1509	+65	7950	9019
1142		SLT	0 A			9019	1513	+35	2000	9020
1143		STU	9004			9020	1514	+21	9004	9021
1144		SLT	0 B			9021	1515	+35	4000	9022
1145		SUP	8003	9005		9022	1516	+11	8003	9005
1146	9011	AUP	9004			9011	1505	+10	9004	9023
1147		SRT	0 A	9028		9023	1517	+30	2000	9028
1148	50I	00	0	50		9017	1511	+00	0000	0050
1149	500I	00	0	500		9016	1510	+00	0000	0500
1150	9025	SIA	9000			9025	1519	+23	9000	9029
1151		SML	FWAXX			9029	1523	+18	0780	9030
1152		BMI	HLT99			9030	1524	+46	1717	9031
1153		NZE	9024	9012		9031	1525	+45	9024	9012
1154	9024	LDI	W0001	9012		9024	1518	+09	0852	9012
1155	9026	RAL	8003	9013		9026	1520	+65	8003	9013
1156	9027	AUP	8003			9027	1521	+10	8003	9032
1157		RAB	1			9032	1526	+82	0001	9033
1158		AUP	8003			9033	1527	+10	8003	9034
1159		SXC	200			9034	1528	+59	0200	9035
1160		AXC	8003	9015		9035	1529	+58	8003	9015

1161	9028	STL	A0201C	1	9028	1522	+20	7950	0001
1162	W0006	DRC	9029		9026	0854	+21	9001	9024
1163	9026	STU	9001	9024	9024	0852	+67	9000	9025
1164	9024	RAM	9000	9025	9025	0853	+14	9016	1727
1165	9025	DIV	5001	D		1727	+21	9002	9029
1166		STU	9002		9029	0857	+11	8001	9030
1167		SUP	8001		9030	0858	+20	9003	9031
1168		STL	9003	8F	9031	0859	+16	8007	9032
1169	8	SLO	8007		9032	0860	+45	0710	9033
1170		NZE	5F	D	9033	0861	+65	9002	9034
1171		RAL	9002		9034	0862	+14	9017	1033
1172		DIV	501	D		1033	+82	8002	9035
1173		RAB	8002	6F	9035	0863	+21	9000	9036
1174	6	STU	9000		9036	0864	+59	0200	9037
1175		SXC	200		9037	0865	+65	9001	9038
1176		RAL	9001		9038	0866	+45	9013	9014
1177		NZE	9013	9014	9027	0855	+53	2000	9039
1178	9027	SXB	0	A	9039	0867	+50	0001	9040
1179		AXA	1	0F	9040	0868	+44	9041	9042
1180	0	NZU	1F		9042	0870	+51	0001	9043
1181		SXA	1		9043	0871	+52	0001	9041
1182		AXB	1	1F	9041	0869	+21	9001	9044
1183	1	STU	9001		9044	0872	+60	9000	9045
1184		RAU	9000		9045	0873	+46	9046	9047
1185		BMI		1F	9046	0874	+10	9016	9048
1186		AUP	5001		9048	0876	+53	0001	9049
1187		SXB	1	2F	9047	0875	+11	9050	9049
1188	1	SUP	11	2F	9049	0877	+21	9000	9051
1189	2	STU	9000		9051	0879	+42	9052	9053
1190		NZB		1F	9052	0880	+53	0010	9054
1191		SXB	10		9054	0882	+42	9055	9006
1192		NZB		9006	9055	0883	+52	0010	9015
1193		AXB	10	9015	9028	0856	+20	7950	9053
1194	9028	STL	A0201C	1F	9053	0881	+58	0004	9056
1195	1	AXC	4		9056	0884	+49	9057	0261
1196		BMC		30011	9057	0885	+60	9001	9058
1197		RAU	9001		9058	0886	+11	9050	9040
1198		SUP	11	0B	9059	0887	+21	9001	9031
1199	1	STU	9001	8B	9050	0878	+00	0000	0001
1200	11	00	0	1					
1201		COR							
1202	5	RAB	9		0710	+82	0009	1716	
1203		SCT	1		1716	+36	0001	1973	
1204		RAU	491	6B	1973	+60	0826	9035	
1205	491	00	0	49	0826	+00	0000	0049	
1206	30011	BOV		1	0261	+47	1966	0001	
1207		AXC	1		1966	+58	0001	0772	
1208		RAL	9003	1B	0772	+65	9003	9059	
1209		COR							
1210		HED							
1211	1								
1212	953	RSL	8002	EQU1	0953	+66	8002	1719	
1213	EQU1	STL	EXIT0		1719	+20	0323	1726	
1214		RAL	1953		1726	+65	1953	0758	
1215		NZE		1F	0758	+45	0763	0913	
1216		RAC	155	IMST1	0763	+88	0155	0664	
1217	455	LOD	1960		0455	+69	1960	1013	
1218		BD6		1F	1013	+96	1967	0913	
1219		RSL	8002	1F	1967	+66	8002	0913	
1220	1	STL	30005		0913	+20	0255	0908	
1221		RAC	156	DMAST	0908	+88	0156	0649	

1222	456	ALO	30005		0456	+15	0255	0759
1223		AUP		8001	0759	+10	1713	8001
1224		RSC	9020		1713	+89	9020	0771
1225		RSB	1		0771	+83	0001	1977
1226		BMC	9018	EQUSB	1977	+49	9018	1019
1227	1							
1228		EQUSB	STL	30005	1019	+20	0255	0909
1229			AUP	N0090	0909	+10	0431	0998
1230		EQUSY	SCT	9006	0590	+36	9006	0760
1231			LDI	30005	0760	+09	0255	0910
1232			BMI		0910	+46	1963	9031
1233			RAC	8003	1963	+88	8003	9038
1234		KKKK2	RAL	30005	0650	+65	0255	1968
1235			LOD	00113	1968	+69	1662	1969
1236			SIA	F0000A	1969	+23	2513	4002
1237		KKKK3	RAL	30005	0201	+65	0255	1970
1238			LOD	00113	1970	+69	1662	1721
1239			SIA	B0000A	1721	+23	2445	4002
1240		KKKK4	SLO	30005	0102	+16	0255	1971
1241			SLO	00113	1971	+16	1662	0822
1242			SIA	R0000A	0822	+23	2650	4002
1243	1							
1244		964	RAL	1951	0964	+65	1951	1722
1245			SLT	2	1722	+35	0002	0779
1246			RAA	8003	0779	+80	8003	0938
1247			LOD	00002	0938	+69	1551	0704
1248			STD	F9910A	0704	+24	2423	0001
1249	1							
1250		965	STU	CDIFF	0965	+21	0090	0943
1251			RSL	8002	0943	+66	8002	0966
1252	1							
1253		966	STL	EXIT0	0966	+20	0323	1976
1254			RAL	1952	1976	+65	1952	1972
1255			NZE		1972	+45	0928	1028
1256			RAC	159	0928	+88	0159	0614
1257		459	SLO	11XXX	0459	+16	0897	1501
1258			STL	COREC	1501	+20	0927	1730
1259			STD	KEEPP	1730	+24	0096	1649
1260			AUP	EXIT0	1649	+10	0323	1728
1261			BMI	2F	1728	+46	0831	0464
1262		464	STL	FWAXX	0464	+20	0780	1533
1263			RAC	162	1533	+88	0162	0442
1264		462	SLO	FWAXX	0462	+16	0780	1035
1265			LOD	EXIT0	1035	+69	0323	1978
1266			RAC	8001	1978	+88	8001	0934
1267			NZC		0934	+48	0837	1038
1268			SLO	11XXX	0837	+16	0897	0702
1269			STL	CDIFF	0702	+20	0090	0831
1270	2		RAL	BLRTG	0831	+65	1530	1535
1271			STU	BLRTG	1535	+21	1530	1733
1272			LOD	FARCE	1733	+69	1499	0752
1273	1		LOD	FARON	1028	+69	0543	0752
1274	2		STD	FARBL	0752	+24	0112	1124
1275			BMI		1124	+46	0929	0001
1276			LDI	49997	0929	+09	0776	9007
1277		CDIFF	ALF		0090	+00	0000	0000
1278		CTAGX	ALF	YYYYY	1029	+88	8888	8888
1279		BLRTG	ALF		1530	+00	0000	0000
1280		COREC	00	0	0927	+00	0000	8999
1281		KEEPP	00	0	0096	+00	0000	8999
1282	1							

1283	967	RAL	1952		COD	0967	+65	1952	1174
1284		NZE		9F		1174	+45	1729	1038
1285		STU	EXITO			1729	+21	0323	1979
1286		RAC	164	DMST1		1979	+88	0164	0614
1287	9	STL	DDIFF	1		1038	+20	0798	0001
1288	DDIFF	ALF		THINK		0798	+00	0000	0000
1289	1								
1290	988	RAC		PSUDO		0988	+88	1980	0976
1291		RAC	165	DMAST		1980	+88	0165	0649
1292	465	SLO	11XXX			0465	+16	0897	0802
1293		STL	CCNT1	READA		0802	+20	0585	0999
1294	1								
1295	969	RAC	166	DMAST		0969	+88	0166	0649
1296	466	SLO	11XXX			0466	+16	0897	0902
1297		STL	50009	1		0902	+20	0485	0001
1298	1								
1299	971	AXB	1	972	DUP	0971	+52	0001	0972
1300	972	RAC	0		PUD	0972	+88	0000	0931
1301		RAU	1952	SYMB1		0931	+60	1952	0230
1302	973	RAC	167	DMAST	OPT	0973	+88	0167	0649
1303	467	HLT	1996	1996		0467	+01	1996	1996
1304	1996	MPY	8000	30010		1996	+19	8000	0260
1305	30010	BMI	898	3		0260	+46	0898	0003
1306	896	LOD	READA	PUTAG		0896	+69	0999	0097
1307	11XXX	00	0	1		0897	+00	0000	0001
1308	898	LOD	READA	PUTAG		0898	+69	0999	0097
1309	1								
1310	974	RAL	1952	1F	HED	0974	+65	1952	1724
1311	975	RSL	1952	1F	SCR	0975	+66	1952	1724
1312	1	SLT	2			1724	+35	0002	1031
1313		STU	0000H	1		1031	+21	0914	0001
1314	0000H	ALF		THINK		0914	+00	0000	0000
1315	1								
1316	997	RAM	S0100	FILLL	FIV	0997	+67	1299	0768
1317	- S0100	RAL	1952			1299	-65	1952	1974
1318		NZE		1F		1974	+45	1531	1731
1319		RSM	2F	8001		1531	+68	1034	8001
1320	1	RAM	FIVON	2F		1731	+67	1612	1034
1321	2	STL	FIVTG	1		1034	+20	0477	0001
1322	1								
1323	978	SXB	1	977	PRT	0978	+53	0001	0977
1324	977	RAL	1952		ONE	0977	+65	1952	0675
1325		NZE		1F		0675	+45	1981	1032
1326		RSM	N0032	2F		1981	+68	0373	1532
1327	1	RSM	N0031	2F		1032	+68	0372	1532
1328	2	STL	ONESWB	1		1532	+20	5449	0001
1329	1								
1330	981	RAC	500	1F	CDD	0981	+88	0500	0937
1331	980	RAC	400	1F	DSK	0980	+88	0400	0937
1332	979	RAC	300	1F	TAP	0979	+88	0300	0937
1333	996	RAC	100	1F	FIL	0996	+88	0100	0937
1334	982	SCT	1	1F	DEK	0982	+36	0001	0937
1335	1	RAU	8007			0937	+60	8007	1545
1336		ALO	N0014			1545	+15	0355	0775
1337		SRT	3			0775	+30	0003	1983
1338		SET	9052			1983	+27	9052	1538
1339		AUP	1953			1538	+10	1953	0825
1340		STL	DUMPC			0825	+20	1732	1735
1341		LDI	1950	9052		1735	+09	1950	9052
1342	1950	STI	46	302		1950	+29	0046	0302
1343	302	BOV	3F			0302	+47	1725	1975

1344		NZU	3F	1F		1975	+44	1725	1982
1345	3	STD	CARRY			1725	+24	0460	1534
1346		STD	KEEP			1534	+24	0223	1734
1347		RAL	2F			1734	+65	1037	0641
1348		STD	SSOUT	1		0641	+24	0526	0001
1349	1	RAC	2F	PSUDO		1982	+88	1037	0976
1350	2	RAL	DUMPC			1037	+65	1732	1537
1351		SLT	1			1537	+35	0001	1043
1352		RAC	8003	989		1043	+88	8003	0989
1353	989	LOD	C0001C	DUMP8	PAL	0989	+69	6623	1544
1354	7	C0001	00	0003	8002	0623	+00	0003	8002
1355	7	C0002	00	0003	8562	0624	+00	0003	8562
1356	7	C0003	00	0003	8522	0625	+00	0003	8522
1357	7	C0004	00	0003	8382	0626	+00	0003	8382
1358	7	C0005	00	0003	8352	0627	+00	0003	8352
1359	7	C0006	00	0003	8362	0628	+00	0003	8362
1360	7	C0201	00	0003	8622	0823	+00	0003	8622
1361	1								
1362		984	RAC	900	PSUDO	0984	+88	0900	0976
1363		900	RSA	200		0900	+81	0200	1984
1364			RSB	599	N0002	1984	+83	0599	0343
1365	2	N0002	LOD	00104	1498	0343	+69	1653	1498
1366		899	STD	9009		0899	+24	9009	1985
1367			RAM	00050	7F	1985	+67	1599	0753
1368	7		RSC	8	2F	0753	+89	0008	0586
1369	2		LOD	A0201A		0586	+69	3950	0903
1370			STD	9009C		0903	+24	9609	0636
1371			STL	9008C		0636	+20	9608	0894
1372			AXC	2		0894	+58	0002	1500
1373			AXA	1	N0013	1500	+50	0001	0354
1374	2	N0013	NZC	98	99	0354	+48	0098	0099
1375		98	AML	S0199	2B	0098	+17	1398	0586
1376		99	WR1	9000	N0007	0099	+71	9000	0348
1377	2	N0007	NZA	5	1598B	0348	+40	0005	5598
1378		5	SLO	N0063	7B	0005	+16	0404	0753
1379		00050	00	0	450	1599	+00	0000	0450
1380	-	S0199	00	500	500	1398	-00	0500	0500
1381	1								
1382		1999	RSU	N0037		1999	+61	0378	0686
1383			MPY	1951		0686	+19	1951	0836
1384			BMI	1954		0836	+46	1954	1040
1385			RAC	8003		1040	+88	8003	1648
1386			RSB	8	1F	1648	+83	0008	0754
1387	1		LOD	1960B	N0060	0754	+69	5960	0401
1388	2	N0060	STD	A0001C	488	0401	+24	7750	0488
1389		488	AXB	2	1004	0488	+52	0002	1004
1390		1004	NZB		READA	1004	+42	0936	0999
1391			AXC	1	1B	0936	+58	0001	0754
1392	1								
1393		954	RAC	800	PSUDO	0954	+88	0800	0976
1394		800	RAL	00104	N0001	0800	+65	1653	0342
1395	2	N0001	STD	1954	498	0342	+24	1954	0498
1396		498	STU	1953		0498	+21	1953	1036
1397			RSC	19	970	1036	+89	0019	0970
1398		970	LOD	LEVEL		0970	+69	0256	1536
1399			RAB	8001	SER	1536	+82	8001	1042
1400			SET	9001		1042	+27	9001	0947
1401			LDI	820 C	9001	0947	+09	6820	9001
1402	60006	DRC	9006						
1403	9001	RAM	N0032	2F	9001	0801	+67	0373	9006
1404	2	NZB		READA	9006	0806	+42	9007	0999

1405			STL	9002	8001	9007	0807	+20	9002	8001
1406	2	- N0032	RAL	S0001	88		0373	-65	1200	0088
1407		88	BMI	9003			0088	+46	9003	9008
1408			STD	1951		9008	0808	+24	1951	9009
1409			RAL	9002		9009	0809	+65	9002	9010
1410			SLO	N0053	DIVID	9010	0810	+16	0394	0336
1411	2	N0053	RAL	S0294	88		0394	+65	1493	0088
1412		9039	NZU		1F	9039	0839	+44	9011	9012
1413			SRT	4	1F	9011	0811	+30	0004	9012
1414		1	RAA	8002	N0087	9012	0812	+80	8002	0428
1415	2	N0087	RAU	8005	598		0428	+60	8005	0598
1416		598	AUP	9004			0598	+10	9004	9013
1417			SRT	1	N0054	9013	0813	+30	0001	0395
1418	2	N0054	MPY	9005	588		0395	+19	9005	0588
1419		588	MPY	1IXXX			0588	+19	0897	9014
1420			SRT	2		9014	0814	+30	0002	9015
1421			NZU	N0054		9015	0815	+44	0395	9016
1422			SML	N0031		9016	0816	+18	0372	9017
1423			SRT	1		9017	0817	+30	0001	9018
1424			STL	1952	SPRUD	9018	0818	+20	1952	9019
1425		SPRUD	RSC	997	PSUDO	9019	0819	+89	0997	0976
1426		9003	SXB	1		9003	0803	+53	0001	9020
1427			RAL	9002		9020	0820	+65	9002	9021
1428			ALO	9004	2B	9021	0821	+15	9004	9006
1429		9004	00	1	0	9004	0804	+00	0001	0000
1430		9005	00	0	10	9005	0805	+00	0000	0010
1431		70003	DRC	9003						
1432		9001	RAC	0	2F	9001	1020	+88	0000	9003
1433		2	SXC	0000B		9003	1022	+59	4000	9004
1434			NZC		9002	9004	1023	+48	9005	9002
1435			AXC	0001B		9005	1024	+58	4001	9006
1436			RAL	S0000C		9006	1025	+65	7199	9007
1437			BMI	2B		9007	1026	+46	9003	9008
1438			STU	S0000C	2B	9008	1027	+21	7199	9003
1439		9002	STU	LEVEL	1	9002	1021	+21	0256	0001
1440			COR							
1441		- S0049	ALF	DISKR	THINK		1248	-64	6982	7279
1442		- S0050	ALF	DSKR1	THINK		1249	-64	8272	7991
1443	1									
1444		987	RAC	168	LMAST	0987	+88	0168	0442	
1445		468	RAB	8002	30013	0468	+82	8002	0263	
1446		30013	WTM	0 B	3	0263	+56	4000	0003	
1447		983	RSL	8002	968	0983	+66	8002	0968	
1448		968	LOD	S0149	DUMP8	0968	+69	1348	1544	
1449	7	- S0149	00	0003	8602	1348	-00	0003	8602	
1450	1									
1451		985	STU	MODET	1	0985	+21	0156	0001	
1452		990	RSU	1IXXX	985	0990	+61	0897	0985	
1453		991	RAU	1IXXX	985	0991	+60	0897	0985	
1454		MODET	ALF		THINK	0156	+00	0000	0000	
1455	1									
1456		992	RAC	169	IMAST	0992	+88	0169	0550	
1457		469	STL	EXIT0		0469	+20	0323	1736	
1458			RAC	170	DMAST	1736	+88	0170	0649	
1459		470	SLT	4		0470	+35	0004	1986	
1460			ALO	EXIT0		1986	+15	0323	1737	
1461			SLT	2		1737	+35	0002	1543	
1462			LOD	1960		1543	+69	1960	1987	
1463			BD6	1F		1987	+96	1540	1542	
1464			ALO	1IXXX	1F	1542	+15	0897	1540	
1465	1		AML	N0036		1540	+17	0377	1738	

1466		STL	OPTIM	1		1738	+20	0188	0001
1467		ALF		THINK		0188	+00	0000	0000
1468	1								
1469		993	RAC	171	IMAST	ADN		0993	+88 0171 0550
1470		471	STL	EXIT0				0471	+20 0323 1988
1471			RAC	172	DMAST			1988	+88 0172 0649
1472		472	RAC	8002				0472	+88 8002 1039
1473			LOD	1960	30012			1039	+69 1960 0262
1474		30012	BD6	1F				0262	+96 1539 1739
1475			RAL	EXIT0	2F			1739	+65 0323 1989
1476		1	RSL	EXIT0	2F			1539	+66 0323 1989
1477		2	SLT	0 C				1989	+35 6000 1740
1478			ALO	ADEND				1740	+15 0303 1990
1479			STL	ADEND	1			1990	+20 0303 0001
1480		ADEND	ALF		THINK			0303	+00 0000 0000
1481	1								
1482		994	RSM	00013		PDD		0994	+68 1562 0691
1483			STL	DISKR				0691	+20 1248 1502
1484			SDS	9000				1502	+85 9000 0841
1485			RSM	00014				0841	+68 1563 0891
1486			STL	S0050				0891	+20 1249 1503
1487			SDS	9000				1503	+85 9000 0941
1488			LOD	RAMON	30009			0941	+69 0662 0259
1489		1002	LOD	RAMOF	30009			1002	+69 0905 0259
1490		30009	STD	RAMSW	1			0259	+24 0773 0001
1491		995	LOD	DISKC				0995	+69 1598 0904
1492			SDS	9000				0904	+85 9000 1041
1493			RAA	59				1041	+80 0059 1047
1494			RAL		3F			1047	+65 1504 1541
1495			HLT	9059	8000			1504	+01 9059 8000
1496		3	STL	9000A				1541	+20 9200 1741
1497			NZA		2F			1741	+40 1044 1745
1498			SLO	60004				1044	+16 0804 1991
1499			SXA	1	3B			1991	+51 0001 1541
1500		2	LOD	DISKC				1745	+69 1598 1742
1501			WDS	9000				1742	+87 9000 1197
1502			LOD	CORON	1F			1197	+69 0606 1992
1503		1001	LOD	COROF	1F	COF		1001	+69 0684 1992
1504		1	STD	CORSW	1			1992	+24 0685 0001
1505	1								
1506		200	RAM	N0037	FILLL	END		0200	+67 0378 0768
1507	1								
1508		1000	RAM	S0150	FILLL	BOP		1000	+67 1349 0768
1509		- S0150	LOD	C0001	DUMP8			1349	-69 0623 1544
1510	1								
1511		1003	LOD	FAROF		DMO		1003	+69 0491 1494
1512			STD	FARSW	991			1494	+24 0824 0991
1513	1								
1514		1005	LOD		DUMP8			1005	+69 1743 1544
1515	7		00	0003	8642			1743	+00 0003 8642
1516	1								
1517		1006	LOD		DUMP8			1006	+69 1993 1544
1518	7		00	0003	8652			1993	+00 0003 8652
1519		1007	RSL	8002	1006			1007	+66 8002 1006
1520		1008	SCT	1	1006			1008	+36 0001 1006
1521		1009	SCT	1	1007			1009	+36 0001 1007
1522	1								
1523	1								
1524	1								
1525		HLT11	HLT	2 B	111			0827	+01 4002 0111
1526		HLT22	HLT	997 C	222			0504	+01 6997 0222

VII ERROR CORRECTION RESTARTS

1527	HLT33	HLT	333	333	1011	+01	0333	0333
1528	HLT44	HLT	0 A	444	1994	+01	2000	0444
1529	HLT55	HLT	2 B	555	1995	+01	4002	0555
1530	HLT66	HLT	666	666	0474	+01	0666	0666
1531	HLT77	HLT	777	777	0224	+01	0777	0777
1532	HLT88	HLT	1000A	888	1997	+01	3000	0888
1533	HLT99	HLT	999	999	1717	+01	0999	0999
1534	1							
1535	111	BOV	888	888	0111	+47	0888	0888
1536	222	BOV	888	888	0222	+47	0888	0888
1537	444	LOD	S0200	DUMP8	0444	+69	1399	1544
1538	888	LOD	S0200	DUMP8	0888	+69	1399	1544
1539	7	- S0200	00	0003	1399	-00	0003	8662
1540	666	STD	CARRY		0666	+24	0460	1744
1541		STU	OPTIM	333	1744	+21	0188	0333
1542	333	STU	PROGP	READA	0333	+21	1962	0999
1543	555	RD1	1999	START	0555	+70	1999	1998
1544	KEEP	ALF	YYYYY	THINK	0223	+88	8888	8888
1545		PAL						
1546		BLA	1546	1546				
1547		BLA	1497	1497				
1548		BLA	1747	1747				
1549		BLA	1698	1698				
1550		BLA	1699	1699				
1551	3800	CDD	0	1999				
1552		RD1	1999	1998	8004	+70	1999	1998

AVAILABLE
AVAILABLE
AVAILABLE
AVAILABLE
AVAILABLE

1553		CON					
1554	1	LOCAFIER	3834 TAP CDD AND DSK				
1555		LHOLD	EQU 30005				
1556		DHOLD	EQU S0294				
1557		IHOLD	EQU 533TL				
1558		DBAND	EQU S0292				
1559		DREM	EQU S0293				
1560		IBAND	EQU S0260				
1561		IREM	EQU S0270				
1562		BLR	0	1999			
1563		BLA	1960	1993			
1564		BLA	1998	1999			
1565		COR	9000				
1566	0	RAL	47		9000	+65 0047	9001
1567		RAC	1650		9001	+88 1650	9002
1568		RSB	1		9002	+83 0001	9003
1569		LOD	1F		9003	+69 9004	9005
1570		SET	9010	8001	9005	+27 9010	8001
1571	1	STI	1950	MASTR	9004	+29 1950	0069
1572		COR					
1573	9010	COD	1950				
1574	1950	STL	LHOLD		1950 9010	+20 0255	1960
1575		RAL	49		1960 9020	+65 0049	1961
1576		NZE		9F	1961 9021	+45 1964	1965
1577		LOD	5F		1964 9024	+69 1967	1970
1578		SDS	9000	1F	1970 9030	+85 9000	1975
1579	1	AXC	1	MASTR	1975 9035	+58 0001	0069
1580	1951	STL	IHOLD		1951 9011	+20 0046	1999
1581		AXA	1		1999 9059	+50 0001	1962
1582		NZA	HLT55		1962 9022	+40 1995	1966
1583		RAM	RAMSW		1966 9026	+67 0773	1977
1584		SLO	RAMON		1977 9037	+16 0662	1968
1585		NZE	1695		1968 9028	+45 1695	1973
1586		RAL	48	1B	1973 9033	+65 0048	1975
1587	1952	STL	DHOLD		1952 9012	+20 1493	1998
1588		NZE	1F		1998 9058	+45 1963	1969
1589		RAL	IHOLD		1969 9029	+65 0046	1971
1590		SLO	3F		1971 9031	+16 1974	1979
1591		NZE	1F	2F	1979 9039	+45 1963	1983
1592	3	00	0	1999	1974 9034	+00 0000	1999
1593	1	AXA	1		1963 9023	+50 0001	1972
1594		NZA	HLT55	2F	1972 9032	+40 1995	1983
1595	2	RAL	5F	1699	1983 9043	+65 1967	1699
1596	7	5	00 0008	8002	1967 9027	+00 0008	8002
1597		1954	LOD 308 C		1954 9014	+69 6308	1976
1598			SDS 9000		1976 9036	+85 9000	1981
1599			RDS 9000		1981 9041	+86 9000	1986
1600			SET 9010	306 C	1986 9046	+27 9010	6306
1601		1956	STI 1650		1956 9016	+29 1650	1978
1602			AXC 1	1954	1978 9038	+58 0001	1954
1603		1957	STI 1950	READA	1957 9017	+29 1950	0999
1604	9		RAL CORSW		1965 9025	+65 0685	1989
1605			SLO CORON		1989 9049	+16 0606	1980
1606			LOD DISKC		1980 9040	+69 1598	1982
1607			SDS 9000		1982 9042	+85 9000	1987
1608			NZE 1954		1987 9047	+45 1954	1991
1609			RDS 9000	1696	1991 9051	+86 9000	1696
1610	7	1958	00 0003	8282	1958 9018	+00 0003	8282
1611	7	1959	00 0003	8332	1959 9019	+00 0003	8332
1612		1996	SDS 9000	1954B	1996 9056	+85 9000	5954
1613		1953	LDI 1700C	1F	1953 9013	+09 7700	1984

1614		1955	LDI	0	C	1F		1955	9015	+09	6000	1984
1615		1	WDS	9000				1984	9044	+87	9000	1990
1616			NZC			1654B		1990	9050	+48	1985	5654
1617			SXC	50		WRITE		1985	9045	+59	0050	1992
1618		WRITE	ALO	1F				1992	9052	+15	1988	1993
1619			LOD	8002		1996		1993	9053	+69	8002	1996
1620		1	00	0		10		1988	9048	+00	0000	0010
1621		HLT44	HLT	301	C	300		1994	9054	+01	6301	0300
1622		HLT55	HLT	301	C	300		1995	9055	+01	6301	0300
1623		HLT88	HLT	301	C	300		1997	9057	+01	6301	0300
1624		3834	CDD									
1625	1	LOCAFIER	3835	DSK	START							
1626			BLR	0		1999						
1627			BLA	1650		1694						
1628			SYN	1653								
1629			SYN	1655								
1630			COR	9000								
1631	0		LOD	1F				9000	+69	9001	9002	
1632			SDS	9000				9002	+85	9000	9003	
1633			LOD	READA				9003	+69	0999	9004	
1634			STD	SSOUT				9004	+24	0526	9005	
1635			LOD	2F				9005	+69	9006	9007	
1636			SET	9010		8001		9007	+27	9010	8001	
1637	2		STI	1650				9006	+29	1650	9008	
1638			LOD	1F				9008	+69	9001	9009	
1639			RDS	9000		9000		9009	+86	9000	9000	
1640	7	1	00	0003		8342		9001	+00	0003	8342	
1641			COR									
1642		9010	COD	1650								
1643		1699	RAC	200		SET90		1699	9059	+88	0200	1656
1644		SET90	SET	9000		1996		1656	9016	+27	9000	1996
1645		1695	RAC	1650		1954		1695	9055	+88	1650	1954
1646		1696	RAL	LHOLD				1696	9056	+65	0255	1659
1647			SLT	1				1659	9019	+35	0001	1665
1648			ALO	1F				1665	9025	+15	1668	1673
1649			LOD	8002				1673	9033	+69	8002	1679
1650			SDS	9000				1679	9039	+85	9000	1684
1651			WDS	9000		1954		1684	9044	+87	9000	1954
1652	7	1	00	0		2		1668	9028	+00	0000	0002
1653		1653	RAB	1				1653	9013	+82	0001	1660
1654			RAC	1600		WRITE		1660	9020	+88	1600	1992
1655		1655	RAL	LHOLD				1655	9015	+65	0255	1661
1656			SLT	1				1661	9021	+35	0001	1667
1657			ALO	6F				1667	9027	+15	1670	1675
1658			STL	1604		1698A		1675	9035	+20	1604	3698
1659		1697	LOD	3F				1697	9057	+69	1650	1654
1660			SDS	9000				1654	9014	+85	9000	1662
1661			SCT	1		DUMP9		1662	9022	+36	0001	1547
1662	7	3	00	0003		8432		1650	9010	+00	0003	8432
1663		1698	LOD	1F				1698	9058	+69	1651	1657
1664			SDS	9000				1657	9017	+85	9000	1663
1665			RAL	IHOLD				1663	9023	+65	0046	1652
1666			DIV	2F				1652	9012	+14	1658	1669
1667			STL	IBAND				1669	9029	+20	1459	1664
1668			STU	IREM				1664	9024	+21	1469	1672
1669			RAB	0				1672	9032	+82	0000	1678
1670			LOD	1F				1678	9038	+69	1651	1666
1671			RDS	9000		9000		1666	9026	+86	9000	9000
1672	7	1	00	0003		8452		1651	9011	+00	0003	8452
1673		2	00	0		50		1658	9018	+00	0000	0050
1674	7	6	00	0		2		1670	9030	+00	0000	0002

1675		3835	CDD		
1676	1	LOCAFIER	3836 CDD START		
1677		BLR	0	1999	
1678		BLA	1650	1673	
1679		BLR	1651	1653	
1680		SYN	1655		
1681		COR	9000		
1682	0	LOD	1F	9000	+69 9001 9002
1683		SDS	9000	9002	+85 9000 9003
1684		LOD	READA	9003	+69 0999 9004
1685		STD	SSOUT	9004	+24 0526 9005
1686		LOD	2F	9005	+69 9006 9007
1687		SET	9010	8001	9007 +27 9010 8001
1688	2	STI	1650	9006	+29 1650 9008
1689		LOD	1F	9008	+69 9001 9009
1690		RDS	9000	9009	+86 9000 9000
1691	7	1	00	8342	9001 +00 0003 8342
1692			COR		
1693		9010	COD	1650	
1694		1699	WR1	1666	1699 9059 +71 1666 1656
1695			RAC	200	1656 9016 +88 0200 1662
1696			SET	9000	1662 9022 +27 9000 1996
1697		1696	WR1	1666	1696 9056 +71 1666 1654
1698			RSB	56	1654 9014 +83 0056 1660
1699	1		SET	9056B	1660 9020 +27 9456 1666
1700			STI	1677	1666 9026 +29 1677 1650
1701			NZB	3F	1650 9010 +42 1657 1655
1702		1655	RAL	LHOLD	1655 9015 +65 0255 1659
1703			SLT	1	1659 9019 +35 0001 1665
1704			ALO	6F	1665 9025 +15 1669 5651
1705		1651	LIB	1674	1651 9011 +08 1674 1658
1706			SET	9000	1658 9018 +27 9000 1663
1707			SIB	1681	1663 9023 +28 1681 1661
1708			STL	1684	1661 9021 +20 1684 1657
1709	3		LOD	1F	1657 9017 +69 1664 1667
1710			STD	1686	1667 9027 +24 1686 1668
1711			WR1	1666	1668 9028 +71 1666 1670
1712			NZB		1670 9030 +42 1673 1954
1713			AXB	8	1673 9033 +52 0008 1660
1714	1		00	8088	1664 9024 +00 8088 0000
1715		1653	RAB	1	1653 9013 +82 0001 1671
1716			RAC	1600	1671 9031 +88 1600 1992
1717			BLA	1685	
1718			SYN	1686	
1719		1652	STL	1604	1652 9012 +20 1604 3698
1720		1697	LOD		1697 9057 +69 1672 1544
1721	7		00	0003	1672 9032 +00 0003 8432
1722		1698	LOD	1F	1698 9058 +69 1685 1688
1723			SDS	9000	1688 9048 +85 9000 1693
1724			RAL	IHOLD	1693 9053 +65 0046 1687
1725			DIV	2F	1687 9047 +14 1690 1689
1726			STL	IBAND	1689 9049 +20 1459 1691
1727			STU	IREM	1691 9051 +21 1469 1692
1728			LOD	1F	1692 9052 +69 1685 1547
1729	7	1	00	0003	1685 9045 +00 0003 8452
1730	7	6	00	0	1669 9029 +00 0000 0002
1731		2	00	0	1690 9050 +00 0000 0050
1732		1686	00	8088	1686 9046 +00 8088 0000
1733		1695	RAC	1650	1695 9055 +88 1650 1954
1734		9037	COD	1951	
1735		1951	LOD	1952	1951 9037 +69 1952 1953

1736		1952	SET	9056A	1956	1952	9038	+27	9256	1956
1737		1953	STD	1900	1954	1953	9039	+24	1900	1954
1738		1954	RSA	56	1955	1954	9040	+81	0056	1955
1739		1955	RD1	1900	9898	1955	9041	+70	1900	9898
1740		1956	LDI	1901	1957	1956	9042	+09	1901	1957
1741		1957	NZA	1958	1905	1957	9043	+40	1958	1905
1742		1958	AXA	8	1955	1958	9044	+50	0008	1955
1743		9034	COD	1905						
1744		1905	LOD	1908	1906	1905	9034	+69	1908	1906
1745		1906	SDS	9000	1907	1906	9035	+85	9000	1907
1746		1907	WDS	9000	8000	1907	9036	+87	9000	8000
1747		3836	CDD							
1748	1	LOCAFIER 3837 DRUM RESTORER								
1749			BLR	0	1999					
1750			BLA	1905	1925					
1751			COR	9000						
1752	0		RAL	1F		9000	+65	9001	9002	
1753			SDS	9000		9002	+85	9000	9003	
1754			RAB	0		9003	+82	0000	9004	
1755			RSC	1900		9004	+89	1900	9005	
1756			RAA	4		9005	+80	0004	9006	
1757			LOD	2F		9006	+69	9007	9008	
1758			SET	9010	8001	9008	+27	9010	8001	
1759	2		STI	1900		9007	+29	1900	9009	
1760			LOD	1F	2F D	9009	+69	9001	1908	
1761	7	1	00	0008	8372	9001	+00	0008	8372	
1762			COR							
1763		9010	COD	1900						
1764	2		RDS	9000		1908	9018	+86	9000	1913
1765			NZA	5F	1900B	1913	9023	+40	1917	5900
1766	5		SLO	3F		1917	9027	+16	1920	1925
1767			LOD	8002		1925	9035	+69	8002	1905
1768			SDS	9000	1945	1905	9015	+85	9000	1945
1769		1945	STI	1900C		1945	9055	+29	7900	1906
1770			SXA	1	4F	1906	9016	+51	0001	1912
1771	4		AXC	50	2B	1912	9022	+58	0050	1908
1772		1900	LOD	1F	7F	1900	9010	+69	1907	1910
1773	7		SDS	9000		1910	9020	+85	9000	1915
1774			STI	1900C		1915	9025	+29	7900	1909
1775			RDS	9000		1909	9019	+86	9000	1914
1776			SLO	3F		1914	9024	+16	1920	1911
1777			LOD	8002		1911	9021	+69	8002	1918
1778			SET	9010	1939	1918	9028	+27	9010	1939
1779		1939	SDS	9000	1946B	1939	9049	+85	9000	5946
1780		1946	STI	1950		1946	9056	+29	1950	1916
1781			RAA	4	6F	1916	9026	+80	0004	1922
1782		1947	STI	1650		1947	9057	+29	1650	1919
1783			RAA	23	6F	1919	9029	+80	0023	1922
1784	6		AXB	1	4B	1922	9032	+52	0001	1912
1785		1902	RAA	4		1902	9012	+80	0004	1921
1786			AXB	1		1921	9031	+52	0001	1923
1787			AXC	50	5B	1923	9033	+58	0050	1917
1788		1901	LOD	8F	7B	1901	9011	+69	1924	1910
1789	7	8	00	0003	8282	1924	9034	+00	0003	8282
1790		1903	STI	1900	READA	1903	9013	+29	1900	0999
1791	7	1	00	0003	8332	1907	9017	+00	0003	8332
1792		3	00	0	10	1920	9030	+00	0000	0010
1793			BLR	0	1999					
1794			BLA	1976	1994					
1795			SYN	1989						
1796		9059	SDS	9000	9014	9059	+85	9000	9014	

1797	9014	COD	1954						
1798	9014	STI	1954	9058		9014	+29	1954	9058
1799	9058	RDS	9000			9058	+86	9000	1976
1800		ADN	5	5					
1801		ALO	3B			1976	9036	+15	1970 1977
1802		LOD	8002			1977	9037	+69	8002 1983
1803		SDS	9000			1983	9043	+85	9000 1988
1804		SET	9030			1988	9048	+27	9030 1993
1805		STI	350			1993	9053	+29	0350 1978
1806		RDS	9000			1978	9038	+86	9000 1984
1807		STI	380			1984	9044	+29	0380 1982
1808		ADN	5	5					
1809		LOD	8B			1982	9042	+69	1974 1979
1810		SDS	9000			1979	9039	+85	9000 1985
1811		RDS	9000			1985	9045	+86	9000 1990
1812		SET	9010			1990	9050	+27	9010 1980
1813		STI	1650			1980	9040	+29	1650 1981
1814		ADN	5	5					
1815		LOD	1B			1981	9041	+69	1957 1986
1816		SDS	9000			1986	9046	+85	9000 1991
1817		RDS	9000			1991	9051	+86	9000 1987
1818		SET	9010			1987	9047	+27	9010 1992
1819		STI	1950	READA		1992	9052	+29	1950 0999
1820		3837 CDD							
1821	1	LOCAFIER 3838	TAP	START					
1822		BLR	0	1999					
1823		BLA	1651	1692					
1824		SYN	1653						
1825		SYN	1655						
1826		COR	9000						
1827	0	LOD	1F			9000	+69	9001	9002
1828		SDS	9000			9002	+85	9000	9003
1829		LOD	1955			9003	+69	1955	9004
1830		STD	9054			9004	+24	9054	9005
1831		LOD	READA			9005	+69	0999	9006
1832		STD	SSOUT	9010		9006	+24	0526	9010
1833	9010	STI	1650			9010	+29	1650	9007
1834		RAL	49			9007	+65	0049	9008
1835		LOD	1F	2F D		9008	+69	9001	1659
1836	3	RDS	9000	9000		9009	+86	9000	9000
1837	7	1	00	0003	8342	9001	+00	0003	8342
1838		COR							
1839	9010	COD	1650						
1840	2	NZE	3B			1659	9019	+45	9009 1663
1841		LOD	1960			1663	9023	+69	1960 1664
1842		BD6		3F		1664	9024	+96	1667 1669
1843		LOD	5F			1667	9027	+69	1670 1673
1844		STD	4F	3F		1673	9033	+24	1676 1669
1845	3	LOD	1B	3B		1669	9029	+69	9001 9009
1846	1699	RAC	200			1699	9059	+88	0200 1656
1847		SET	9000	1996		1656	9016	+27	9000 1996
1848	1696	RAL	48			1696	9056	+65	0048 1654
1849		NZE		1F		1654	9014	+45	1658 1660
1850		RAC	1393	MASTR		1658	9018	+88	1393 0069
1851	1	RSA	1000	1F		1660	9020	+81	1000 1666
1852	1693	RAA	8002	1F		1693	9053	+80	8002 1666
1853	1	LOD	LHOLD			1666	9026	+69	0255 1661
1854		RAB	8001			1661	9021	+82	8001 1668
1855		RAC	4	1F		1668	9028	+88	0004 1674
1856	1	SET	0	A	4F	1674	9034	+27	2000 1676
1857	4	WTN	0	B	6F	1676	9036	+06	4000 1682

1858	5	WTA	0	B	6F	1670	9030	+07	4000	1682
1859	6	NTS	1695			1682	9042	+25	1695	1687
1860		SXC	1			1687	9047	+59	0001	1651
1861		NZC			9911	1651	9011	+48	1657	9911
1862		BST	0	B	1B	1657	9017	+57	4000	1674
1863	1653	RAB	1			1653	9013	+82	0001	1662
1864		RAC	1600		WRITE	1662	9022	+88	1600	1992
1865	1655	LOD	LHOLD			1655	9015	+69	0255	1665
1866		STD	1604		1698A	1665	9025	+24	1604	3698
1867	1697	LOD			DUMP8	1697	9057	+69	1652	1544
1868	7	00	0003		8392	1652	9012	+00	0003	8392
1869	1698	LOD	1F			1698	9058	+69	1671	1675
1870		SDS	9000			1675	9035	+85	9000	1680
1871		RAL	IHOLD			1680	9040	+65	0046	1672
1872		DIV	2F			1672	9032	+14	1677	1688
1873		STL	IBAND			1688	9048	+20	1459	1678
1874		STU	IREM			1678	9038	+21	1469	1679
1875		LOD	1F			1679	9039	+69	1671	1681
1876		RDS	9000		9000	1681	9041	+86	9000	9000
1877	7	1	00	0003	8412	1671	9031	+00	0003	8412
1878		2	00	0	50	1677	9037	+00	0000	0050
1879		1695	RAC	1650	1954	1695	9055	+88	1650	1954
1880		3838	CDD							
1881	1	LOCAFIER 3839 TAP DRUM LOADER								
1882		COR	9000							
1883	0	LOD	1F			9000	+69	9001	9002	
1884		SDS	9000			9002	+85	9000	9003	
1885		LOD	INSTR			9003	+69	0314	9004	
1886		STD	9042			9004	+24	9042	9005	
1887		LOD	1694			9005	+69	1694	9006	
1888		STD	9022			9006	+24	9022	9007	
1889		RAL	LHOLD			9007	+65	0255	9008	
1890		SLT	4			9008	+35	0004	9009	
1891		LOD	9028			9009	+69	9028	9010	
1892		SDA	9028			9010	+22	9028	9011	
1893		LOD	9024			9011	+69	9024	9012	
1894		SDA	9024			9012	+22	9024	9013	
1895		LOD	9031			9013	+69	9031	9014	
1896		SDA	9031			9014	+22	9031	9015	
1897		LOD	9046			9015	+69	9046	9016	
1898		SDA	9046		9019	9016	+22	9046	9019	
1899	9019	STI	1609			9019	+29	1609	9017	
1900		LOD	1F			9017	+69	9001	9018	
1901		RDS	9000		9000	9018	+86	9000	9000	
1902	7	1	00	0003	8402	9001	+00	0003	8402	
1903		9021	DRC	9001						
1904			SYN	9002						
1905		0	NTS	9030	9000	9001	9021	+25	9030	9000
1906		9000	RAL	9008		9000	9020	+65	9008	9003
1907			RAC	9	3F	9003	9023	+88	0009	9004
1908		3	BST	LHOLD	9036	9004	9024	+57	0255	9036
1909	2	9036	SET	9000	8002	9036	9056	+27	9000	8002
1910		9008	RTN	LHOLD		9008	9028	+04	0255	9005
1911			NTS	9030		9005	9025	+25	9030	9006
1912			SXC	1		9006	9026	+59	0001	9007
1913			NZC	3B	9900	9007	9027	+48	9004	9900
1914		9030	RAC	10	9009	9030	9050	+88	0010	9009
1915		9009	STI	1969	1975	9009	9029	+29	1969	1975
1916		9029	COD	1969						
1917		1975	RSA	1700	1981	1975	9035	+81	1700	1981
1918		1981	RAL	1986	1992	1981	9041	+65	1986	1992

1919		1992	STI	1700A	1972		1992	9052	+29	3700	1972
1920		1972	RAB	0	8002		1972	9032	+82	0000	8002
1921		1986	RTN	LHOLD	1991		1986	9046	+04	0255	1991
1922		1991	AXB	1	1997		1991	9051	+52	0001	1997
1923		1997	LOD	1975B	1994		1997	9057	+69	5975	1994
1924		1994	NTS	1999	1971		1994	9054	+25	1999	1971
1925		1999	RAC	10	8001		1999	9059	+88	0010	8001
1926		1971	BST	LHOLD	1983		1971	9031	+57	0255	1983
1927		1983	SXB	1	1988		1983	9043	+53	0001	1988
1928		1988	SXC	1	1993		1988	9048	+59	0001	1993
1929		1993	NZC	1996	9901		1993	9053	+48	1996	9901
1930		1996	SET	9000	8002		1996	9056	+27	9000	8002
1931		1976	STI	1720A	1973		1976	9036	+29	3720	1973
1932		1973	STI	1750A	8002		1973	9033	+29	3750	8002
1933		1977	STI	1780A	1995		1977	9037	+29	3780	1995
1934		1995	STI	1800A	8002		1995	9055	+29	3800	8002
1935		1978	STI	1840A	1970		1978	9038	+29	3840	1970
1936		1970	BMA	1989	1974		1970	9030	+41	1989	1974
1937		1989	STI	1850A	8002		1989	9049	+29	3850	8002
1938		1979	STI	1900A	1987		1979	9039	+29	3900	1987
1939		1987	STI	1950A	8002		1987	9047	+29	3950	8002
1940		1980	STI	1960A	1984		1980	9040	+29	3960	1984
1941		1984	AXA	300	1992		1984	9044	+50	0300	1992
1942		1974	RAL	1982	1989		1974	9034	+65	1982	1989
1943		3839	CDD								
1944	1	LOCAFIER	3840	TAP	DRUM DUMP						
1945		BLR	0		1999						
1946		BLA	1751		1773						
1947		COR	9000								
1948	0	LOD	1F			9000	+69	9001	9002		
1949		SDS	9000			9002	+85	9000	9003		
1950		LOD	2F			9003	+69	9004	9005		
1951		SET	9010	8001		9005	+27	9010	8001		
1952	2	STI	1750			9004	+29	1750	9006		
1953		LOD	1F			9006	+69	9001	9007		
1954		RDS	9000	9000		9007	+86	9000	9000		
1955	7	1	00	0003	8472	9001	+00	0003	8472		
1956		COR									
1957		9010	COD	1750							
1958		1750	LOD	1604		1750	9010	+69	1604	1757	
1959		RAB	8001			1757	9017	+82	8001	1763	
1960		RAL	1F	2F		1763	9023	+65	1766	1771	
1961	2	SET	9000			1771	9031	+27	9000	1751	
1962		WTN	0	B		1751	9011	+06	4000	1758	
1963		NTS	1950			1758	9018	+25	1950	1764	
1964		BST	0	B		1764	9024	+57	4000	1770	
1965		SLO	3F			1770	9030	+16	1773	1752	
1966		NZE	2B	9911		1752	9012	+45	1771	9911	
1967	1	00	0	10		1766	9026	+00	0000	0010	
1968	3	00	0	1		1773	9033	+00	0000	0001	
1969		9010	COD	100							
1970		BLR	0	1999							
1971		BLA	124	149							
1972		BLR	140	141							
1973		140	LOD	293	4F	0140	9050	+69	0293	0146	
1974		141	LOD	293	4F	0141	9051	+69	0293	0146	
1975	4	RAB	8001			0146	9056	+82	8001	0124	
1976		RAL	1F	2F		0124	9034	+65	0127	0131	
1977	2	SET	9000			0131	9041	+27	9000	0136	
1978		WTN	0	B		0136	9046	+06	4000	0142	
1979		NTS	8F			0142	9052	+25	0147	0148	

1980		BST	0	B		0148	9058	+57	4000	0125
1981		SLO	3F			0125	9035	+16	0128	0133
1982		NZE	2B		9911	0133	9043	+45	0131	9911
1983	1	00	0		4	0127	9037	+00	0000	0004
1984	3	00	0		1	0128	9038	+00	0000	0001
1985	8	BOV	347		325	0147	9057	+47	0347	0325
1986		3840	CDD							
1987	1	LOCAFIER	3841	TAP	FWA LWA 1					
1988		COR	9000							
1989	0	LOD	1F			9000	+69	9001	9002	
1990		SDS	9000			9002	+85	9000	9003	
1991		LOD	1694			9003	+69	1694	9004	
1992		STD	9018			9004	+24	9018	9005	
1993		RAL	1604			9005	+65	1604	9006	
1994		SLT	4			9006	+35	0004	9007	
1995		LOD	9020			9007	+69	9020	9008	
1996		SDA	9020			9008	+22	9020	9009	
1997		LOD	9016			9009	+69	9016	9010	
1998		SDA	9016		9015	9010	+22	9016	9015	
1999	9015	STI	1750			9015	+29	1750	9011	
2000		LOD	INSTR			9011	+69	0314	9012	
2001		STD	1750			9012	+24	1750	9013	
2002		LOD	1F			9013	+69	9001	9014	
2003		RDS	9000		9000	9014	+86	9000	9000	
2004	7	1	00		8482	9001	+00	0003	8482	
2005		9017	DRC							
2006		SYN	9002							
2007	0	NTS	9006			9001	9017	+25	9006	9003
2008		HLT	8888			9003	9019	+01	8888	9004
2009		BST	LHOLD		9000	9004	9020	+57	0255	9000
2010	9000	RTN	LHOLD		9001	9000	9016	+04	0255	9001
2011	9006	LOD	9009		9008	9006	9022	+69	9009	9008
2012	9008	SET	9010		8001	9008	9024	+27	9010	8001
2013	9009	STI	8888		9000	9009	9025	+29	8888	9000
2014		COR								
2015		BLR	0		1999					
2016		BLA	1763		1789					
2017		BLA	1791		1793					
2018	9015	COD	1750							
2019	1762	RAL	9009		2F	1762	9027	+65	9009	1769
2020	2	LOD	9003			1769	9034	+69	9003	1775
2021		SDA	9003			1775	9040	+22	9003	1782
2022		LOD	1604			1782	9047	+69	1604	1763
2023		RAB	8001			1763	9028	+82	8001	1770
2024		RAC	4		1F	1770	9035	+88	0004	1776
2025	1	SET	9000			1776	9041	+27	9000	1781
2026		WTN	0		B	1781	9046	+06	4000	1787
2027		NTS	3F			1787	9052	+25	1791	1792
2028		SXC	1			1792	9057	+59	0001	1764
2029		NZC			9911	1764	9029	+48	1767	9911
2030		BST	0		B 18	1767	9032	+57	4000	1776
2031	1761	LOD	1751			1761	9026	+69	1751	1765
2032		STD	9000			1765	9030	+24	9000	1771
2033		RAL	1F			1771	9036	+65	1774	1779
2034		ALO	9009			1779	9044	+15	9009	1788
2035		STL	9009		2B	1788	9053	+20	9009	1769
2036	1	00	0		7	1774	9039	+00	0000	0007
2037	3	BOV			1998	1791	9056	+47	1766	1998
2038		LOD	2F			1766	9031	+69	1772	1777
2039		SDS	9000			1777	9042	+85	9000	1783
2040		RDS	9000		9000	1783	9048	+86	9000	9000

2041	7	2	00	0003	8372	1772	9037	+00	0003	8372
2042	7		1790	00	0003	1790	9055	+00	0003	8422
2043			3841	CDD						
2044	1		LOCAFIER 3842 TAP FWA LWA 2							
2045			COR	9000						
2046		0	LOD	1F		9000	+69	9001	9002	
2047			SDS	9000	9020	9002	+85	9000	9020	
2048		9020	STI	110		9020	+29	0110	9003	
2049			LOD	2F	9010	9003	+69	9004	9010	
2050		9010	LIB	1751		9010	+08	1751	9005	
2051			SET	9010	8001	9005	+27	9010	8001	
2052		2	SIB	101		9004	+28	0101	9006	
2053			LOD	1F		9006	+69	9001	9007	
2054			RDS	9000	9000	9007	+86	9000	9000	
2055	7	1	00	0003	8492	9001	+00	0003	8492	
2056			COR							
2057			BLR	0	1999					
2058			BLA	114	149					
2059		9020	COD	110						
2060		112	RAL	9009	2F	0112	9022	+65	9009	0119
2061		2	LOD	9003		0119	9029	+69	9003	0125
2062			SDA	9003		0125	9035	+22	9003	0132
2063			LOD	293		0132	9042	+69	0293	0146
2064			RAB	8001		0146	9056	+82	8001	0114
2065			RAC	4	1F	0114	9024	+88	0004	0120
2066		1	SET	9000		0120	9030	+27	9000	0126
2067			WTN	0	B	0126	9036	+06	4000	0133
2068			NTS	3F		0133	9043	+25	0137	0138
2069			SXC	1		0138	9048	+59	0001	0144
2070			NZC		9911	0144	9054	+48	0147	9911
2071			BST	0	B 1B	0147	9057	+57	4000	0120
2072		111	LOD	101		0111	9021	+69	0101	0115
2073			STD	9000		0115	9025	+24	9000	0121
2074			RAL	1F		0121	9031	+65	0124	0129
2075			ALO	9009		0129	9039	+15	9009	0139
2076			STL	9009	2B	0139	9049	+20	9009	0119
2077		3	BOV	347	349	0137	9047	+47	0347	0349
2078		1	00	0	7	0124	9034	+00	0000	0007
2079			3842	CDD						
2080	1		LOCAFIER 3843 CDD DSK DRUMDUMP							
2081			BLR	0	1999					
2082			BLA	1751	1771					
2083			COR	9000						
2084		0	LOD	1F		9000	+69	9001	9002	
2085			SDS	9000		9002	+85	9000	9003	
2086			LOD	2F		9003	+69	9004	9005	
2087			SET	9010	8001	9005	+27	9010	8001	
2088		2	STI	1750		9004	+29	1750	9006	
2089			LOD	1F		9006	+69	9001	9007	
2090			RDS	9000	9000	9007	+86	9000	9000	
2091	7	1	00	0003	8442	9001	+00	0003	8442	
2092			COR							
2093		9010	COD	1750						
2094		1750	RAL	1604	1773	1750	9010	+65	1604	1773
2095		1773	RSB	56	1F	1773	9033	+83	0056	1751
2096		1	SET	9056B		1751	9011	+27	9456	1757
2097			STI	1827		1757	9017	+29	1827	1752
2098			NZB	3F		1752	9012	+42	1755	1756
2099			LDI	1797		1756	9016	+09	1797	1753
2100			SET	9000	1772	1753	9013	+27	9000	1772
2101		1772	STI	1831		1772	9032	+29	1831	1754

2102		STL	1834		1754 9014	+20	1834	1758
2103		SET	9000	3F	1758 9018	+27	9000	1755
2104	3	LOD	1796		1755 9015	+69	1796	1759
2105		STD	1836		1759 9019	+24	1836	1760
2106		WR1	1818		1760 9020	+71	1818	1767
2107		NZB		BOTH1	1767 9027	+42	1770	1771
2108		AXB	8	1B	1770 9030	+52	0008	1751
2109	1796	00	8088	0	1796 9056	+00	8088	0000
2110	BOTH1	ALO	1795		1771 9031	+15	1795	1761
2111		STL	1604	1950	1761 9021	+20	1604	1950
2112	1795	00	0	10	1795 9055	+00	0000	0010
2113		BLR	1751	1771				
2114		BLA	127	143				
2115		BLR	140	141				
2116	9010	COD	100					
2117	140	RAL	293	125	0140 9050	+65	0293	0125
2118	125	RSB	56	1F	0125 9035	+83	0056	0131
2119	1	SET	9056B		0131 9041	+27	9456	0137
2120		STI	577		0137 9047	+29	0577	0129
2121		NZB	3F		0129 9039	+42	0132	0133
2122		LDI	147		0133 9043	+09	0147	0127
2123		SET	9000	124	0127 9037	+27	9000	0124
2124	124	STI	581		0124 9034	+29	0581	0134
2125		STL	584		0134 9044	+20	0584	0138
2126		SET	9000	3F	0138 9048	+27	9000	0132
2127	3	LOD	146		0132 9042	+69	0146	0128
2128		STD	586		0128 9038	+24	0586	0139
2129		WR1	555		0139 9049	+71	0555	0130
2130		NZB		BOTH2	0130 9040	+42	0135	0136
2131		AXB	8	1B	0135 9045	+52	0008	0131
2132	BOTH2	ALO	145		0136 9046	+15	0145	0142
2133		STL	293		0142 9052	+20	0293	0143
2134		BOV	347	325	0143 9053	+47	0347	0325
2135	141	STD	149	140	0141 9051	+24	0149	0140
2136	144	WDS	9000	8000	0144 9054	+87	9000	8000
2137	147	LOD	1908	1906	0147 9057	+69	1908	1906
2138	148	SDS	9000	1907	0148 9058	+85	9000	1907
2139	149	WDS	9000	1954	0149 9059	+87	9000	1954
2140	3843	CDD						
2141	1	LOCATIER	3844	CDD DSK LOADER				
2142		COR	9000					
2143	0	LOD	1F		9000	+69	9001	9002
2144		SDS	9000		9002	+85	9000	9003
2145		LOD	INSTR		9003	+69	0314	9004
2146		STD	9035	9009	9004	+24	9035	9009
2147	9009	STI	1609		9009	+29	1609	9005
2148		BOV	9050	3F	9005	+47	9050	9006
2149	3	LOD	1F		9006	+69	9001	9007
2150		RDS	9000	9000	9007	+86	9000	9000
2151	7	00	0003	8472	9001	+00	0003	8472
2152		COR	9050					
2153	0	LOD	1F		9050	+69	9051	9052
2154		SET	9055	8001	9052	+27	9055	8001
2155	1	STI	1772	3B	9051	+29	1772	9006
2156	9055	COD	1772					
2157	1773	SDS	9000	1772	1773 9056	+85	9000	1772
2158	1772	WDS	9000	BOTH1	1772 9055	+87	9000	1771
2159	9057	COD	124					
2160	125	SDS	9000	124	0125 9058	+85	9000	0124
2161	124	WDS	9000	BOTH2	0124 9057	+87	9000	0136
2162	9010	DRC	9000					

2163	0	RAU	8001		9000	9010	+60	8001	9001
2164		RSA	1700		9001	9011	+81	1700	9002
2165		ALO	1F		9002	9012	+15	9003	9004
2166		RAB	0		9004	9014	+82	0000	9005
2167		STI	1965	1966	9005	9015	+29	1965	1966
2168	9015	COD	1965						
2169	1966	AUP	1969	1973	1966	9016	+10	1969	1973
2170	1973	LOD	8003	1980	1973	9023	+69	8003	1980
2171	1980	SDS	9000	1986B	1980	9030	+85	9000	5986
2172	1986	STI	1700A	8002	1986	9036	+29	3700	8002
2173	1	RDS	9000	1999	9003	9013	+86	9000	1999
2174	1999	AXB	1	1966	1999	9049	+52	0001	1966
2175	1987	STI	1720A	1974	1987	9037	+29	3720	1974
2176	1974	STI	1750A	8002	1974	9024	+29	3750	8002
2177	1988	STI	1780A	1975	1988	9038	+29	3780	1975
2178	1975	STI	1800A	8002	1975	9025	+29	3800	8002
2179	1989	STI	1840A	1972	1989	9039	+29	3840	1972
2180	1972	BMA	1976	1982	1972	9022	+41	1976	1982
2181	1976	STI	1850A	8002	1976	9026	+29	3850	8002
2182	1990	STI	1900A	1977	1990	9040	+29	3900	1977
2183	1977	STI	1950A	8002	1977	9027	+29	3950	8002
2184	1991	STI	1960A	1967	1991	9041	+29	3960	1967
2185	1967	AXA	300	1981	1967	9017	+50	0300	1981
2186	1981	RAB	0	1986	1981	9031	+82	0000	1986
2187	1982	LOD	1985	1992	1982	9032	+69	1985	1992
2188	1992	STI	1950	8001	1992	9042	+29	1950	8001
2189	1969	00	0	10	1969	9019	+00	0000	0010
2190		COR							
2191	3844	CDD							
2192	1	LOCAFIER	3845	CDD DSK FWALWA 1					
2193		COR	9000						
2194	0	LOD	1F		9000		+69	9001	9002
2195		SDS	9000	9009	9002		+85	9000	9009
2196	9009	STI	1750		9009		+29	1750	9003
2197		LOD	INSTR		9003		+69	0314	9004
2198		STD	1750		9004		+24	1750	9005
2199		NZB	2F	9056	9005		+42	9006	9056
2200	9056	STI	1791	2F	9056		+29	1791	9006
2201	2	LOD	1F		9006		+69	9001	9007
2202		RDS	9000	9000	9007		+86	9000	9000
2203	7	00	0003	8482	9001		+00	0003	8482
2204		9010	DRC	9000					
2205	0	RAU	8001		9000	9010	+60	8001	9001
2206		AUP	1F		9001	9011	+10	9002	9003
2207		LOD	8003		9003	9013	+69	8003	9004
2208		SDS	9000		9004	9014	+85	9000	9005
2209		LOD	9009	9008	9005	9015	+69	9009	9008
2210	9008	SET	9010	8001	9008	9018	+27	9010	8001
2211	9009	STI	8888	9007	9009	9019	+29	8888	9007
2212	9007	LOD	8003	9006	9007	9017	+69	8003	9006
2213	9006	RDS	9000	9000	9006	9016	+86	9000	9000
2214	1	00	0	10	9002	9012	+00	0000	0010
2215		COR							
2216	9009	COD	1750						
2217		BLR	0	1999					
2218		BLA	1763	1789					
2219	1762	RAL	1604	1792	1762	9021	+65	1604	1792
2220	1792	RSB	56	1F	1792	9051	+83	0056	1763
2221	1	SET	9056B		1763	9022	+27	9456	1769
2222		STI	1827		1769	9028	+29	1827	1779
2223		NZB	3F		1779	9038	+42	1782	1783

2224		LIB	1794		1783	9042	+08	1794	1764
2225		SET	9000		1764	9023	+27	9000	1770
2226		SIB	1831		1770	9029	+28	1831	1765
2227		STL	1834		1765	9024	+20	1834	1787
2228		SET	9000	3F	1787	9046	+27	9000	1782
2229	3	LOD	1F		1782	9041	+69	1785	1788
2230		STD	1836		1788	9047	+24	1836	1789
2231		WR1	1818	1791	1789	9048	+71	1818	1791
2232	1791	NZB		7F	1791	9050	+42	1766	1767
2233		AXB	8	1B	1766	9025	+52	0008	1763
2234	1	00	8088	0	1785	9044	+00	8088	0000
2235	7	BOV	3F		1767	9026	+47	1771	1772
2236		ALO	1F		1772	9031	+15	1775	1780
2237		STL	1604	1998	1780	9039	+20	1604	1998
2238	3	LOD	2F		1771	9030	+69	1774	1777
2239		SDS	9000		1777	9036	+85	9000	1784
2240		RDS	9000	9000	1784	9043	+86	9000	9000
2241	1793	NOP	0	9003	1793	9052	+00	0000	9003
2242	1	00	0	10	1775	9034	+00	0000	0010
2243	7	2	00	0003	1774	9033	+00	0003	8372
2244		1761	LOD	1F	1761	9020	+69	1768	1773
2245			STD	1796	1773	9032	+24	1796	1762
2246	1	WDS	9000	8000	1768	9027	+87	9000	8000
2247		1794	LOD	1908	1794	9053	+69	1908	1906
2248		1795	SDS	9000	1795	9054	+85	9000	1907
2249		1796	WDS	9000	1796	9055	+87	9000	1954
2250	7	1790	00	0003	1790	9049	+00	0003	8462
2251		9056	COD	1791					
2252		1793	NOP	0	1793	9058	+00	0000	9056
2253		1792	SDS	9000	1792	9057	+85	9000	1794
2254		1794	WDS	9000	1794	9059	+87	9000	1767
2255		3845	CDD						
2256	1	LOCAFIER	3846	CDD DSK FWALWA 2					
2257		COR	9000						
2258	0	LOD	1F		9000	+69	9001	9002	
2259		SDS	9000	9010	9002	+85	9000	9010	
2260		9010	STI	100	9010	+29	0100	9003	
2261		RAL	1699		9003	+65	1699	9004	
2262		SLO	2F		9004	+16	9005	9006	
2263		NZE	3F	9056	9006	+45	9007	9056	
2264	2	RAC	200	SET90	9005	+88	0200	1656	
2265		9056	STI	141	9056	+29	0141	9007	
2266	3	LOD	1F		9007	+69	9001	9008	
2267		RDS	9000	9000	9008	+86	9000	9000	
2268	7	1	00	0003	9001	+00	0003	8492	
2269		9011	DRC	9000					
2270	0	RAU	8001		9000	9011	+60	8001	9001
2271		AUP	1F		9001	9012	+10	9002	9003
2272		LOD	8003		9003	9014	+69	8003	9004
2273		SDS	9000		9004	9015	+85	9000	9005
2274		LOD	9009	9008	9005	9016	+69	9009	9008
2275		9008	SET	9010	9008	9019	+27	9010	8001
2276		9009	STI	8888	9009	9020	+29	8888	9007
2277		9007	LOD	8003	9007	9018	+69	8003	9006
2278		9006	RDS	9000	9006	9017	+86	9000	9000
2279	1	00	0	10	9002	9013	+00	0000	0010
2280		COR							
2281		9010	COD	100					
2282		BLR	0	1999					
2283		BLA	113	138					
2284		112	RAL	293	0112	9022	+65	0293	0142

2285	142	RSB	56	1F	0142	9052	+83	0056	0113
2286	1	SET	9056B		0113	9023	+27	9456	0119
2287		STI	527		0119	9029	+29	0527	0129
2288		NZB	3F		0129	9039	+42	0132	0133
2289		LIB	139		0133	9043	+08	0139	0114
2290		SET	9000		0114	9024	+27	9000	0120
2291		SIB	531		0120	9030	+28	0531	0115
2292		STL	534		0115	9025	+20	0534	0137
2293		SET	9000	3F	0137	9047	+27	9000	0132
2294	3	LOD	1F		0132	9042	+69	0135	0138
2295		STD	536		0138	9048	+24	0536	0116
2296		WR1	505		0116	9026	+71	0505	0123
2297		NZB		7F	0123	9033	+42	0126	0127
2298		AXB	8	1B	0126	9036	+52	0008	0113
2299	1	00	8088	0	0135	9045	+00	8088	0000
2300	7	ALO	1F		0127	9037	+15	0130	0136
2301		STL	293		0136	9046	+20	0293	0117
2302		BOV	347	349	0117	9027	+47	0347	0349
2303	1	00	0	10	0130	9040	+00	0000	0010
2304	139	LOD	1908	1906	0139	9049	+69	1908	1906
2305	140	SDS	9000	1907	0140	9050	+85	9000	1907
2306	141	WDS	9000	1954	0141	9051	+87	9000	1954
2307	111	LOD	1F		0111	9021	+69	0118	0121
2308		STD	141	112	0121	9031	+24	0141	0112
2309	1	WDS	9000	8000	0118	9028	+87	9000	8000
2310	9056	COD	141						
2311	142	SDS	9000	144	0142	9057	+85	9000	0144
2312	144	WDS	9000	7B	0144	9059	+87	9000	0127
2313	3846	CDD							
2314	1	LOCAFIER 3847 CONTROL DRUMDUMP							
2315		BLR	0	1999					
2316		BLA	1951	1972					
2317		BLR	1956	1960					
2318		COR	9000						
2319	0	LOD	1F		9000	+69	9001	9002	
2320		SDS	9000		9002	+85	9000	9003	
2321		LOD	2F		9003	+69	9004	9005	
2322		SET	9010	8001	9005	+27	9010	8001	
2323	2	STI	1950		9004	+29	1950	9006	
2324		LOD	1F		9006	+69	9001	9007	
2325		RDS	9000	9010	9007	+86	9000	9010	
2326	7	1	00	0003	8502	9001	+00	0003	8502
2327		COR							
2328	9010	COD	1950						
2329	1999	RSA	900		1999	9059	+81	0900	1955
2330		SET	9000		1955	9015	+27	9000	1961
2331		LDI	1610	1F	1961	9021	+09	1610	1962
2332	1	RAC	1		1962	9022	+88	0001	1968
2333		LDI	900 A	1750	1968	9028	+09	2900	1750
2334	1950	AXC	1	1955C	1950	9010	+58	0001	7955
2335	1956	LDI	920 A		1956	9016	+09	2920	1972
2336		LDI	950 A	1750	1972	9032	+09	2950	1750
2337	1957	BMA		1F	1957	9017	+41	1963	1964
2338		LDI	980 A		1963	9023	+09	2980	1951
2339		LDI	1000A	1750	1951	9011	+09	3000	1750
2340	1958	LDI	1040A		1958	9018	+09	3040	1952
2341		LDI	1050A	1750	1952	9012	+09	3050	1750
2342	1959	LDI	1100A		1959	9019	+09	3100	1953
2343		LDI	1150A	1750	1953	9013	+09	3150	1750
2344	1960	LDI	1160A		1960	9020	+09	3160	1965
2345		AXA	300	1B	1965	9025	+50	0300	1962

2346	1	LOD	1F		1964 9024	+69	1967	1970
2347		SDS	9000		1970 9030	+85	9000	1954
2348		LDI	1973	9000	1954 9014	+09	1973	9000
2349	1973	STI	323		1973 9033	+29	0323	1966
2350		LDI	1774		1966 9026	+09	1774	1969
2351		SET	9027		1969 9029	+27	9027	1971
2352		STI	124	324	1971 9031	+29	0124	0324
2353	7	1	00	0003	1967 9027	+00	0003	8512
2354		9010	COD	300				
2355			BLR	0				
2356			BLA	326				
2357			BLR	331				
2358		324	RDS	9000	0324 9034	+86	9000	9058
2359		348	RSA	900	0348 9058	+81	0900	0326
2360			SET	9000	0326 9036	+27	9000	0335
2361		335	LDI	1880A	0335 9045	+09	3880	0336
2362			RAC	1	0336 9046	+88	0001	0342
2363			LDI	1900A	0342 9052	+09	3900	0140
2364		325	AXC	1	0325 9035	+58	0001	6330
2365		331	LDI	1940A	0331 9041	+09	3940	0343
2366			LDI	1950A	0343 9053	+09	3950	0327
2367			BMA		0327 9037	+41	0330	0337
2368			AXA	300	0330 9040	+50	0300	0140
2369		332	LDI	1700A	0332 9042	+09	3700	0328
2370			LDI	1750A	0328 9038	+09	3750	0140
2371		333	LDI	1760A	0333 9043	+09	3760	0329
2372			LDI	1800A	0329 9039	+09	3800	0140
2373		334	LDI	1820A	0334 9044	+09	3820	0338
2374			LDI	1850A	0338 9048	+09	3850	0140
2375		9	RAL	144	0337 9047	+65	0144	0339
2376			SCT	1	0339 9049	+36	0001	0141
2377		347	LOD	1F	0347 9057	+69	0340	0344
2378			SDS	9000	0344 9054	+85	9000	0341
2379			RDS	9000	0341 9051	+86	9000	9000
2380	7	1	00	0003	0340 9050	+00	0003	8372
2381			3847	CDD				
2382	1		LOCAFIER	3848	CONTROL	FWALWA	1	
2383			BLR	0				
2384			BLA	1954				
2385			SYN	1956				
2386			COR	9000				
2387		0	RAL	DHOLD	9000	+65	1493	9001
2388			DIV	9013	9001	+14	9013	9002
2389			STL	DBAND	9002	+20	1491	9003
2390			STU	DREM	9003	+21	1492	9004
2391			SUP	8001	9004	+11	8001	9005
2392			SLO	9011	9005	+16	9011	9010
2393		9010	STI	1950	9010	+29	1950	9006
2394			BMI		9006	+46	9007	1956
2395			LOD	9012	9007	+69	9012	9008
2396			SDS	9000	9008	+85	9000	9009
2397			RDS	9000	9009	+86	9000	9010
2398			COR					
2399		9010	COD	1950				
2400		1999	SET	9000	1999 9059	+27	9000	1954
2401			LIB	DBAND	1954 9014	+08	1491	1955
2402			RAA	9000	1955 9015	+80	9000	1963
2403			RAB	9001	1963 9023	+82	9001	1971
2404			RAC	9002	1971 9031	+88	9002	1979
2405		2	RAL	IBAND	1979 9039	+65	1459	1964
2406			SLO	8005	1964 9024	+16	8005	1972

2407		NZE	3F		1972	9032	+45	1976	1977
2408		SCT	1		1977	9037	+36	0001	1983
2409		LOD	IREM		1983	9043	+69	1469	1973
2410		SXB	8001		1973	9033	+53	8001	1980
2411		AXB	49	3F	1980	9040	+52	0049	1976
2412	3	SET	9010B		1976	9036	+27	9410	1982
2413		LDI	0	C	1982	9042	+09	6000	1957
2414		LIB	1751		1957	9017	+08	1751	1965
2415		RAL	8006		1965	9025	+65	8006	1974
2416		SLT	4		1974	9034	+35	0004	1985
2417		ALO	9008		1985	9045	+15	9008	1993
2418		SDA	9008		1993	9053	+22	9008	1958
2419		RAL	8007		1958	9018	+65	8007	1966
2420		SLT	4		1966	9026	+35	0004	1978
2421		LOD	9009		1978	9038	+69	9009	1984
2422		SDA	9009		1984	9044	+22	9009	1990
2423		BOV		1762	1990	9050	+47	1994	1762
2424		LOD	1750		1994	9054	+69	1750	1959
2425		STD	9007		1959	9019	+24	9007	1967
2426		LOD	9005		1967	9027	+69	9005	1975
2427		STD	9000		1975	9035	+24	9000	1981
2428		SCT	1	1761	1981	9041	+36	0001	1761
2429	1998	SXA	19		1998	9058	+51	0019	1960
2430		NZA		7F	1960	9020	+40	1968	1969
2431		AXA	20		1968	9028	+50	0020	1986
2432		RAU	8005		1986	9046	+60	8005	1995
2433		MPY	1953		1995	9055	+19	1953	1987
2434		RAC	8002		1987	9047	+88	8002	1996
2435		RAB	0	2B	1996	9056	+82	0000	1979
2436	7	RAL	7F		1969	9029	+65	1988	1997
2437		STD	DHOLD		1997	9057	+24	1493	1961
2438		STU	DREM		1961	9021	+21	1492	1962
2439		LOD	1951		1962	9022	+69	1951	1970
2440		STD	DBAND	1956	1970	9030	+24	1491	1956
2441	1956	LOD	1790	DUMP8	1956	9016	+69	1790	1544
2442	1953	00	0	50	1953	9013	+00	0000	0050
2443	1951	00	0	20	1951	9011	+00	0000	0020
2444	7	00	0	1000	1988	9048	+00	0000	1000
2445	7	1952	00	0003	1952	9012	+00	0003	8502
2446		3848	CDD						
2447	1	LOCAFIER	3849	CONTROL FWALWA 2					
2448		COR	9000						
2449	0	LOD	2F		9000	+69	9001	9002	
2450		SDS	9000	9010	9002	+85	9000	9010	
2451	9010	STI	300		9010	+29	0300	9003	
2452		LOD	1750		9003	+69	1750	9004	
2453		STD	666		9004	+24	0666	9005	
2454		LOD	2F	301	9005	+69	9001	0301	
2455	7	00	0003	8512	9001	+00	0003	8512	
2456		COR							
2457	9010	COD	300						
2458		BLR	0	1999					
2459		BLA	302	346					
2460	301	LDI	S0260		0301	9011	+09	1459	0311
2461		SET	9001		0311	9021	+27	9001	0316
2462		STI	600		0316	9026	+29	0600	0302
2463		RDS	9000	9058	0302	9012	+86	9000	9058
2464	348	SET	9000		0348	9058	+27	9000	0303
2465		LDI	632		0303	9013	+09	0632	0334
2466		RAA	9000		0334	9044	+80	9000	0342
2467		RAB	9001		0342	9052	+82	9001	0304

2468		RAC	9002	2F
2469	349	AXA	1	
2470		RAU	8005	
2471		MPY	1F	
2472		RAC	8002	
2473		RAB	0	2F
2474	2	RAL	600	
2475		SLO	8005	
2476		NZE	3F	
2477		SCT	1	
2478		LOD	610	
2479		SXB	8001	
2480		AXB	49	3F
2481	3	SET	9010B	
2482		LDI	0 C	
2483		LIB	101	
2484		RAL	8006	
2485		SLT	4	
2486		ALO	9008	
2487		SDA	9008	
2488		RAL	8007	
2489		SLT	4	
2490		LOD	9009	
2491		SDA	9009	
2492		BOV		112
2493		LOD	666	
2494		STD	9007	
2495		LOD	9005	
2496		STD	9000	
2497		SCT	1	111
2498	347	LOD	2F	
2499		SDS	9000	
2500		RDS	9000	9000
2501	7	00	0003	8372
2502	1	00	0	50
2503		3849 CDD		
2504	1	LOCAFIER 3850	LOAD UP 0 TO 999	
2505		BLR	0	1999
2506		BLA	1101	1149
2507		SYN	1102	
2508		BLR	1105	1106
2509		SYN	1146	
2510	9010	STI	1100	1102
2511	9010	COD	1100	
2512	1102	RSA	950	
2513		RAL		9000
2514		HLT	49	8000
2515		COR	9001	
2516	9000	RAB	49	1F
2517	1	STL	9010B	
2518		NZB		2F
2519		SLO	9F	
2520		SXB	1	1B
2521	9	00	1	0
2522	2	SET	9010	1146
2523	1146	STI	950 A	
2524		NZA	1105	1106
2525	1105	AXA	50	
2526		ALO		9000
2527		00	99	0
2528		COR		

0304	9014	+88	9002	0312
0349	9059	+50	0001	0305
0305	9015	+60	8005	0313
0313	9023	+19	0317	0337
0337	9047	+88	8002	0345
0345	9055	+82	0000	0312
0312	9022	+65	0600	0306
0306	9016	+16	8005	0314
0314	9024	+45	0318	0319
0319	9029	+36	0001	0325
0325	9035	+69	0610	0315
0315	9025	+53	8001	0321
0321	9031	+52	0049	0318
0318	9028	+27	9410	0324
0324	9034	+09	6000	0307
0307	9017	+08	0101	0320
0320	9030	+65	8006	0327
0327	9037	+35	0004	0338
0338	9048	+15	9008	0346
0346	9056	+22	9008	0308
0308	9018	+65	8007	0322
0322	9032	+35	0004	0333
0333	9043	+69	9009	0339
0339	9049	+22	9009	0309
0309	9019	+47	0323	0112
0323	9033	+69	0666	0326
0326	9036	+24	9007	0332
0332	9042	+69	9005	0340
0340	9050	+24	9000	0310
0310	9020	+36	0001	0111
0347	9057	+69	0328	0331
0331	9041	+85	9000	0336
0336	9046	+86	9000	9000
0328	9038	+00	0003	8372
0317	9027	+00	0000	0050

	9010	+29	1100	1102
1102	9012	+81	0950	1108
1108	9018	+65	1111	9000
1111	9021	+01	0049	8000
	9000	+82	0049	9001
	9001	+20	9410	9002
	9002	+42	9003	9004
	9003	+16	9005	9006
	9006	+53	0001	9001
	9005	+00	0001	0000
	9004	+27	9010	1146
1146	9056	+29	2950	9007
	9007	+40	1105	1106
1105	9015	+50	0050	9008
	9008	+15	9009	9000
	9009	+00	0099	0000

2529	1106	RAM	DISKR	
2530		RDS	9000	
2531		SLT	2	
2532		RAC	8003	
2533		SUP	8001	
2534		SRT	2	3F
2535	3	SML	9F	
2536		STL	5F	
2537		SXC	60	
2538		SDS	9000	2F
2539	2	NZC		8F
2540		RAL	9061C	
2541		BMI	6F	
2542		SRT	2	
2543		ALO	1F	
2544		LOD	9060C	8002
2545	1	STD	0	7F
2546	6	RSB	8002	
2547		SRT	4	
2548		RSA	8002	
2549		LOD	9060C	6F
2550	6	STD	0 A	
2551		SXA	0 B	
2552		NZA		7F
2553		AXA	1 B	6B
2554	7	AXC	2	2B
2555	8	RAL	5F	
2556		BMI	1F	
2557		RDS	9000	3B
2558	1	LOD	DISKR	
2559		SDS	9000	1999
2560	5	UND		
2561	9	00	0	10
2562	3850	CDD		
2563	1	LOCAFIER 3851	LOAD 1000 - 1999	
2564		BLR	0	1999
2565		BLA	901	947
2566		SYN	902	
2567		BLR	905	906
2568		SYN	946	
2569	9010	STI	900	902
2570	9010	COD	900	
2571	902	RSA	950	
2572		LOD	S0050	
2573		STD	659	
2574		RAL		9000
2575		HLT	1049	8000
2576		COR	9001	
2577	9001	RAB	49	1F
2578	1	STL	9010B	
2579		NZB		2F
2580		SLO	9F	
2581		SXB	1	1B
2582	9	00	1	0
2583	2	SET	9010	946
2584	946	STI	1950A	
2585		NZA	905	906
2586	905	AXA	50	
2587		ALO		9000
2588		00	99	0
2589		COR		

1106	9016	+67	1248	1103
1103	9013	+86	9000	1109
1109	9019	+35	0002	1115
1115	9025	+88	8003	1124
1124	9034	+11	8001	1131
1131	9041	+30	0002	1137
1137	9047	+18	1140	1145
1145	9055	+20	1149	1104
1104	9014	+59	0060	1110
1110	9020	+85	9000	1116
1116	9026	+48	1119	1120
1119	9029	+65	9661	1117
1117	9027	+46	1121	1122
1122	9032	+30	0002	1129
1129	9039	+15	1132	1138
1138	9048	+69	9660	8002
1132	9042	+24	0000	1107
1121	9031	+83	8002	1130
1130	9040	+30	0004	1141
1141	9051	+81	8002	1101
1101	9011	+69	9660	1113
1113	9023	+24	2000	1112
1112	9022	+51	4000	1123
1123	9033	+40	1126	1107
1126	9036	+50	4001	1113
1107	9017	+58	0002	1116
1120	9030	+65	1149	1114
1114	9024	+46	1118	1125
1125	9035	+86	9000	1137
1118	9028	+69	1248	1127
1127	9037	+85	9000	1999
1140	9050	+00	0000	0010
9010		+29	0900	0902
0902	9012	+81	0950	0908
0908	9018	+69	1249	0903
0903	9013	+24	0659	0912
0912	9022	+65	0915	9000
0915	9025	+01	1049	8000
9001		+82	0049	9001
9001		+20	9410	9002
9002		+42	9003	9004
9003		+16	9005	9006
9006		+53	0001	9001
9005		+00	0001	0000
9004		+27	9010	0946
0946	9056	+29	3950	9007
9007		+40	0905	0906
0905	9015	+50	0050	9008
9008		+15	9009	9000
9009		+00	0099	0000

2590	906	RAM	659	
2591		RDS	9000	
2592		SLT	2	
2593		RAC	8003	
2594		SUP	8001	
2595		SRT	2	3F
2596	3	SML	9F	
2597		STL	5F	
2598		SXC	60	
2599		SDS	9000	2F
2600	2	NZC		8F
2601		RAL	9061C	
2602		BMI	6F	
2603		SRT	2	
2604		ALO	1F	
2605		LOD	9060C	8002
2606	1	STD	0	7F
2607	6	RSB	8002	
2608		SRT	4	
2609		RSA	8002	
2610		LOD	9060C	6F
2611	6	STD	0 B	
2612		SXB	1 A	
2613		NZB		7F
2614		AXB	0 A	6B
2615	7	AXC	2	2B
2616	8	RAL	5F	
2617		SLO	4F	
2618		BMI	1F	
2619		LOD	5F	
2620		RDS	9000	
2621		ALO	4F	3B
2622	1	LOD	659	
2623		SDS	9000	348
2624	9	00	0	10
2625	7	4	00	501
2626		9058	LOD	1604 9059
2627		9059	STD	293 9010
2628	5	UND		
2629		3851	CDD	
2630	1	LOCAFIER	3852	DEK FIRST
2631		COR	9000	
2632	0	LOD	9028	
2633		SDS	9000	9010
2634	9010	STI	1950	
2635		LOD	READA	
2636		STD	SSOUT	
2637		RAL	47	
2640		RSB	1	
2638		NZE		2F
2639		RAC	1651	MASTR
2641	2	RAL		8001
2642		RSA	1	1951
2643		COR	9014	
2644		BLR	9020	9029
2645	9011	DIV	V0007	1952
2646	9012	SET	9013	1953
2647	9013	LDI	1953	
2648		AXA	1	
2649		NZA	HLT44	
2650		RAU	8002	

0906	9016	+67	0659	0913
0913	9023	+86	9000	0918
0918	9028	+35	0002	0925
0925	9035	+88	8003	0934
0934	9044	+11	8001	0941
0941	9051	+30	0002	0947
0947	9057	+18	0901	0907
0907	9017	+20	0911	0914
0914	9024	+59	0060	0920
0920	9030	+85	9000	0926
0926	9036	+48	0929	0930
0929	9039	+65	9661	0916
0916	9026	+46	0919	0921
0921	9031	+30	0002	0927
0927	9037	+15	0931	0935
0935	9045	+69	9660	8002
0931	9041	+24	0000	0904
0919	9029	+83	8002	0928
0928	9038	+30	0004	0939
0939	9049	+81	8002	0909
0909	9019	+69	9660	0917
0917	9027	+24	4000	0910
0910	9020	+53	2001	0922
0922	9032	+42	0932	0904
0932	9042	+52	2000	0917
0904	9014	+58	0002	0926
0930	9040	+65	0911	0923
0923	9033	+16	0933	0937
0937	9047	+46	0940	0942
0942	9052	+69	0911	0924
0924	9034	+86	9000	0936
0936	9046	+15	0933	0947
0940	9050	+69	0659	0938
0938	9048	+85	9000	0348
0901	9011	+00	0000	0010
0933	9043	+00	0000	0501
	9058	+69	1604	9059
	9059	+24	0293	9010
9000		+69	9028	9001
9001		+85	9000	9010
9010		+29	1950	9002
9002		+69	0999	9003
9003		+24	0526	9004
9004		+65	0047	9008
9008		+83	0001	9005
9005		+45	9006	9007
9006		+88	1651	0069
9007		+65	9009	8001
9009		+81	0001	1951
9011		+14	1511	1952
9012		+27	9013	1953
9013		+09	1953	9014
9014		+50	0001	9015
9015		+40	1994	9016
9016		+60	8002	9017

2651		MPY	V0007	
2652		RAA	6	
2653		STU	9007	
2654		SIA	9002	
2655		STD	9003	
2656		STD	9005	
2657		SLT	4	
2658		SDA	9004	
2659		STD	9001	
2660		RAU	8001	
2661		SIA	9006	2F
2662	2	RAL	9021A	
2663		ALO	9002	
2664		STL	9021A	
2665		NZA		2F
2666		SXA	1	2B
2667	2	RAA	2	2F
2668	2	RAL	9025A	
2669		ALO	9006	
2670		STL	9025A	
2671		NZA		2F
2672		BMA	3F	
2673		SXA	1	2B
2674	2	RSA	2	2B
2675	3	WR1	9020	9056
2676		9056	SIB	1675 1678
2677		9059	SIB	1650 9053
2678		9053	LOD	9028 DUMP9
2679		9058	RAC	0 9049
2680	7	9028	00	0003 8532
2681		9020	RD1	9042 9898
2682		9021	SXA	1 23
2683		9022	SLT	2 14
2684		9023	ALO	16 22
2685		9024	AXC	25 17
2686		9025	SDA	12 15
2687		9026	LOD	2 A 12
2688		9027	RAM	1 13
2689		9029	00	8080 8
2690		9054	HLT	300 C 300
2691		9055	HLT	300 C 300
2692		9057	HLT	300 C 300
2693			COR	
2694		3852	CDD	
2695	1	LOCAFIER	3853	DEK SECOND
2696		BLR	0	1999
2697		BLA	1975	1988
2698		COR	9000	
2699		SYN	9030	
2700	0	LOD	9058	
2701		SDS	9000	
2702		RAA	6	1F
2703	1	RAL	9051A	
2704		ALO	1651A	
2705		STL	1678A	
2706		NZA		1F
2707		SXA	1	1B
2708	1	LOD	6F	9030
2709		9030	STI	1970 9049
2710		9049	STD	1686 9050
2711		9050	LOD	INSTR

9017	+19	1511	9018
9018	+80	0006	9019
9019	+21	9007	9030
9030	+23	9002	9031
9031	+24	9003	9032
9032	+24	9005	9033
9033	+35	0004	9034
9034	+22	9004	9035
9035	+24	9001	9036
9036	+60	8001	9037
9037	+23	9006	9038
9038	+65	9221	9039
9039	+15	9002	9040
9040	+20	9221	9041
9041	+40	9042	9043
9042	+51	0001	9038
9043	+80	0002	9044
9044	+65	9225	9045
9045	+15	9006	9046
9046	+20	9225	9047
9047	+40	9048	9049
9048	+41	9050	9051
9051	+51	0001	9044
9049	+81	0002	9044
9050	+71	9020	9056
9056	+28	1675	1678
9059	+28	1650	9053
9053	+69	9028	1547
9058	+88	0000	9049
9028	+00	0003	8532
9020	+70	9042	9898
9021	+51	0001	0023
9022	+35	0002	0014
9023	+15	0016	0022
9024	+58	0025	0017
9025	+22	0012	0015
9026	+69	2002	0012
9027	+67	0001	0013
9029	+00	8080	0008
9054	+01	6300	0300
9055	+01	6300	0300
9057	+01	6300	0300

9000	+69	9058	9001
9001	+85	9000	9002
9002	+80	0006	9003
9003	+65	9251	9004
9004	+15	3651	9005
9005	+20	3678	9006
9006	+40	9007	9008
9007	+51	0001	9003
9008	+69	9009	9030
9030	+29	1970	9049
9049	+24	1686	9050
9050	+69	0314	9010

2712		STD	1657			9010	+24	1657	9011
2713		RAL	4F			9011	+65	9012	9013
2714		ALO	1656			9013	+15	1656	9014
2715		STL	1654			9014	+20	1654	9015
2716		RAL	3F			9015	+65	9016	9017
2717		ALO	1651			9017	+15	1651	9018
2718		STL	1656			9018	+20	1656	9019
2719		RAL	CORON			9019	+65	0606	9020
2720		SLO	CORSW			9020	+16	0685	9021
2721		STL	1658			9021	+20	1658	9022
2722		RAL	RAMON			9022	+65	0662	9023
2723		SLO	RAMSW			9023	+16	0773	9024
2724		NZE	9F			9024	+45	9025	9026
2725		RAL	9058			9026	+65	9058	9027
2726		SET	9000	2F	D	9027	+27	9000	1975
2727	9	RAB	6			9025	+82	0006	9028
2728		LOD		DUMP8		9028	+69	9029	1544
2729	7	00	0003	8552		9029	+00	0003	8552
2730	4	00	17	1		9012	+00	0017	0001
2731	3	NZC	5	4		9016	+48	0005	0004
2732	6	00	8080	8		9009	+00	8080	0008
2733		COR							
2734	9010	COD	1950						
2735	2	RAC	200	1973		1975	9035	+88	0200
2736	1973	LDI	1700C	1F		1973	9033	+09	7700
2737	1974	LDI	0 C	1F		1974	9034	+09	6000
2738	1	WDS	9000			1976	9036	+87	9000
2739		NZC		1972B		1981	9041	+48	1985
2740		SXC	50	2F		1985	9045	+59	0050
2741	2	ALO	1F			1977	9037	+15	1980
2742		LOD	8002			1986	9046	+69	8002
2743		SDS	9000	1974B		1978	9038	+85	9000
2744	1	00	0	10		1980	9040	+00	0000
2745	1971	RAB	0			1971	9031	+82	0000
2746		RAC	1600	2B		1979	9039	+88	1600
2747	1972	LOD	1F			1972	9032	+69	1982
2748		SDS	9000			1987	9047	+85	9000
2749		WR1	1666			1983	9043	+71	1666
2750		RDS	9000	9010		1984	9044	+86	9000
2751	7	00	0003	8502		1982	9042	+00	0003
2752	7	9058	00	8002			9058	+00	0008
2753		1999	LOD	DUMP8		1999	9059	+69	1988
2754	7	00	0003	8542		1988	9048	+00	0003
2755		9051	STI	17			9051	+29	0012
2756		9052	RAA	20			9052	+80	8002
2757		9053	SXC	21			9053	+59	8003
2758		9054	NZA	19			9054	+40	0018
2759		9055	STD	15			9055	+24	2000
2760		9056	RD1	9898			9056	+70	0024
2761		9057	LDI	9043			9057	+09	1952
2762		3853	CDD						
2763	1	LOCAFIER	3854	DEK THIRD					
2764		COR	9000						
2765	0	LOD	9058			9000	+69	9058	9001
2766		SDS	9000			9001	+85	9000	9002
2767		RAC	0			9002	+88	0000	9003
2768		RSA	980			9003	+81	0980	9004
2769		RAB	6	9011		9004	+82	0006	9011
2770	7	9058	00	8512		9058	+00	0003	8512
2771		COR	9011						
2772	0	RAL	8005			9011	+65	8005	9012

2773		SLT	4	9037
2774	9037	SLO	980 A	3F
2775	3	ALO	9035	
2776		NZE	9036	2F
2777	2	BMA		9034
2778		AXA	1	0B
2779	9035	HLT	980	8000
2780	9036	ALO	980 A	4F
2781	4	ALO	8006	
2782		SLO	1F	
2783		STL	9000	
2784		AXA	0 B	9038
2785	1	HLT	0	7999
2786	9038	LOD	980 A	5F
2787	5	STD	9001B	
2788		NZB		1F
2789		SXB	1	
2790		SXA	1	9038
2791	1	WR1	9000	
2792		AXC	1	
2793		AXA	6	6F
2794	6	RAB	6	2B
2795	9009	00	8080	8
2796	9034	SXA	1019	9051
2797	9051	LOD	8005	9059
2798	9059	STD	9051	9057
2799	9057	LOD	8007	9010
2800	9010	STD	9010	9008
2801	9008	STI	300	9052
2802	9052	LOD	9058	9054
2803	9054	LDI	1654	9053
2804	9053	STI	576	9050
2805	9050	RDS	9000	9010
2806	9056	LOD	341	347
2807	9055	SDS	9000	342
2808	7	9049	00	0003 8552
2809	9033	LIB	330	6B
2810	9042	SLO	1999A	3B
2811	9040	HLT	1999	8000
2812	9041	AXA	5	9044
2813	9039	LDI	577	9032
2814	9043	LOD	1999A	5B
2815	9044	BMA	9046	9045
2816	9045	SXB	1 A	9046
2817	9046	SXA	5	9047
2818	9047	ALO	1999A	4B
2819	9032	STI	1652	9030
2820	9030	RAB	6	352
2821		COR		
2822		3854 CDD		
2823	1	LOCAFIER 3855	DEK LAST	
2824		COR	9000	
2825	0	LOD	9040	
2826		SDS	9000	
2827		WR1	1666	9059
2828	9059	SCT	1	
2829		RAC	0	9009
2830	9009	STI	350	352
2831	9010	STI	351	9008
2832	9008	LDI	300	
2833		RAA	9051	

9012	+35	0004	9037
9037	+16	2980	9013
9013	+15	9035	9014
9014	+45	9036	9015
9015	+41	9016	9034
9016	+50	0001	9011
9035	+01	0980	8000
9036	+15	2980	9017
9017	+15	8006	9018
9018	+16	9019	9020
9020	+20	9000	9021
9021	+50	4000	9038
9019	+01	0000	7999
9038	+69	2980	9022
9022	+24	9401	9023
9023	+42	9024	9025
9024	+53	0001	9026
9026	+51	0001	9038
9025	+71	9000	9027
9027	+58	0001	9028
9028	+50	0006	9029
9029	+82	0006	9015
9009	+00	8080	0008
9034	+51	1019	9051
9051	+69	8005	9059
9059	+24	9051	9057
9057	+69	8007	9010
9010	+24	9010	9008
9008	+29	0300	9052
9052	+69	9058	9054
9054	+09	1654	9053
9053	+29	0576	9050
9050	+86	9000	9010
9056	+69	0341	0347
9055	+85	9000	0342
9049	+00	0003	8552
9033	+08	0330	9029
9042	+16	3999	9013
9040	+01	1999	8000
9041	+50	0005	9044
9039	+09	0577	9032
9043	+69	3999	9022
9044	+41	9046	9045
9045	+53	2001	9046
9046	+51	0005	9047
9047	+15	3999	9017
9032	+29	1652	9030
9030	+82	0006	0352
9000	+69	9040	9001
9001	+85	9000	9002
9002	+71	1666	9059
9059	+36	0001	9003
9003	+88	0000	9009
9009	+29	0350	0352
9010	+29	0351	9008
9008	+09	0300	9004
9004	+80	9051	9005

2834		RAC	9010		9005	+88	9010	9006
2835		LOD	381		9006	+69	0381	9007
2836		SDS	9000	9033	9007	+85	9000	9033
2837	7	9040	00	8382	9040	+00	0008	8382
2838		COR						
2839		9010	COD	351				
2840			BLR	0				1999
2841			BLA	354				399
2842			SYN	358				
2843			SYN	381				
2844		352	RAL	1658	0352	9011	+65	1658 0363
2845			NZE	9F	0363	9022	+45	0366 0367
2846			LOD	381	0367	9026	+69	0381 0384
2847			RDS	9000	0384	9043	+86	9000 0389
2848			RSA	59	0389	9048	+81	0059 0395
2849	0		RAL	8005	0395	9054	+65	8005 0354
2850			SLT	4	0354	9013	+35	0004 0365
2851			SLO	9059A	0365	9024	+16	9259 0373
2852			ALO	1F	0373	9032	+15	0376 0382
2853			NZE	2F	0382	9041	+45	0386 0387
2854	3		BMA		0387	9046	+41	0390 0366
2855			AXA	1	0390	9049	+50	0001 0395
2856	1		HLT	9059	0376	9035	+01	9059 8000
2857	2		AXA	5	0386	9045	+50	0005 0392
2858			BMA	1F	0392	9051	+41	0396 0397
2859			SXB	1 A	0397	9056	+53	2001 0396
2860	1		ALO	9054A	0396	9055	+15	9254 0355
2861			ALO	8006	0355	9014	+15	8006 0364
2862			SLO	1F	0364	9023	+16	0368 0374
2863			STL	1977	0374	9033	+20	1977 0380
2864			STI	1978	0380	9039	+29	1978 0383
2865			LOD	358	0383	9042	+69	0358 0361
2866			STD	1986	0361	9020	+24	1986 0391
2867			WR1	1979	0391	9050	+71	1979 0398
2868			AXC	1	0398	9057	+58	0001 0356
2869			AXA	1	0356	9015	+50	0001 0387
2870	1		HLT	1800	0368	9027	+01	1800 7999
2871	9		SET	9000	0366	9025	+27	9000 0371
2872			LDI	1654	0371	9030	+09	1654 0357
2873			RAL	8007	0357	9016	+65	8007 0369
2874			SLT	4	0369	9028	+35	0004 0379
2875			ALO	1F	0379	9038	+15	0385 0393
2876			ALO	9001	0393	9052	+15	9001 0359
2877			STL	9001	0359	9018	+20	9001 0370
2878			LOD	5F	0370	9029	+69	0375 0378
2879			SDS	9000	0378	9037	+85	9000 0388
2880			SET	9004	0388	9047	+27	9004 0394
2881			LIB	353	0394	9053	+08	0353 0372
2882			WR1	9000	0372	9031	+71	9000 0399
2883			RDS	9000	0399	9058	+86	9000 0360
2884			BOV		0360	9019	+47	0377 9000
2885			RAL		0377	9036	+65	0362 9059
2886	7		00	0003	0362	9021	+00	0003 8062
2887		1	SXC	1	0385	9044	+59	0001 0003
2888	7	5	00	0003	0375	9034	+00	0003 8372
2889		353	HLT	9898	0353	9012	+01	9898 9898
2890		358	00	8080	0358	9017	+00	8080 0008
2891		3855	CDD					
2892	1		LOCAFIER	3856				FIL SETUP
2893			BLR	0				1999
2894			BLA	1957				1999

2895		BLR	1994	1995				
2896		SYN	HLT88					
2897	9010	COD	1950					
2898		COR	9000					
2899	0	RSB	1		9000	+83	0001	9001
2900		RAL	FIVTG	9010	9001	+65	0477	9010
2901	9010	STI	1950		9010	+29	1950	9002
2902		LOD	READA		9002	+69	0999	9003
2903		STD	SSOUT		9003	+24	0526	9004
2904		BMI	1F D		9004	+46	1982	9005
2905		LOD	0F D		9005	+69	1986	9006
2906		STD	8F D		9006	+24	1992	9007
2907		RAL	47		9007	+65	0047	9008
2908		NZE	1956	2F	9008	+45	1956	9009
2909	1956	RAC	1651	MASTR	1956	9016	+88	1651 0069
2910	2	RAL	D	1951	9009	+65	1999	1951
291A		00	0	1950	1999	9059	+00	0000 1950
2911		COR						
2912	1951	DVR	V0007		1951	9011	+64	1511 1971
2913		STL	47	1F	1971	9031	+20	0047 1982
2914	1	RAL	48		1982	9042	+65	0048 1957
2915		RAC	1653	MASTR	1957	9017	+88	1653 0069
2916	1953	STL	FWAXX		1953	9013	+20	0780 1983
2917		BMA		HLT55	1983	9043	+41	1987 1995
2918		RAL	49		1987	9047	+65	0049 1958
2919		RAC	1652	MASTR	1958	9018	+88	1652 0069
2920	1952	STL	LHOLD		1952	9012	+20	0255 1959
2921		BMA	1956A	HLT55	1959	9019	+41	3956 1995
2922	1954	RAL	CORSW		1954	9014	+65	0685 1989
2923		SLO	CORON		1989	9049	+16	0606 1961
2924		NZE	8F		1961	9021	+45	1992 1965
2925		LOD	DISKC		1965	9025	+69	1598 1960
2926		SDS	9000		1960	9020	+85	9000 1966
2927		RDS	9000		1966	9026	+86	9000 1972
2928		RSL	FWAXX		1972	9032	+66	0780 1985
2929		RAC	8001		1985	9045	+88	8001 1991
2930		ALO	LHOLD		1991	9051	+15	0255 1962
2931		RAB	8002		1962	9022	+82	8002 1973
2932		LOD	INSTR	1F	1973	9033	+69	0314 1967
2933	1	BMB	7F		1967	9027	+43	1970 1974
2934		STD	0 C		1974	9034	+24	6000 1963
2935		SXB	1		1963	9023	+53	0001 1969
2936		AXC	1	1B	1969	9029	+58	0001 1967
2937	7	LOD	DISKC		1970	9030	+69	1598 1964
2938		WDS	9000	8F	1964	9024	+87	9000 1992
2939	1955	RAL	RAMSW		1955	9015	+65	0773 1977
2940		SLO	RAMON		1977	9037	+16	0662 1968
2941		NZE	8F		1968	9028	+45	1992 1975
2942		LOD		DUMP8	1975	9035	+69	1978 1544
2943	7	00	0003	8572	1978	9038	+00	0003 8572
2944	8	RAL	ONESW		1992	9052	+65	1449 1976
2945		BD2		9F	1976	9036	+92	1979 1981
2946		LOD	1F		1979	9039	+69	1984 1988
2947		SDS	9000		1988	9048	+85	9000 1993
2948		RDS	9000		1993	9053	+86	9000 1998
2949		SET	9010		1998	9058	+27	9010 1980
2950		STI	1950	READA	1980	9040	+29	1950 0999
2951	7	1	00	0003	8332	1984	9044	+00 0003 8332
2952		HLT44	HLT	300 C	300	1994	9054	+01 6300 0300
2953		HLT55	HLT	300 C	300	1995	9055	+01 6300 0300
2954		HLT88	HLT	300 C	300	1997	9057	+01 6300 0300

2955		9	LOD		DUMP8	1981	9041	+69	1990	1544
2956	7		00	0003	8592	1990	9050	+00	0003	8592
2957		0	LOD		DUMP8	1986	9046	+69	1996	1544
2958	7		00	0003	8582	1996	9056	+00	0003	8582
2959			3856	CDD						
2960	1		LOCAFIER	3857	FIL IF DON USED					
2961			BLR	0	1999					
2962			BLA	1980	1994					
2963			SYN	1991						
2964			COR	9000						
2965			SYN	9010						
2966			SYN	9030						
2967		0	RAL	FIVTG		9000	+65	0477	9001	
2968			BMI		8F	9001	+46	9002	9003	
2969			RAL	ONESW		9002	+65	1449	9004	
2970			BD2	7F		9004	+92	9005	9006	
2971			LOD	9055	1F	9006	+69	9055	9007	
2972		8	LOD	9058	1F	9003	+69	9058	9007	
2973		1	STD	9059	1F	9007	+24	9059	9008	
2974		7	LOD	9059	1F	9005	+69	9059	9008	
2975	7		9055	00	0003	8592	+00	0003	8592	
2976	7		9058	00	0003	8582	+00	0003	8582	
2977	7	-	9059	00	0003	8332	-00	0003	8332	
2978		1	SDS	9000		9008	+85	9000	9009	
2979			LOD	6F		9009	+69	9011	9012	
2980			STD	COROF		9012	+24	0684	9013	
2981			RAL	LHOLD		9013	+65	0255	9014	
2982			SLO	FWAXX	9010	9014	+16	0780	9010	
2983		9010	STI	1950		9010	+29	1950	9015	
2984			BMI	1996		9015	+46	1996	9016	
2985			RAL	8001		9016	+65	8001	9017	
2986			SLO	5F		9017	+16	9018	9019	
2987			BMI		2F	9019	+46	9020	9021	
2988			RAL	LHOLD		9020	+65	0255	9022	
2989			SLO	5F		9022	+16	9018	9023	
2990			BMI	1F		9023	+46	9024	9025	
2991			RAC	1		9025	+88	0001	9026	
2992			RSL	4F	3F	9026	+66	9027	9028	
2993		1	RAC	0	3F	9024	+88	0000	9028	
2994		3	ALO	5F		9028	+15	9018	9029	
2995			SLT	6		9029	+35	0006	9031	
2996			AUP	FWAXX		9031	+10	0780	9032	
2997			SLT	4		9032	+35	0004	9033	
2998			RSU	8003		9033	+61	8003	9034	
2999			STU	LOCAT	RAMNO	9034	+21	1961	0834	
3000		2	RSL	FWAXX		9021	+66	0780	9035	
3001			ALO	4F		9035	+15	9027	9036	
3002			SLT	4	1997	9036	+35	0004	1997	
3003		4	00	0	1	9027	+00	0000	0001	
3004		5	00	0	1000	9018	+00	0000	1000	
3005			COR							
3006		9010	COD	1950						
3007		6	RSL	1991	1996C	9011	+66	1991	7996	
3008		1991	00	999	0	1991	9051	+00	0999	0000
3009		1997	SLO	LHOLD		1997	9057	+16	0255	1980
3010			STL	LOCAT	1970	1980	9040	+20	1961	1970
3011		1970	RAC	0	RAMN1	1970	9030	+88	0000	0835
3012		1996	RAL	1999		1996	9056	+65	1999	1981
3013			RDS	9000		1981	9041	+86	9000	1986
3014			LOD	3F		1986	9046	+69	1989	1992
3015			STD	COROF		1992	9052	+24	0684	1987

3016		BMI	9000		1987	9047	+46	1990	9000
3017		SET	9010		1990	9050	+27	9010	1982
3018		STI	1950	READA	1982	9042	+29	1950	0999
3019	3	RAC	FINIS	PRONE	1989	9049	+88	0209	0890
3020		3857	CDD						
3021	1	LOCAFIER	3858	FIL IF FIV USED					
3022		COR	9000						
3023	0	RAL	ONESW		9000		+65	1449	9001
3024		BD2		1F	9001		+92	9002	9003
3025		LOD	9050		9002		+69	9050	9004
3026		STD	9045	2F	9004		+24	9045	9005
3027	1	LOD	9045	2F	9003		+69	9045	9005
3028	2	SDS	9000		9005		+85	9000	9006
3029		LOD	INSTR	9054	9006		+69	0314	9054
3030	9054	STD	1		9054		+24	9054	9007
3031		RAL	50009		9007		+65	0485	9008
3032		ALO	11XXX		9008		+15	0897	9009
3033		STL	50009		9009		+20	0485	9010
3034		LOD	FIVTG	9058	9010		+69	0477	9058
3035	9058	SIA	9050		9058		+23	9050	9011
3036		RAU	47		9011		+60	0047	9012
3037		MPY	V0007		9012		+19	1511	9013
3038		SIA	9000		9013		+23	9000	9014
3039		ALO	9057		9014		+15	9057	9015
3040		SLT	6		9015		+35	0006	9016
3041		AUP	FWAXX		9016		+10	0780	9017
3042		RAA	8001		9017		+80	8001	9018
3043		AXA	1000		9018		+50	1000	9019
3044		SXA	1000		9019		+51	1000	9020
3045		BMA		1F	9020		+41	9021	9022
3046		SUP	9F	1F	9021		+11	9023	9022
3047	1	SLT	4		9022		+35	0004	9024
3048		STU	9057		9024		+21	9057	9025
3049		RAL	LHOLD		9025		+65	0255	9026
3050		SLO	FWAXX		9026		+16	0780	9027
3051		BMI		1F	9027		+46	9028	9029
3052		RAU	8003	1F	9028		+60	8003	9029
3053	1	SLT	4		9029		+35	0004	9030
3054		ALO	9053		9030		+15	9053	9031
3055		ALO	9000		9031		+15	9000	9032
3056		STL	9053		9032		+20	9053	9033
3057		LOD	9052		9033		+69	9052	9034
3058		SIA	9052		9034		+23	9052	9035
3059		RAL	9000		9035		+65	9000	9036
3060		SLT	4		9036		+35	0004	9037
3061		ALO	8001		9037		+15	8001	9038
3062		ALO	9055		9038		+15	9055	9039
3063		STL	9055		9039		+20	9055	9040
3064		ALO	9051		9040		+15	9051	9041
3065		STL	9051	9044	9041		+20	9051	9044
3066	9044	STI	1971		9044		+29	1971	9042
3067		RAL	9045		9042		+65	9045	9043
3068		RDS	9000	1976	9043		+86	9000	1976
3069	9049	WR1	1977	1975	9049		+71	1977	1975
3070	9048	BMI	1974	9000	9048		+46	1974	9000
3071	9047	SET	9010	1973	9047		+27	9010	1973
3072	9046	STI	1950	READA	9046		+29	1950	0999
3073	7	9050	00	0003	9050		-00	0003	8332
3074	7	9045	00	0003	9045		+00	0003	8592
3075	9	00	0	1800	9023		+00	0000	1800
3076	9051	29	1	9984	9051		+29	0001	9984

3077		9052	SXA	1	8		9052	+51	0001	0008
3078		9053	RAA	0	8		9053	+80	0000	0008
3079		9055	NZA	3	20		9055	+40	0003	0020
3080	-	9056	88	8888	8888		9056	-88	8888	8888
3081		9057	STD	0	A 6		9057	+24	2000	0006
3082		9059	00	8000	8		9059	+00	8000	0008
3083			COR							
3084		3858	CDD							
3085	1	LOCAFIER 3859 FIL IF ONE USED								
3086			COR	9000						
3087	0		LOD	2F			9000	+69	9001	9002
3088			SDS	9000			9002	+85	9000	9003
3089			RAL	CCNT1	9058		9003	+65	0585	9058
3090		9058	ALO	8F	9051		9058	+15	9004	9051
3091		9051	STL	1			9051	+20	9051	9005
3092			STD	CCNT1			9005	+24	0585	9006
3093			LOD	INSTR	9053		9006	+69	0314	9053
3094		9053	STD	1			9053	+24	9053	9007
3095			RAL	LHOLD			9007	+65	0255	9008
3096			SLO	FWAXX			9008	+16	0780	9009
3097			BMI		1F		9009	+46	9010	9011
3098			RAU	8003	1F		9010	+60	8003	9011
3099	1		SLT	4			9011	+35	0004	9012
3100			ALO	9052			9012	+15	9052	9013
3101			STL	9052			9013	+20	9052	9014
3102			RAL	FWAXX			9014	+65	0780	9015
3103			RAA	8001			9015	+80	8001	9016
3104			AXA	1000			9016	+50	1000	9017
3105			SXA	1000			9017	+51	1000	9018
3106			BMA		1F		9018	+41	9019	9020
3107			SLO	9F	1F		9019	+16	9021	9020
3108	1		SLT	4			9020	+35	0004	9022
3109			ALO	9056			9022	+15	9056	9023
3110			STL	9056	9045		9023	+20	9056	9045
3111		9045	STI	1972			9045	+29	1972	9024
3112			LOD	2F			9024	+69	9001	9025
3113			RDS	9000	1976		9025	+86	9000	1976
3114	7	2	00	0003	8332		9001	+00	0003	8332
3115	7	2	00	0003	8332		9026	+00	0003	8332
3116		9049	WR1	1977	1975		9049	+71	1977	1975
3117		9048	SET	9010	1974		9048	+27	9010	1974
3118		9047	STI	1950	READA		9047	+29	1950	0999
3119		9050	LOD	1954	1953		9050	+69	1954	1953
3120		9052	RAA	0	1957		9052	+80	0000	1957
3121		9054	LOD	1955	8001		9054	+69	1955	8001
3122		9055	SXA	1	1957		9055	+51	0001	1957
3123		9056	STD	0	A 1958		9056	+24	2000	1958
3124		9057	NZA	1956	8000		9057	+40	1956	8000
3125		9059	00	8008	0		9059	+00	8008	0000
3126	8		00	0	1		9004	+00	0000	0001
3127	9		00	0	1800		9021	+00	0000	1800
3128			COR							
3129		3859	CDD							
3130	1	LOCAFIER 3860 SKP PLR START								
3131			BLR	0	1999					
3132			BLA	1965	1990					
3133			COR	9000						
3134	0		BMI	1F			9000	+46	9001	9002
3135			LOD	9059	2F		9002	+69	9059	9003
3136	1		LOD	5F			9001	+69	9004	9005
3137			STD	9022			9005	+24	9022	9006

3138		RAL	1951		9006	+65	1951	9007
3139		NZE		3F	9007	+45	9008	9009
3140		LOD	9058	2F	9008	+69	9058	9003
3141	2	SDS	9000		9003	+85	9000	9010
3142		STL	9056		9010	+20	9056	9011
3143		RAC	1662	9021	9011	+88	1662	9021
3144	9021	STI	1961	LMAST	9021	+29	1961	0442
3145	3	LOD	9058		9009	+69	9058	9012
3146		SDS	9000		9012	+85	9000	9013
3147		LOD	1F		9013	+69	9014	9015
3148		SET	9021	8001	9015	+27	9021	8001
3149	1	STI	1961		9014	+29	1961	9016
3150		RAL		3F D	9016	+65	9017	1971
3151		00	0	1950	9017	+00	0000	1950
3152		COR						
3153	9021	COD	1961					
3154	1962	STL	4F		1962	9022	+20	1967
3155		RAC	1664	DMAST	1970	9030	+88	1664
3156	1964	LOD	4F		1964	9024	+69	1967
3157		RAB	8001	1F	1972	9032	+82	8001
3158	1	NZE		1F	1978	9038	+45	1982
3159		RTC	0 B		1982	9042	+03	4000
3160		NTS	1B		1988	9048	+25	1978
3161		NEF	1B		1965	9025	+54	1978
3162		SLO	11XXX	1B	1973	9033	+16	0897
3163	1	RAC		PSUDO	1983	9043	+88	1966
3164		RAC	1663	IMAST	1966	9026	+88	1663
3165	1963	LOD	1999		1963	9023	+69	1999
3166		RDS	9000		1968	9028	+86	9000
3167		LOD	4F		1974	9034	+69	1967
3168		RAB	8001	1F	1975	9035	+82	8001
3169	1	NZE		1F	1981	9041	+45	1984
3170		RTC	0 B		1984	9044	+03	4000
3171		SLO	11XXX	1B	1990	9050	+16	0897
3172	1	SET	9010		1985	9045	+27	9010
3173		STI	1950	READA	1969	9029	+29	1950
3174	4F	UND						
3175	5	DIV	V0007			9004	+14	1511
3176		RAU	8002		1976	9036	+60	8002
3177		MPY	V0007	3F	1986	9046	+19	1511
3178	3	LOD	1998		1971	9031	+69	1998
3179		RDS	9000		1977	9037	+86	9000
3180		RAA	8002		1987	9047	+80	8002
3181		AXA	1		1979	9039	+50	0001
3182		RAL	8005		1989	9049	+65	8005
3183		STD	FWAXX	9000	1980	9040	+24	0780
3184	1993	LOD	1962	1992	1993	9053	+69	1962
3185	1992	SET	9021	1991	1992	9052	+27	9021
3186	1991	STI	1961	8001	1991	9051	+29	1961
3187	7	00	0003	8612	1998	9058	+00	0003
3188		00	0003	8332	1999	9059	+00	0003
3189		HLT44	HLT	289 C	1994	9054	+01	6289
3190		HLT55	HLT	289 C	1995	9055	+01	6289
3191		HLT88	HLT	289 C	1997	9057	+01	6289
3192		3860	CDD					
3193	1	LOCAFIER	3861	PLR PUNCHER				
3194		COR	9000					
3195	0	LOD	1999		9000	+69	1999	9001
3196		SDS	9000		9001	+85	9000	9017
		RSB	1		9017	+83	0001	9003
3197		STL	9000		9002	+20	9000	9003

3198		SLT	4	9058
3199	9058	STL	9001	9027
3200	9027	ALO	9000	
3201		STL	9002	
3201		RAL	OF	FILLL
3202	0	RAL	9058B	9038B
3203	1	STL	9058B	9048
3204	9048	SXB	1	0B
3205	9059	00	8000	8
3206	9057	SRT	4	14
3207	9056	ALO	7	14
3208	9055	LOD	1 A	12
3209	9054	RAU	6	13
3210	9053	RD1	16	9898
3211	9052	SXA	1	23
3212	9051	RAA	4	22
3213	9050	RD1	9042	9898
3214	9049	00	8000	8
3215	9047	LDI	1952	9043
3216	9046	AXC	1	20
3217	9045	NZA	18	19
3218	9044	RAB	8002	21
3219	9043	BMI	1	17
3220	9042	STD	0 B	15
3221	9041	STI	11	19
3222	9040	RAC	0	9049
3223	9037	ALO	9000	1B
3224	9036	ALO	9002	1B
3225	9035	ALO	9002	1B
3226	9034	ALO	9002	1B
3227	9033	ALO	9001	1B
3228	9032	ALO	9000	1B
3229	9031	ALO	9000	1B
3230	9030	WR1	9050	9029
3231	9029	SXB	4	0B
3232	9026	ALO	9000	1B
3233	9025	ALO	9002	1B
3234	9024	ALO	9000	1B
3235	9023	ALO	9002	1B
3236	9022	ALO	9000	1B
3237	9021	ALO	9002	1B
3239	9020	RAL	1952	9028
3240	9028	NZE		1F
3241		RSM	2F	8001
3242	1	RAM	FIVON	2F
3243	2	STL	FIVTG	
3244		RAL	9000	
3245		ALO	2F	
3246		LOD	1999	9038
3247	9038	SIB	1961	
3248		WR1	9040	
3249		RDS	9000	1993
3250	9039	STL	9005	SUB1R
3251	2	00	0	23
3253		COR		
3254		3861 CDD		
3255	1	LOCAFTIR 3862	PAL	
3256		BLR	0	1999
3257		BLA	1962	1998
3258	9021	COD	1961	
3259	9000	LOD	9059	9005

9003	+35	0004	9058
9058	+20	9001	9027
9027	+15	9000	9004
9004	+20	9002	9007
9007	+65	9005	0768
9005	+65	9458	9438
9006	+20	9458	9048
9048	+53	0001	9005
9059	+00	8000	0008
9057	+30	0004	0014
9056	+15	0007	0014
9055	+69	2001	0012
9054	+60	0006	0013
9053	+70	0016	9898
9052	+51	0001	0023
9051	+80	0004	0022
9050	+70	9042	9898
9049	+00	8000	0008
9047	+09	1952	9043
9046	+58	0001	0020
9045	+40	0018	0019
9044	+82	8002	0021
9043	+46	0001	0017
9042	+24	4000	0015
9041	+29	0011	0019
9040	+88	0000	9049
9037	+15	9000	9006
9036	+15	9002	9006
9035	+15	9002	9006
9034	+15	9002	9006
9033	+15	9001	9006
9032	+15	9000	9006
9031	+15	9000	9006
9030	+71	9050	9029
9029	+53	0004	9005
9026	+15	9000	9006
9025	+15	9002	9006
9024	+15	9000	9006
9023	+15	9002	9006
9022	+15	9000	9006
9021	+15	9002	9006
9007	9020	+65	1952 9028
9028	+45	9008	9009
9008	+68	9010	8001
9009	+67	1612	9010
9010	+20	0477	9011
9011	+65	9000	9012
9012	+15	9013	9014
9014	+69	1999	9038
9038	+28	1961	9015
9015	+71	9040	9016
9016	+86	9000	1993
9039	+20	9005	1014
9013	+00	0000	0023

9000 +69 9059 9005

3260	9005	SDS	9000	9021	9005	+85	9000	9021
3261	9021	STI	1961	9008	9021	+29	1961	9008
3262	9008	RSB	199	9009	9008	+83	0199	9009
3263	9009	RSC	989	PSUDO	9009	+89	0989	0976
3264	9011	SIB	1952	9006	9011	+28	1952	9006
3265	9006	RAL	9007	9012	9006	+65	9007	9012
3266	9012	STU	1951	9010	9012	+21	1951	9010
3267	9010	LOD	9018	9017	9010	+69	9018	9017
3268	9017	STD	9000	9004	9017	+24	9000	9004
3269	9004	LDI	60004		9004	+09	0804	1962
3270		STL	SPRUD	9001	1962	9022	+20	9019
3271	9001	RAU	A0200B	9002	9001	+60	5949	9002
3272	9002	NZU		9003	9002	+44	1963	9003
3273		SCT	0		1963	9023	+36	0000
3274		RAA	8002		1985	9045	+80	8002
3275		SLT	1		1993	9053	+35	0001
3276		SRD	1 A		1964	9024	+31	2001
3277		STU	9035		1971	9031	+21	9035
3278		RAU	8005		1979	9039	+60	8005
3279		MPY	8F		1987	9047	+19	1990
3280		RAA	8002		1965	9025	+80	8002
3281		RAL	8006		1973	9033	+65	8006
3282		DIV	7F		1981	9041	+14	1984
3283		MPY	9F		1995	9055	+19	1998
3284		AXA	8002		1969	9029	+50	8002
3285		AXA	8003		1977	9037	+50	8003
3286		AXA	1549	N0087	1986	9046	+50	1549
3287	9007	STD	1953			9007	+24	1953
3288		RAC		PSUDO	1966	9026	+88	1967
3289		RAL	9035	9002	1967	9027	+65	9035
3290	9003	NZB	9000	1F	9003	+42	9000	1980
3291	9018	AXB	1	9001	9018	+52	0001	9001
3292	1	LOD	1999		1980	9040	+69	1999
3293		RDS	9000		1968	9028	+86	9000
3294		SET	9010		1974	9034	+27	9010
3295		STI	1950	READA	1982	9042	+29	1950
3296	9013	ALF	BLA	THINK		9013	+62	7361
3297	9014	ALF	AVAI	THINK		9014	+00	6185
3298	9015	ALF	LABLE	THINK		9015	+73	6162
3299	9019	00	9998	9990		9019	+00	9998
3300	7	1999	00	8332	1999	9059	+00	0003
3301	7	00	0	4	1984	9044	+00	0000
3302	8	00	0	50	1990	9050	+00	0000
3303	9	00	0	500	1998	9058	+00	0000
3304		3862	CDD					
3305	1	LOCAFIER	3863	PDL SECOND				
3306		BLR	0	1999				
3307		BLA	1952	1976				
3308		BLA	1985	1985				
3309		BLA	1988	1989				
3310		BLA	1993	1999				
3311	9010	COD	1950					
3312		COR	9000					
3313	0	LOD	1683		9000	+69	1683	9001
3314		SDS	9000	9010	9001	+85	9000	9010
3315	9010	STI	1950	9037	9010	+29	1950	9037
3316	9037	LOD	9044	9038	9037	+69	9044	9038
3317	9038	RAA	5	9039	9038	+80	0005	9039
3318	9039	STD	1978A	9040	9039	+24	3978	9040
3319	9040	NZA	9041	9042	9040	+40	9041	9042
3320	9041	SXA	1	9039	9041	+51	0001	9039

3321	9044	ALF	ZZZZZ	THINK	9044	+89	8989	8989
3322	9042	LOD	9043	3F	9042	+69	9043	9002
3323	3	SET	9010	8001	9002	+27	9010	8001
3324	9043	LDI	1850		9043	+09	1850	9003
3325		LOD	1683		9003	+69	1683	9004
3326		WDS	9000		9004	+87	9000	9005
3327		LOD		3B	9005	+69	9006	9002
3328		LOD	1682	D	9006	+69	1682	1985
3329		SDS	9000	1951	1985	9045	+85	9000
3330	1951	LDI	1900		1951	9011	+09	1900
3331		WDS	9000		9007	+87	9000	9008
3332		NZE		1691	9008	+45	9009	1691
3333		RAB	1	1698	9009	+82	0001	1698
3334		COR						
3335	1990	NZC		1694	1990	9050	+48	1993
3336		RAL	9061C		1993	9053	+65	9661
3337		BMI	1692B	5F	1965	9025	+46	5692
3338	5	STL	1977		1970	9030	+20	1977
3339		SLT	3		1988	9048	+35	0003
3340		RAA	8003	1991B	1997	9057	+80	8003
3341	1992	SUP	8001		1992	9052	+11	8001
3342		SXA	100	1F	1999	9059	+51	0100
3343	1991	SUP	8001	1F	1991	9051	+11	8001
3344	1	SLT	1		1955	9015	+35	0001
3345		RAB	8003		1961	9021	+82	8003
3346		RAU	1850A		1971	9031	+60	3850
3347		SRT	0 B		1956	9016	+30	4000
3348		LOD	8003		1989	9049	+69	8003
3349		BD1	1F		1996	9056	+91	1952
3350		WR1	1977	2F	1953	9013	+71	1977
3351	1	AUP	11XXX		1952	9012	+10	0897
3352		SLT	0 B		1954	9014	+35	4000
3353		STU	1850A	2F	1994	9054	+21	3850
3354	2	BOV	1699	AXC	1959	9019	+47	1699
3355	AXC	AXC	2		1964	9024	+58	0002
3356		RAB	9058	1990	1972	9032	+82	9058
3357	1986	08	8000	0	1986	9046	+08	8000
3358	1987	RAL	8001		1987	9047	+65	8001
3359		SRT	6		1995	9055	+30	0006
3360		ALO	11XXX		1960	9020	+15	0897
3361		RAB	9058	SCT	1957	9017	+82	9058
3362	SCT	SCT	6	5B	1966	9026	+36	0006
3363	3863	CDD						
3364	1	LOCAFIER	3864	PDL FIRST				
3365		COR	9000					
3366	0	LOD	1F		9000	+69	9001	9002
3367		SDS	9000		9002	+85	9000	9003
3368		LOD	2F		9003	+69	9004	9005
3369		SET	9010	8001	9005	+27	9010	8001
3370	2	STI	1650		9004	+29	1650	9006
3371		RSC	991	PSUDO	9006	+89	0991	0976
3372	9009	RAL	RAMSW		9009	+65	0773	9007
3373		SLO	RAMON		9007	+16	0662	9008
3374		LOD	1F	DUMP9	9008	+69	9001	1547
3375	7	00	0003	8632	9001	+00	0003	8632
3376		COR						
3377		BLR	0	1999				
3378		BLA	1650	1679				
3379		BLA	1684	1684				
3380		BLA	1689	1690				
3381	9010	COD	1650					

3382		1691	RAM	DISKRB		1691	9051	+67	5248	1653
3383			RDS	9000		1653	9013	+86	9000	1658
3384			RAA	99		1658	9018	+80	0099	1664
3385			LOD	T0003	2F	1664	9024	+69	0846	1650
3386		2	STD	1850A		1650	9010	+24	3850	1654
3387			NZA		2F	1654	9014	+40	1657	1659
3388			SXA	1	2B	1657	9017	+51	0001	1650
3389		2	SLT	2		1659	9019	+35	0002	1665
3390			RAC	8003		1665	9025	+88	8003	1674
3391			SUP	8001		1674	9034	+11	8001	1684
3392			SRT	2	3F	1684	9044	+30	0002	1651
3393		3	SLO	9F		1651	9011	+16	1655	1660
3394			STL	LHOLD		1660	9020	+20	0255	1661
3395			SXC	60		1661	9021	+59	0060	1667
3396			SDS	9000		1667	9027	+85	9000	1672
3397			LOD	8006		1672	9032	+69	8006	1678
3398			STD	9058	1990	1678	9038	+24	9058	1990
3399		1693	SLO	60004	1692	1693	9053	+16	0804	1692
3400		1692	SCT	6		1692	9052	+36	0006	1662
3401			STL	OTEND		1662	9022	+20	1711	1666
3402			RSL	8003	SCT	1666	9026	+66	8003	1966
3403		1699	RAM	OTEND		1699	9059	+67	1711	1668
3404			SLO	1977		1668	9028	+16	1977	1689
3405			NZE	1987	AXC	1689	9049	+45	1987	1964
3406		1694	RAL	LHOLD		1694	9054	+65	0255	1663
3407			SLO	1695B		1663	9023	+16	5695	1652
3408			BMI	1F		1652	9012	+46	1656	1669
3409			RAL	LHOLD		1669	9029	+65	0255	1670
3410			RDS	9000	3B	1670	9030	+86	9000	1651
3411		1	LOD	DISKRB		1656	9016	+69	5248	1671
3412			SDS	9000	1697B	1671	9031	+85	9000	5697
3413	7	1695	ALF		THINK	1695	9055	+00	0000	0000
3414	7	1696	00	0	501	1696	9056	+00	0000	0501
3415		1697	RAB	1	1691	1697	9057	+82	0001	1691
3416		1698	LOD	1682B		1698	9058	+69	5682	1690
3417			SET	9010		1690	9050	+27	9010	1673
3418			SDS	9000	1687B	1673	9033	+85	9000	5687
3419		1688	RDS	9000		1688	9048	+86	9000	1675
3420			SXB	1	1698	1675	9035	+53	0001	1698
3421		1687	STI	1850	1688	1687	9047	+29	1850	1688
3422		1686	STI	1900	1688	1686	9046	+29	1900	1688
3423		1685	STI	1950		1685	9045	+29	1950	1676
3424			RDS	9000		1676	9036	+86	9000	1677
3425			SET	9010		1677	9037	+27	9010	1679
3426			STI	1650	READA	1679	9039	+29	1650	0999
3427	7	1683	00	0008	8342	1683	9043	+00	0008	8342
3428	7	1682	00	0008	8332	1682	9042	+00	0008	8332
3429	7	1681	00	0003	8332	1681	9041	+00	0003	8332
3430	7	1680	00	0003	8282	1680	9040	+00	0003	8282
3431		9	00	0	10	1655	9015	+00	0000	0010
3432		3864	CDD							
3433	1	LOCATIER	3865	LAT SAT LST SST						
3434			COR	9000						
3435		0	RSC	995	9021	9000	+89	0995	9021	
3436		9021	STI	1961		9021	+29	1961	9001	
3437			BOV	9006	1F	9001	+47	9006	9002	
3438		9006	SIB	1961	1F	9006	+28	1961	9002	
3439		1	BMI		PSUDO	9002	+46	9003	0976	
3440			LOD	9058		9003	+69	9058	9004	
3441			STD	1965	PSUDO	9004	+24	1965	0976	
3442		9005	RAL	1952	9010	9005	+65	1952	9010	

3443	9010	SIB	1950	9020		9010	+28	1950	9020
3444	9020	RAC	1696	MASTR		9020	+88	1696	0069
3445		COR							
3446	9021	COD	1961						
3447		BLR	0	1999					
3448		BLA	1951	1959					
3449		BLA	1969	1993					
3450		BLA	1999	1999					
3451	1996	SLT	1			1996	9056	+35	0001 1953
3452	7	ALO	30040			1953	9013	+15	0290 1999
3453		LOD	8002			1999	9059	+69	8002 1955
3454		SDS	9000			1955	9015	+85	9000 1969
3455		RSA	150	1965		1969	9029	+81	0150 1965
3456	9058	RDS	9000		LAT LST		9058	+86	9000 1959
3457		NZA	1F	1962B		1959	9019	+40	1970 5962
3458	1	ALO	3F			1970	9030	+15	1973 1977
3459		LOD	8002			1977	9037	+69	8002 1983
3460		AXA	50			1983	9043	+50	0050 1989
3461		SDS	9000	1963B		1989	9049	+85	9000 5963
3462	1963	STI	1850A	1965		1963	9023	+29	3850 1965
3463	1962	STI	1900	9F		1962	9022	+29	1900 1952
3464	9008	STI	E0101A	1965			9008	+29	3150 1965
3465	9007	RAB	4				9007	+82	0004 1971
3466		RSA	250	1B		1971	9031	+81	0250 1970
3467	1967	SET	9012			1967	9027	+27	9012 1972
3468		STI	S0201A	1965		1972	9032	+29	3400 1965
3469	1966	SET	9012			1966	9026	+27	9012 1974
3470		STI	S0251			1974	9034	+29	1450 1954
3471		SIB	LEVEL	9F		1954	9014	+28	0256 1952
3472	1965	SET	9000	1964B	SAT SST	1965	9025	+27	9000 5964
3473	1964	LDI	1900A	5F		1964	9024	+09	3900 1956
3474	5	WDS	9000			1956	9016	+87	9000 1975
3475		NZA		9F		1975	9035	+40	1978 1952
3476		ALO	3F			1978	9038	+15	1973 1979
3477		LOD	8002			1979	9039	+69	8002 1985
3478		AXA	50			1985	9045	+50	0050 1991
3479		SDS	9000	1964B		1991	9051	+85	9000 5964
3480	9009	NZA		1F			9009	+40	1976 1980
3481		LDI	E0151A	5B		1976	9036	+09	3200 1956
3482	1	RSA	250			1980	9040	+81	0250 1986
3483		RAB	4	1968		1986	9046	+82	0004 1968
3484	1968	SET	9012			1968	9028	+27	9012 1981
3485		LDI	S0251A			1981	9041	+09	3450 1957
3486		LIB	LEVEL	5B		1957	9017	+08	0256 1956
3487	HLT44	HLT	257 C	300		1994	9054	+01	6257 0300
3488	HLT55	HLT	257 C	300		1995	9055	+01	6257 0300
3489	HLT88	HLT	257 C	300		1997	9057	+01	6257 0300
3490	9	LOD	8F			1952	9012	+69	1958 1982
3491		SDS	9000			1982	9042	+85	9000 1987
3492		RDS	9000			1987	9047	+86	9000 1992
3493		SET	9010			1992	9052	+27	9010 1951
3494		STI	1950	READA		1951	9011	+29	1950 0999
3495	7	00	0003	8332		1958	9018	+00	0003 8332
3496	3	00	0	10		1973	9033	+00	0000 0010
3497		3865	CDD						
3498	1	LOCAFIER	3866	ERROR	RESTARTING				
3499		COR	9000						
3500	8F	SYN	9003						
3501	0	RAU	CARRY			9000	+60	0460	9001
3502	0F	SYN	9002						
3503		BD6	9F			9001	+96	9004	9005

3504		SUP	KEEP		9005	+11	0223	9006
3505		NZU		9F	9006	+44	9007	9004
3506		RAL	FARBL		9007	+65	0112	9008
3507		SLO	FARCE		9008	+16	1499	9009
3508		NZE		9F	9009	+45	9010	9004
3509		LOD	CARRY		9010	+69	0460	9011
3510		RAA	8001		9011	+80	8001	9012
3511		RAM	8005		9012	+67	8005	9013
3512		DIV	1F		9013	+14	9014	9015
3513		RAC	8002		9015	+88	8002	9016
3514		RAL	8003		9016	+65	8003	9017
3515		DIV	2F		9017	+14	9018	9019
3516		RAA	8002		9019	+80	8002	9020
3517		AUP	8003		9020	+10	8003	9021
3518		AUP	8003		9021	+10	8003	9022
3519		AXC	8003		9022	+58	8003	9023
3520		RAL	A0001C		9023	+65	7750	9024
3521		SLT	1 A		9024	+35	2001	9025
3522		AUP	3F		9025	+10	9026	9027
3523		SRD	1 A		9027	+31	2001	9028
3524		STL	A0001C	0F	9028	+20	7750	9002
3525	9	RAL	COREC		9004	+65	0927	9029
3526		STD	9000		9029	+24	9000	9030
3527		SLO	KEEPP		9030	+16	0096	9031
3528		NZE		0F	9031	+45	9032	9002
3529		RAL	1952		9032	+65	1952	9033
3530		ALO	4F		9033	+15	9034	9035
3531		NZU		8F	9035	+44	9036	9003
3532		SLT	2		9036	+35	0002	9037
3533		RAA	8003		9037	+80	8003	9038
3534		SUP	8001		9038	+11	8001	9039
3535		NZE	8F		9039	+45	9003	9040
3536		LOD	F9900A		9040	+69	2413	9041
3537		RAB	8001		9041	+82	8001	9042
3538		SXB	9000		9042	+53	9000	9043
3539		NZB	8F		9043	+42	9003	9044
3540		LOD	00002		9044	+69	1551	9045
3541		STD	F9900A	8F	9045	+24	2413	9003
3542	8	LIB	70003		9003	+08	1022	9046
3543		LOD	LEVEL		9046	+69	0256	9047
3544		RAB	8001		9047	+82	8001	9048
3545		LOD	KEE		9048	+69	0215	9049
3546		STD	LEVEL		9049	+24	0256	9050
3547		RAC	8001	9003	9050	+88	8001	9003
3548	1	00	0	500	9014	+00	0000	0500
3549	2	00	0	50	9018	+00	0000	0050
3550	3	00	0	8	9026	+00	0000	0008
3551	4	09	3400	0	9034	+09	3400	0000
3552	5	ALF	F	THINK	9051	+66	0000	0000
3553	6	50	0	0	9052	+50	0000	0000
3554	0	RAL	PROGP		9002	+65	1962	9053
3555		NZE		1F	9053	+45	9054	9055
3556		RAA	8001		9054	+80	8001	9056
3557		SRT	4		9056	+30	0004	9057
3558		STL	F0000A	1F	9057	+20	2513	9055
3559	1	LOD	KEEPP		9055	+69	0096	9058
3560		STD	COREC		9058	+24	0927	9059
3561		RAL	KEEP	666	9059	+65	0223	0666
3562		COR						
3563	3866	CDD						
3564		END						