


File Copy

The New Xerox Microprinter

XEROX





New but "dry behind the ears"

Only Xerox makes a microfilm Microprinter that reproduces prints on ordinary bond paper. Xerographic prints. High-contrast prints. Dry prints. Non-erasable prints. Prints on any color paper. Prints on which you can make notations immediately with any pen or pencil. Prints that lie flat and store flat without curling.

Insensitive toward the paper it uses

It is the print that makes the difference. The Xerox Microprinter makes sharp black-on-white prints quickly, quietly and inexpensively. Without the inconvenience of wet chemicals. Without irksome fumes. Without sensitized paper. Prints that are enlarged and reproduced automatically from any form of microfilm.


Positive mode or negative mode

The Xerox Microprinter in positive mode makes positive prints from positive (black image on transparent base) microfilm. WITH THE POSITIVE MODE MODEL, YOU AUTOMATICALLY HAVE A XEROGRAPHIC CONSOLE COPIER THAT WILL DUPLICATE ANY ORIGINAL UP TO 9" X 14" IN SIZE.

The Xerox Microprinter in negative mode makes positive prints from negative (clear image on black background) microfilm. (This model does not readily function as an office copier.)

Getting to know the Xerox Microprinter

The Microprinter makes prints for library and technical reference, design, drafting, production and systems information. At the



rate of up to 420 an hour. From roll film (16mm or 35mm), aperture cards and microfiche.

Loading microfilm is as easy as tying your shoe . . . and takes about as long. Scanning and viewing are a breeze; projector rotates smoothly through a 270° arc for orientation of either horizontal or vertical microfilm images, and frame selection is made with the handy Scan Control. A touch of one lever activates automatic printing.

Advanced features

VIEWING SCREEN Full-size 9" x 11½" tilted viewing screen gives you a bright, sharp image for easy viewing.


QUANTITY SELECTOR Lets you select up to 20 copies for automatic delivery. For more, dial "M" for Multiple.

PAPER RELOAD INDICATOR Flashing light tells when it's time to add to the paper supply (capacity: approximately 150 sheets).

OPERATOR'S INSTRUCTIONS For extra ease of operation, manual is provided on the Microprinter at eye level.

Keeping the Microprinter running perfectly

It's not your worry. Xerox will loan you a Microprinter so you don't have to expend any capital. It's made to run flawlessly. And to be sure it does, a Xerox Technical Representative will perform preventive maintenance. Between times, he's at your beck and call if something comes up that neither of us expected.



XEROX

We are happy to introduce you to the Xerox Microprinter. It has those characteristics that you look for in anyone you meet: individuality, reliability, a positive outlook (no pun intended), a quality image, and adaptability.

Specifications

Dimensions:

Height:	58"
Length:	46"
Width:	45"
Approximate weight:	750 lbs.
Floor area required:	7' x 9', 3' minimum clearance on right side, 2' minimum clearance at rear.
Electrical requirements:	107 Volt (min.) to 125 Volt (max.) 60 cycles, 30 amps. Should have sole use of a 30 amp. branch circuit.
Magnification:	12X, 16X, 20X, and 24X available.
Area for microfilm viewing:	9" x 11½"
Image Area for printing from microfilm:	variable up to 8½" x 11"
Image Area for copying original documents:	variable up to 9" x 14"
Paper sizes accommodated:	8" x 10½" to 9" x 14"
Weight of paper accommodated:	20 lb. bond
Speed:	7 copies per minute

Additional Data

For more information, call your nearby Xerox Analyst. He'll be glad to answer all your questions expertly and arrange for a demonstration . . . at no cost or obligation to you.

XEROX

Xerox Corporation, Rochester, New York 14603

XEROX IS A REGISTERED TRADEMARK OF XEROX CORPORATION.
PRINTED IN U.S.A.

102710872

610P1423B