****** The Nestar Text Editor ******
COMMAND SUMMARY

```
P <range>               Print a range of lines
P <range>,UNN           Print a range of lines without line numbers

W                       Print a window around the current line
W <line>                Print a window around <line>
W <line>!<count>        Same, but specify window size

N                       Print the next line
N <count>               Print the next <count> lines

D <range>               Delete a range of lines (print them first)
D <range>,N             Delete a range of lines (don't print them)

nnn text...             Insert/delete a single line
  0 text...             Insert after the current line

F/string/               Find the first occurence of "string"
                        (Any character may be used as the delimiter)
F/string/<range>        Find the first occurence in the given range
F/string/,n             Find the first n occurences
F/string/<range>,n      Find the first n occurences in the given range
F/string/,              Find all occurences
F                       Find the next occurence

A <line> BY <inc>       Start auto line numbering
A                       Resume auto line numbering

CH/str1/str2/<range>    Change all occurences of "str1" to "str2"
                        in the given range. (str2 may be null.)

C <range> TO <line>     Copy lines; the first new number is <line>.
                        New line numbers increment by 1.

M <range> TO <line>     Move lines.  Same as copy, except
                        <range> is deleted.

R                       Renumber the whole file by 10, starting with 10
R BY <inc>              Renumber by <inc>, starting with <inc>

NEW                     Clear the editing file.

CASE                    Change upper/lower case folding

TABS n,m,o,...          Set tabs (max 8). Defaults are 7,14,18,26,36.

ASM                     Enter the assembler (G 1160)

X                       Exit to the monitor


<range>  can be         <line>
                or  <line>-<line>
                or  <line>-
                or  -<line>
```

```
                    or   <line>!<count>
                    or   -null-              (defaults to F-L)

<line>   can be       <number>
                    or    .           (current line)
                    or    P           (previous line)
                    or    N           (next line)
                    or    F           (first line)
                    or    L           (last line)

<number>   can be     0 through 65535

 <inc>     can be     1 through 255

<count>    can be     1 through 255

TO or BY   can also be  ,


HOME key functions:

 1st time: move to start of line
 2nd time: move to end of line
 3rd time: move to bottom of screen
 4th time: move to top of screen

CLEAR key functions:

 1st time: clear to end of line
 2nd time: clear entire line
 3rd time: clear entire screen

Spaces are not required in commands except to separate
alphabetic keywords.  For example, "P10" is ok, but "P L"
requires the blank.
```