


for Cray supercomputers







Cray Research is pleased to announce the availability of the Cray Ada compiler for Cray supercomputers, offering Cray customers the option of combining the strengths of Ada with the capabilities inherent in the large memories and extremely fast processing speeds of Cray systems.

A language for the future

In 1975, the U.S. Department of Defense, seeking an alternative to maintaining hundreds of specialized computer languages used in strategic applications, put out a call for a single new language that could handle its diverse needs. The result was Ada, which incorporates many modern software development principles.

Features of Ada

Ada is a very powerful language and is correspondingly very large.

As might be expected, its compile and execution times are slower than those of more compact languages, such as Fortran. However, Ada has many features that are unavailable in Fortran, including exception handling, packages, tasks, records, assignment of structured expressions, generic program units, low-level I/O, physical representation of data, abstract data types, data encapsulation, and dynamic data declarations.

If used effectively, Ada offers a reliable, portable, and efficient modular programming environment, yielding code that is easy to enhance and maintain. It is especially well suited for developing large, complex software systems. For example, it encourages separate compilation and testing of packages that will be combined later.

Although originally designed to develop large, real-time embedded systems within the scientific and engineering community, Ada is receiving a broader audience for application code development in process design and control, communication sytems, intelligent systems, geophysical analysis, robotics, distributed applications, and management information systems.

Features of Cray Ada

Cray Research's Ada environment incorporates a set of tools and libraries that provide for flexible, project-oriented software development. The first phase of Cray Ada conforms to the Ada language as defined in the American National Standard Reference Manual for the Ada Programming Language (LRM), the official, authoritative source on the syntax and semantics of the Ada language. Cray Ada includes the following components:

- The Ada Compiler, which generates code for execution on Cray computer systems.
- The Library Manager and its tools, which support program configuration control, allow

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		9 9 6 6
38:	package global_def is		1	(1)	
39:			19		by by by
48:	global definintions			1	
41:					101 PTL PTL PT
42:	type Enumeration is (ident_1,ident_2,id	ray A	da Compiler,	Version 1.8	
44:	type those action in the training the				Rights Reserved
45:	subtype one_to_thirty is integer range	Eile	: whetstone.	ada	
45:	subtype one_to_fifty is integer range	Date	: 1988-Aug-2	4 87:25:29	
47:	subtype capital_letter is character rat	1	: Ada ver	sion of Whetstone Bench	ark Program
48:	age the act of a set	2	: This mu	ast he edited to "with" to	he compiler suppliers math routines
49:	type String_30 is array(one_to_thirty)				
58:	pragma pack(string_38);	4	: These	results may be interesti	ng to compare to 2000093 that uses
51:		3	: a phys	ically included, all Ada	set of math routines
52:	type array_1_dim_integer is array (one_				
53:	type array_2_dim_integer is array (one,	7			to the concession of the second second second second
54:	one,	8			
55:				1	
56:	type record_type(discr:enumeration:=ide		9:	1	
57:			shelltool	- /hin/c=>	
58:	type record_pointer is access record_t	18	374:	for k in 1.,488 loo	O Transa - An en Calma and Social
59:		11	375:		(k)*(r*z(k+18)+t*z(k+11));
68:	type record_type(discr:enumeration:=idd	- C**	376:	end loop;	
61:	record	12	377:		
62:	pointer_comp: record_		378:	ts(1) := second - t	
63:	case discr is	13	379:	for k in 1488 loo	
64:	when ident_1 => only		388:		cksum(1) + sys_float(k) = x(k).
1110	ol - /bin/csh	14	381:	end loop;	
	a Compiler, Version 1.8	-	382:		
	ht (c) 1988 Cray Research, Inc. All Rig	15	383:		
ile:	livermore.ada	÷	384:	Loop 2: alr inner pro	duct
late:	1988-Aug-24 87:15:51	16	385:	1	
1:		-	207.	init: 1	
	14-Kernel Livermore Loops - Ada Ve	17	388:	ts(2) := second;	
		-	200.	g := 8,8;	
	This program evaluates the executi	18	398	k := 1;	
	code bottlenecks; that ten percent		391		
	ninety percent of the execution ti	_	392:	while k <= 996 loop	C C C C C C C C C C C C C C C C C C C
			202.	g := 0+2(k)	*x(k)+z(k+1)*x(k+1)+z(k+2)*x(k+2)+
	Throughput is measured in units of		394:	z(k	+3)*x(k+3)+z(k+4)*x(k+4):
	operations per second, called MFLOF	3-	395:	k := k+5;	
			396:	enil loop;	
	 This version was converted from the inturn from the Fortran version. 			Salah Sa	
	in turn from the Fortran Version.			ts(2) := second - t	s(2);
	a Fortran-like appearance.	ver al	399:	cksum(2) := q;	
	a Fortran-like appearance.		498:		
	The C version introduced a self-che	ek af	481:	and the second se	
218:		LA UI	482:	Loop 3: inner product	
-	NUMBER OF STREET, STRE	_	483:	Construction of the state of the state of the	
	Its row trouter to toget trouters	100	484:		
	to firm they, there is a		485:	init:	
	an rea tone tray Betrarch, Inc. all Bights Beterved				

flexible manipulation of libraries, and promote sharing of code among developers and applications.

- The Ada Linker, which binds together each Ada subprogram and invokes the Cray loader SEGLDR.
- The Ada Execution Environment, the run-time system that provides an environment for executing Ada programs, which includes support for built-in language facilities, such as Ada tasking and memory allocation, and support for predefined packages, such as Text __IO and Calendar.
- Language tools, consisting of the Ada Cross-Referencer, Ada Source Dependency Lister, and Ada Source Formatter.
- The Source Level Debugger, which provides an interactive environment for examining the behavior of compiled Ada programs.

In addition to standard LRM features, Cray Ada has the ability to call routines written in Fortran, C, Pascal, and the Cray assembly language CAL.

Validation

The Department of Defense (DoD) now requires all contractors to use validated Ada in mission critical applications. The Ada Validation Facility publishes the Ada Compiler Validation Capability (ACVC) test suite to verify the functionality and completeness of Ada compilers as specified in the LRM. Cray Ada has passed the ACVC 1.9 test suite.

Development of Cray Ada

Cray Ada is being implemented in two phases. The first phase, available now, offers full Ada LRM capability. The second phase will add increased performance by way of scalar optimization (although some optimizations are prohibited by the nature of Ada), vectorization, and instruction scheduling, while retaining a compatible user interface.

Release 1.0 of Cray Ada runs on CRAY X-MP and CRAY-2 systems under the UNICOS operating system (release 4.0 or later). Cray Ada release 2.0 will also run on CRAY Y-MP systems.

Publications, training, and support

The Cray Ada Environment Reference Manual is supplied with Ada for Cray computer systems. This manual supplements the LRM.

Cray Software Training in Mendota Heights, Minnesota, offers a programmer's introduction to Ada (five days) and a manager's introduction to Ada (one day). Classes are arranged as needed. For current information, call the Cray Software Training registrar at (612) 452-9410.

For more information on Ada for Cray computer systems call or write your nearest Cray Research sales office.



608 Second Avenue South Minneapolis, MN 55402 612/333-5889 Telex: 6879144

Domestic sales offices

Atlanta, Georgia Bernardsville, New Jersey Boulder, Colorado Calverton, Maryland Chicago, Illinois Cincinnati, Ohio Colorado Springs, Colorado Dallas, Texas Darien, Connecticut Denver, Colorado Detroit, Michigan Houston, Texas Huntington Beach, California Huntsville, Alabama Laurel, Maryland Los Alamos, New Mexico Los Angeles, California Minneapolis, Minnesota Nashua, New Hampshire New York, New York Pittsburgh, Pennsylvania Salt Lake City, Utah San Ramon, California Scottsdale, Arizona Seattle, Washington St. Louis, Missouri Sunnyvale, California Tampa, Florida Tulsa, Oklahoma Washington, DC

International business centers

Cray Asia/Pacifi long Kong

Cray Canada Inc. Toronto, Canada

Cray Computadores do Brasil, Ltda Rio de Janeiro, Brazil

Cray Research (Australia) Pty. Ltd. Port Melbourne, Australia

Cray Research France S.A Paris, France

Cray Research GmbH Munich, West Germany

Cray Research Japan, Limited Tokyo, Japan

Cray Research S.A.E. Madrid, Spain

Cray Research S.R.L Milan, Italy

Cray Research (Suisse) S.A. Geneva, Switzerland

Cray Research (UK) Ltd. Bracknell, Berkshire, UK



CRAY is a registered trademark, and CAL, CRAY-2, CRAY X-MP, CRAY Y-MP, SEGLDR, and UNICOS are trademarks of Cray Research. Inc. The UNICOS operating system is derived from the AT&T UNIX System V operating system. UNICOS is also based, in part, on the Fourth Berkeley Software Distribution under license from The Regents of the University of California. UNIX is a registered trademark of AT&T. Ada is a registered trademark of the U.S. Government (AJPO). Space station image courtesy The Boeing Company.

The product specifications contained in this brochure and the availability of said products are subject to change without notice. For the latest information, contact the nearest Cray Research sales office.

CCMP-1104

9/88, Cray Research, Inc.